

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-03-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-03-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2287
वस्तु श्रेणी /Item Category	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Bathroom or Toilet Mirror (V3) (Q4) , Towel Rail (Q3) , Bathroom Water Shower (V2) (Q3) , Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 (Q3) , Wire Mesh dia 0point36mm width 1point4mm four feet wide and 15 mtr long , Float Valve PVC 20 mm with PVC float , MCB 63 Amps TPN 220 volt 10 KA , LED Bulb 9 Watt , MCCB 320 Amp 4 P 35 KA , LED Street Light 45 watt with IP66 protection and impact resistance of IK07 , LED Street Light 70 watt with IP66 protection and impact resistance of IK07 , LED Street Light 30 watt with IP66 protection and impact resistance of IK07 , 200 Watt Flood Light , Aluminium Cable Lugs 95 Sqmm , Ply wood commerical 8oblique9 mm thick 8feetby4feet BWR Gde , Ply wood commerical 6 mm thick 8feetby4feet BWR Gde , GI Nipple 20x40 mm long , GI Plug 20mm , GI Tubing 100 mm Med Gde , GI Tubing 15 mm Med Gde , GI Tubing 20 mm Med Gde , GI Tubing 25 mm Med gde , GI Tubing 40 mm Med Gde , GI Tubing 50 mm Med Gde , GI Tubing 80 mm Med Gde , Gland Packing 10 mm , Gland Packing 12 mm , Gland Packing 8 mm , GI Union 20 mm , GI Socket Reducer 25x20 mm , GI Union 15 mm , GI Union 25 mm , GI Union 40 mm , GI Union 50 mm , Elbow GI 20mm , GI Tee Reducing 15x20 mm , GI Tee Reducing 20x15 mm , GI Tee Reducing 50x40 mm , GI Tee Reducing 40x25 mm , GI Tee Reducing 25x20 mm , GI Nipple 20x150 mm long , Tank Nipple GI 20mm , GI Socket 25 mm dia , GI Socket 40 mm dia , GI Socket 50 mm dia , Elbow GI 15mm , Elbow GI 40mm , Elbow GI 50mm , Elbow GI 25mm , GI Nipple 25x250 mm long

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

Wire Mesh dia 0point36mm width 1point4mm four feet wide and 15 mtr long, Float Valve PVC 20 mm with PVC float, MCB 63 Amps TPN 220 volt 10 KA, LED Bulb 9 Watt, MCCB 320 Amp 4 P 35 KA, LED Street Light 45 watt with IP66 protection and impact resistance of IK07, LED Street Light 70 watt with IP66 protection and impact resistance of IK07, LED Street Light 30 watt with IP66 protection and impact resistance of IK07, 200 Watt Flood Light , Aluminium Cable Lugs 95 Sqmm, Ply wood commerical 8/9 mm thick 8'x4' BWR Gde, Ply wood commerical 6 mm thick 8'x4' BWR Gde, GI Nipple 20x40 mm long, GI Plug 20mm, GI Tubing 100 mm Med Gde, GI Tubing 15 mm Med Gde, GI Tubing 20 mm Med Gde, GI Tubing 25 mm Med gde, GI Tubing 40 mm Med Gde, GI Tubing 50 mm Med Gde, GI Tubing 80 mm Med Gde, Gland Packing 10 mm, Gland Packing 12 mm, Gland Packing 8 mm, GI Union 20 mm, GI Socket Reducer 25x20 mm, GI Union 15 mm, GI Union 25 mm, GI Union 40 mm, GI Union 50 mm, Elbow GI 20mm, GI Tee Reducing 15x20 mm, GI Tee Reducing 20x15 mm, GI Tee Reducing 50x40 mm, GI Tee Reducing 40x25 mm, GI Tee Reducing 25x20 mm, GI Nipple 20x150 mm long, Tank Nipple GI 20mm, GI Socket 25 mm dia, GI Socket 40 mm dia, GI Socket 50 mm dia, Elbow GI 15mm, Elbow GI 40mm, Elbow GI 50mm, Elbow GI 25mm, GI Nipple 25x250 mm long

**Searched String:** Wire Mesh dia 0point36mm width 1point4mm four feet wide and 15 mtr long

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, High Pressure Fire Fighting Hose - IS 14933

**Searched String:** Float Valve PVC 20 mm with PVC float

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Marking Cones, Check Valve (V2) as per IS 778

**Searched String:** MCB 63 Amps TPN 220 volt 10 KA

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** LED Bulb 9 Watt

Rechargeable LED Bulb (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), LED Bulb with Battery as per IS 16102, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Inspection Lamp, 12 Watt White-LED Based

बिड विवरण / Bid Details

Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, LED Rope Light (LED Strip Light) Conforming To IS 10322 (Part 5/Section 9) (Under BIS Scheme - II)

**Searched String:** MCCB 320 Amp 4 P 35 KA

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB)

**Searched String:** LED Street Light 45 watt with IP66 protection and impact resistance of IK07

LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

**Searched String:** LED Street Light 70 watt with IP66 protection and impact resistance of IK07

LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

**Searched String:** LED Street Light 30 watt with IP66 protection and impact resistance of IK07

LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

**Searched String:** 200 Watt Flood Light

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hot air oven, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification

**Searched String:** Aluminium Cable Lugs 95 Sqmm

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

विड विवरण / Bid Details  
**Searched String:** Ply wood commerical 8/9 mm thick 8'x4' BWR Gde

Lapi Patra (Putty Applicator), Work Benches, Compostable Carry Bags

**Searched String:** Ply wood commerical 6 mm thick 8'x4' BWR Gde

Corrugated Boxes

**Searched String:** GI Nipple 20x40 mm long

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Insect Killer

**Searched String:** GI Plug 20mm

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, GI Grating (in MT), Cleaning Duster (V3), Plug Gauge, Rubber Plug, Electrical Plugs (V2) ISI Marked to IS 1293, Centrifuge Tubes (V3)

**Searched String:** GI Tubing 100 mm Med Gde

intracompartmental pressure monitoring set accessories (Pressure Monitoring Line), Disposable Tracheostomy Tube (V2), Endotracheal Tube - Sterile (Single Use), Polyurethane Tube (V2)

**Searched String:** GI Tubing 15 mm Med Gde

Needle Free Connector with Extension Tube, Endotracheal Tube - Sterile (Single Use), Disposable Tracheostomy Tube (V2), Grain Storage Bin (V2), Multipurpose or General Test Tubes (V2) as per IS 2618

**Searched String:** GI Tubing 20 mm Med Gde

Memory Card Reader (V2), Endotracheal Tube - Sterile (Single Use), Disposable Tracheostomy Tube (V2), Nasogastric Tube (V2), Centrifuge Tubes (V3), Grain Storage Bin (V2)

**Searched String:** GI Tubing 25 mm Med gde

Parallel Bar - Outdoor Gym Equipment, Endotracheal Tube - Sterile (Single Use), Cast Iron Bench, Disposable Tracheostomy Tube (V2)

**Searched String:** GI Tubing 40 mm Med Gde

Disposable Tracheostomy Tube (V2), Endotracheal Tube - Sterile (Single Use), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Centrifuge Tubes (V3)

**Searched String:** GI Tubing 50 mm Med Gde

Cast Iron Bench, Endotracheal Tube - Sterile (Single Use),

विड विवरण / Bid Details Disposable Tracheostomy Tube (V2), Polyurethane Tube (V2), Grain Storage Bin (V2)

**Searched String:** GI Tubing 80 mm Med Gde

Endotracheal Tube - Sterile (Single Use), Disposable Tracheostomy Tube (V2), Steel Tubes used for Water Wells (V2) as per IS 4270

**Searched String:** Gland Packing 10 mm

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gasket And Packings-Gland Packings Asbestos - IS 4687, NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Endotracheal Tube - Sterile (Single Use), Bag Calico- OFB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Tube 104.9mm-OFB, Cotton Bandage Cloth Conforming to IS 863, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags)

**Searched String:** Gland Packing 12 mm

Graphite gland packing ropes, Surgical Sutures, Gasket And Packings-Gland Packings Asbestos - IS 4687, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Endotracheal Tube - Sterile (Single Use), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cotton Bandage Cloth Conforming to IS 863, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Absorbent Cotton Gauze Conforming to IS 758, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

**Searched String:** Gland Packing 8 mm

Graphite gland packing ropes, Endotracheal Tube - Sterile (Single Use), Gasket And Packings-Gland Packings Asbestos - IS 4687, General Purpose Hand Gloves (V2), Work Benches, Endodontic Files (V2), PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Coarse Aggregate (V2) Conforming to IS 383, Staplers (V2), Rubber Welding Hoses as per IS 447

**Searched String:** GI Union 20 mm

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Memory Card Reader (V2), LED Batten, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Theft Proof Rifle Racks, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Grain Storage Bin (V2)

**Searched String:** GI Socket Reducer 25x20 mm

PVC Reducer Socket, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Socket Reducing confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Dry Erase Writing Boards (V3), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Elbows Reducing confirming to IS 1239 (Part 2), Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR

GeMARPTS में खोजा गया परिणाम / Searched

**Searched String:** GI Union 15 mm

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Plug Cocks for Water Supply Purposes conforming to IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, rubber bands, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** GI Union 25 mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Grain Storage Bin (V2)

**Searched String:** GI Union 40 mm

Parallel Bar - Outdoor Gym Equipment, Insect Killer, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pad Lock Various (As Per Defence Specification), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, LED Batten, Grain Storage Bin (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

**Searched String:** GI Union 50 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, Insect Killer, Staplers (V2), Compostable Nursery Bags

**Searched String:** Elbow GI 20mm

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Rigid GI Pipe (BHEL), Cleaning Duster (V3), GI Grating ( in Number), GI Grating (in MT), Elbow and forearm CPM, Dry Erase Writing Boards (V3)

**बिड विवरण/Bid Details** Searched String: GI Tee Reducing 15x20 mm

Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Broth Media, CPVC Industrial Pipe Fittings, Schedule 80, Pin Up Notice Board (V2), Dak Pad (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Parallel Bar - Outdoor Gym Equipment

**Searched String:** GI Tee Reducing 20x15 mm

Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elbows Reducing confirming to IS 1239 (Part 2), Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Broth Media, Socket Reducing confirming to IS 1239 (Part 2), Pin Up Notice Board (V2), CPVC Industrial Pipe Fittings, Schedule 80, Dak Pad (V2)

**Searched String:** GI Tee Reducing 50x40 mm

Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Socket Reducing confirming to IS 1239 (Part 2), Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Broth Media, CPVC Industrial Pipe Fittings, Schedule 80, Pin Up Notice Board (V2), Dak Pad (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

**Searched String:** GI Tee Reducing 40x25 mm

Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Broth Media, CPVC Industrial Pipe Fittings, Schedule 80, Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment

**Searched String:** GI Tee Reducing 25x20 mm

Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elbows Reducing confirming to IS 1239 (Part 2), Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Broth Media, Socket Reducing confirming to IS 1239 (Part 2), Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), CPVC Industrial Pipe Fittings, Schedule 80

**Searched String:** GI Nipple 20x150 mm long

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part

विड विवरण / Bid Details 2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment,

modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), rubber bands

**Searched String:** Tank Nipple GI 20mm

Parallel Bar - Outdoor Gym Equipment, Portable Toilet, Modular Toilet, Grain Storage Bin (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Vacuum Pump, Running Nipples, Close Taper Nipples and Barrel Nipples conforming to IS 1239 (Part 2)

**Searched String:** GI Socket 25 mm dia

MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Secure Socket Layer (SSL) Certificate, Commercial PPR Pipes Fittings as per IS 15801, NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), Parallel Bar - Outdoor Gym Equipment, NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Steel Rod 30.1mm Diameter (OFB (Defence)), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** GI Socket 40 mm dia

MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Parallel Bar - Outdoor Gym Equipment, NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Rod 30.1mm Diameter (OFB (Defence)), Commercial PPR Pipes Fittings as per IS 15801, Insect Killer, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pad Lock Various (As Per Defence Specification)

**Searched String:** GI Socket 50 mm dia

Diafenthuron 50% WP, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Commercial PPR Pipes Fittings as per IS 15801, Diafenthuron 50% Wp (Wettable Powder) (V2), Parallel Bar - Outdoor Gym Equipment, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Steel Rod 30.1mm Diameter (OFB (Defence)), Health Supplements, Nutraceuticals and Food for Special Dietary Use

**Searched String:** Elbow GI 15mm

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Rigid GI Pipe (BHEL), GI Grating ( in Number), Dry Erase Writing Boards (V3), GI Grating (in MT), Elbow and forearm CPM, Elbow and Forearm CPM (V2), Pin Up Notice

बिड विवरण / Bid Details	Board (V2)
	<p><b>Searched String:</b> Elbow GI 40mm</p> <p>Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Rigid GI Pipe (BHEL), GI Grating ( in Number), Dry Erase Writing Boards (V3), GI Grating (in MT), Elbow and forearm CPM, Nitrile Coated/Nitrile Hand Gloves (V2), Elbow and Forearm CPM (V2)</p> <p><b>Searched String:</b> Elbow GI 50mm</p> <p>Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Rigid GI Pipe (BHEL), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating ( in Number), Labels Stickers (V3), GI Grating (in MT), Elbow and forearm CPM, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2)</p> <p><b>Searched String:</b> Elbow GI 25mm</p> <p>Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Rigid GI Pipe (BHEL), GI Grating ( in Number), GI Grating (in MT), Dry Erase Writing Boards (V3), Elbow and forearm CPM, Elbow and Forearm CPM (V2)</p> <p><b>Searched String:</b> GI Nipple 25x250 mm long</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• 17636, rubber bands</li> <li>• Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</li> <li>• Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</li> <li>• Towel Ring</li> </ul>
<b>बीओक्यू शीर्षक /BOQ Title</b>	BR items
<b>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	5 Lakh (s)
<b>मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)</b>	5 Lakh (s)
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover</b>	Yes   Complete

<b>बिड विवरण/Bid Details</b>	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	2
विगत प्रदर्शन / <b>Past Performance</b>	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	50000

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

SBSO

CWE Bhopal, Department of Military Affairs, Indian Army, Ministry of Defence  
(Shivendra Singh Attri)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The

buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 26 pieces )**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 1 Bib tap
	<b>Dimension</b>	As per table 4 of the governing specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Brass rods
	<b>Material of inlet tubes</b>	Copper tubes
	<b>Material of flanges</b>	Cast brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Stainless steel
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Forged brass
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	24

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 26 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Bib Tap CP 15mm	26 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	26	15

**Bathroom Or Toilet Mirror (V3) ( 13 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Square
	<b>Type of Mirror Coating</b>	Silver Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Aluminium
	<b>Frame Color</b>	Silver
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>20 to ?25
	<b>Height/Diameter of Mirror (inch)</b>	>20 to ?25
	<b>Thickness of Mirror (mm)</b>	>3.5 to ?4

**Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) ( 13 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Bathroom or toilet Mirror 600mmx600mm	13 Pcs

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	13	15

**Bathroom Or Toilet Mirror (V3) ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Decorative Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Aluminium Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Plastic
	<b>Frame Color</b>	White
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>35 to ?40
	<b>Height/Diameter of Mirror (inch)</b>	>40 to ?45
	<b>Thickness of Mirror (mm)</b>	>4.5 to ?5

**Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) ( 6 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC Bathroom cabinet with mirror 350mmX450mm	6 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	6	15

**Bathroom Or Toilet Mirror (V3) ( 23 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Silver Coated
	<b>Frame</b>	Without
	<b>Frame Material</b>	NA (Frameless)
	<b>Frame Color</b>	NA
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>30 to ?35
	<b>Height/Diameter of Mirror (inch)</b>	>20 to ?25
	<b>Thickness of Mirror (mm)</b>	>3.5 to ?4

**Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) ( 23 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Bathroom mirror 900mmx450mm	23 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	23	15

**Towel Rail ( 11 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	<b>Rail Material</b>	Stainless Steel (SS 202)
	<b>Mounting Bracket Material</b>	Stainless Steel (SS 202)
	<b>Towel Rail Length (in mm) (Tolerance : ± 10 mm)</b>	600 mm
	<b>Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)</b>	16 mm
	<b>Projection from Wall (in mm) (Tolerance : ± 10 mm)</b>	60 mm
Design & Configuration	<b>Towel Rail Type</b>	Single Bar
	<b>Bar Shape of Rail</b>	Round
Load & Performance	<b>Recommended Load Capacity (in kg)</b>	Up to 3 kg
Fixing & Accessories	<b>Fixing Hardware Included</b>	Yes
	<b>Fasteners Material</b>	Stainless Steel

#### Additional Specification Parameters - Towel Rail ( 11 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Towel rail 600 mm long, 20mm dia, CP	11 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	11	15

#### Bathroom Water Shower (V2) ( 7 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1
	Diameter of Hand Shower Tube (in mm)	8
	Material of Hand Shower Tube	PVC
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	1

**Additional Specification Parameters - Bathroom Water Shower (V2) ( 7 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Shower (hand shower) 15 mm CP	7 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	7	15

**Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 25 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ / Technical Specifications

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 778</b>	Yes
	<b>End Connection</b>	Screwed Ends
	<b>Nominal Size of Valves (in mm)</b>	15 mm
	<b>Pressure Classification</b>	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	<b>Gate Valve Type</b>	Solid Wedge Type
Material & Manufacture	<b>Bonnet Type/ Design</b>	Screwed - in bonnet integral seats
	<b>Material of Body</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Bonnet/Cover Material</b>	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)
Dimensions	<b>Minimum Length of Threaded Portion at the end (in mm)</b>	9.5 mm
	<b>Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)</b>	3.7 mm
	<b>Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)</b>	11.5 mm
	<b>Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)</b>	8 mm
	<b>Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)</b>	26 mm
	<b>End to End Dimensions of Screwed End Valves (in mm)</b>	As per Table 9 of IS 778
	<b>Face to Face Dimensions of Flanged Valves (in mm)</b>	As per Table 11 of IS 778

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 25 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Gate Valve 15mm bronze	25 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	25	15

**Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 25 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 778</b>	Yes
	<b>End Connection</b>	Screwed Ends
	<b>Nominal Size of Valves (in mm)</b>	20 mm
	<b>Pressure Classification</b>	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	<b>Gate Valve Type</b>	Solid Wedge Type
Material & Manufacture	<b>Bonnet Type/ Design</b>	Screwed - in bonnet integral seats
	<b>Material of Body</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Bonnet/Cover Material</b>	Brass (conforming to DCB 2 of IS 1264)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)
Dimensions	<b>Minimum Length of Threaded Portion at the end (in mm)</b>	10.5 mm
	<b>Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)</b>	4.1 mm
	<b>Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)</b>	13.0 mm
	<b>Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)</b>	9 mm
	<b>Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)</b>	32 mm
	<b>End to End Dimensions of Screwed End Valves (in mm)</b>	As per Table 9 of IS 778
	<b>Face to Face Dimensions of Flanged Valves (in mm)</b>	As per Table 11 of IS 778

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 25 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Gate Valve 20 mm bronze	25 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	25	15

### Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 25 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 778</b>	Yes
	<b>End Connection</b>	Screwed Ends
	<b>Nominal Size of Valves (in mm)</b>	25 mm
	<b>Pressure Classification</b>	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	<b>Gate Valve Type</b>	Solid Wedge Type
Material & Manufacture	<b>Bonnet Type/ Design</b>	Screwed - in bonnet integral seats
	<b>Material of Body</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Bonnet/Cover Material</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)
Dimensions	<b>Minimum Length of Threaded Portion at the end (in mm)</b>	12.0 mm
	<b>Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)</b>	4.6 mm
	<b>Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)</b>	13.0 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	10 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	39 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 25 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Gate Valve 25mm bronze	25 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	25	15

**Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 20 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	40 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Pressure Classification</b>	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	<b>Gate Valve Type</b>	Solid Wedge Type
Material & Manufacture	<b>Bonnet Type/ Design</b>	Screwed - in bonnet renewable seats
	<b>Material of Body</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Bonnet/Cover Material</b>	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Leaded Tin Bronze (conforming to LTB 2 of IS 318)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)
Dimensions	<b>Minimum Length of Threaded Portion at the end (in mm)</b>	13.5 mm
	<b>Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)</b>	5.0 mm
	<b>Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)</b>	15.0 mm
	<b>Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)</b>	12 mm
	<b>Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)</b>	55 mm
	<b>End to End Dimensions of Screwed End Valves (in mm)</b>	As per Table 9 of IS 778
	<b>Face to Face Dimensions of Flanged Valves (in mm)</b>	NA for Screwed Valves

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 20 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Gate Valve 40 mm bronze	20 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

**Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 20 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 778</b>	Yes
	<b>End Connection</b>	Screwed Ends
	<b>Nominal Size of Valves (in mm)</b>	50 mm
	<b>Pressure Classification</b>	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	<b>Gate Valve Type</b>	Solid Wedge Type
Material & Manufacture	<b>Bonnet Type/ Design</b>	Screwed - in bonnet integral seats
	<b>Material of Body</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Bonnet/Cover Material</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	17.0 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	6.0 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	20.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	12 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	68 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 20 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Gate Valve 50 mm bronze	20 Nos

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

**Wire Mesh Dia 0point36mm Width 1point4mm Four Feet Wide And 15 Mtr Long**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	6	15

**Float Valve PVC 20 Mm With PVC Float**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	63	15

**MCB 63 Amps TPN 220 Volt 10 KA**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	12	15

### LED Bulb 9 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	54	15

### MCCB 320 Amp 4 P 35 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	1	15

**LED Street Light 45 Watt With IP66 Protection And Impact Resistance Of IK07**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	3	15

**LED Street Light 70 Watt With IP66 Protection And Impact Resistance Of IK07**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	2	15

**LED Street Light 30 Watt With IP66 Protection And Impact Resistance Of IK07**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	3	15

**200 Watt Flood Light**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	1	15

**Aluminium Cable Lugs 95 Sqmm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	54	15

**Ply Wood Commerical 8oblique9 Mm Thick 8feetby4feet BWR Gde**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	231	15

**Ply Wood Commerical 6 Mm Thick 8feetby4feet BWR Gde**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	231	15

**GI Nipple 20x40 Mm Long**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	25	15

**GI Plug 20mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	50	15

**GI Tubing 100 Mm Med Gde**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### GI Tubing 15 Mm Med Gde

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### GI Tubing 20 Mm Med Gde

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### GI Tubing 25 Mm Med Gde

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### GI Tubing 40 Mm Med Gde

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### GI Tubing 50 Mm Med Gde

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### GI Tubing 80 Mm Med Gde

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	120	15

### Gland Packing 10 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### Gland Packing 12 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### Gland Packing 8 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### GI Union 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	40	15

### GI Socket Reducer 25x20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	40	15

### GI Union 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	40	15

### GI Union 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	40	15

### GI Union 40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	40	15

### GI Union 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	40	15

### Elbow GI 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Tee Reducing 15x20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Tee Reducing 20x15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Tee Reducing 50x40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Tee Reducing 40x25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Tee Reducing 25x20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Nipple 20x150 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### Tank Nipple GI 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Socket 25 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Socket 40 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### GI Socket 50 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	10	15

### Elbow GI 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### Elbow GI 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### Elbow GI 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### Elbow GI 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### GI Nipple 25x250 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sagar	20	15

### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**