

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-03-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-03-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2
वस्तु श्रेणी /Item Category	Portable Toilet (Q3)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	1 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	2
विगत प्रदर्शन / <b>Past Performance</b>	40 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Gp Cdr

501 Field Survey Engineer Group, Department of Military Affairs, Indian Army, Ministry of Defence  
(S Sridhara Rao)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery

acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

6. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## **Portable Toilet ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of Supply</b>	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	<b>Number of Compartments</b>	1 - seater portable toilet, 2 - seater portable toilet, 3 - seater portable toilet
	<b>Type of WC</b>	Indian with ceramic base, Indian with steel base, Indian with FRP, Indian(FRP) with integrated facility(With floor), European with ceramic base, European with steel base
	<b>Number of WC</b>	1, 2, 3, 0
	<b>Number of Urinals ( For Gents and Ladies to be mentioned separately )</b>	1, 2, 3, 0
	<b>Number of Bathrooms</b>	1, 2, 3, 0
	<b>Water facility</b>	By mean of overhead tank(Capacity 200Ltrs), By mean of overhead tank(Capacity 300Ltrs), By mean of overhead tank(Capacity 500Ltrs), With running water connection, Direct connection from external supply
	<b>Sewage facility</b>	Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater), Sludge tank(Capacity 400 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 2-seater and 3-seater), Sludge tank(Capacity 500 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 3-seater), Twin Leech pit with insepection chamber, No sewage facility
	<b>ventilation</b>	One No., Two No., Full size ventilation above door plus half size ventilation on other side for cross ventilation, All 4 - sides
	<b>Lifting hook</b>	one number heavy lifting hook provided, two number heavy lifting hook provided, four number heavy lifting hook provided, no lifting hook
	<b>Projection of Roof</b>	50mm projection on all the four sides, 100mm projection from front and 50mm projection on other sides, 50mm projection from front and 25mm projection on other sides, NO projection
	<b>Installation and commissioning</b>	To be done by seller, To be done by Consignee himself
<b>Plumbing and Sanitary fitting connection</b>	To be done by seller, To be done by Consignee himself	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Electrical connection</b>	To be done by seller, To be done by Consignee himself
	<b>Waste extraction fittings</b>	To be done by seller, To be done by Consignee himself
	<b>Civil foundation</b>	No foundation required, Required - To be done by seller, Required - To be done by consignee himself
FRAME MATERIAL	<b>Bottom frame material</b>	35mm X 35mm X 5mm(thick) MS angle for one seater, 75mm X 37.5mm C-channel MS(for 2-seater & 3-seater), 35mm X 35mm X 5mm(thick) SS angle for one seater, 75mm X 37.5mm C-channel SS(for 2-seater & 3-seater), No Bottom frame structure, 25mm X 25mm X 16 gauge MS Sq. pipe and MS angle
	<b>Bottom frame support material</b>	25mm X 25mm X 3mm(thick) MS angle (for 1-seater, 2-seater & 3-seater), 25mm X 25mm X 3mm(thick) SS angle, No support structure
	<b>Side panel frame material</b>	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, No side frame structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest
	<b>Top(roof) frame material</b>	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, No roof frame structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest
	<b>Top(roof) support frame structure</b>	25mm X 25mm X 3mm(thick) MS angle, 25mm X 25mm X 3mm(thick) SS angle, No support structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest
	<b>Partition frame material</b>	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, No partition frame structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest
	<b>Ventilation frame material</b>	25mm X 25mm X 3mm(thick) flat MS, 25mm X 25mm X 3mm(thick) flat SS, No ventilation frame material, 25 mm x 25 mm x 2 mm (thick) MS Flat
	<b>Door frame material</b>	50mm X 25mm of 14-16gauge rectangular MS hollow pipe, 50mm X 25mm of 14-16gauge rectangular SS hollow pipe, No door frame material, 35 mm x 35 mm x 5 mm (thick) MS ANGLE
	<b>Support material for Door panel fixing</b>	Aluminium U-channel of 18gauge, SS U-channel of 18gauge, No support material
	<b>Door hinges(two numbers)</b>	75mm size with 1.2-1.5mm thickness MS, 75mm size with 0.6-0.8mm thickness SS, 75mm size with 1.2-1.5mm thickness Chrome plated
	<b>Tank holder frame material</b>	25mm X 3mm(thick) MS flat, 25mm X 3mm(thick) SS flat, 1125mm X 820mm outer ring(tubular structure)-MS, No Support

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Unit understructure</b>	Supported by 4-legs of size 35mm X 35mm X 5mm MS angle with corner support of 25mm x 25mm X 3mm MS angle for 1-seater, Supported by 4-legs of size 35mm X 35mm X 5mm SS angle with corner support of 25mm x 25mm X 3mm SS angle for 1-seater, Supported by 4-legs of size 75mm X 37mm C-channel MS angle, Supported by 4-legs of size 75mm X 37mm C-channel SS angle, Pedestal base having 890mm X 1065mm X 300mm(height) FRP molded, Supported by 4-legs of size 25 mm x 25 mm x 2 mm (thick) MS pipe with corner support of 25 mm x 25 mm x 2 mm MS pipe as per IS 4923 / latest for 1 - seater, Supported by 4-legs of size 25 mm x 25 mm x 2 mm (thick) MS pipe with central support of 38 mm x 38 mm x 2 mm MS pipe as per IS 4923 / latest for 2 - seater
	<b>Stairs frame material</b>	25mm x 25mm X 3mm MS angle, 25mm x 25mm X 3mm SS angle, No stairs
	<b>Stairs material</b>	25mm X 3mm MS flat, 25mm X 3mm SS flat, No stair material
	<b>Door Tee material</b>	40mm X 40mm x40mm X 5mm(thick) MS Tee, 40mm X 40mm x40mm X 5mm(thick) SS Tee, No door Tee material
PANEL MATERIAL	<b>Side panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), Outside paneling of 18 gauge MS sheet and inside paneling of 18 gauge aluminum sheet(single partition, corrugated sheet, Fitted with plastic light weight LLDPE roto molded, The superstructure Toilet to be one piece molded plasticwalls and roof with single wall construction by Roto-molded process-fixed on base with suitable fastners-having many nos. of embossed ribs for better strength., Outside panelling of 22 gauge Galvanized plain sheet as per IS 277 / latest and Inside panelling of 10 mm thick Cement fibre board of category 3 Type B confmg. to IS 14862 / latest ( To be 750 mm above the inside floor ), Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Top(Roof) panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40-70mm thick taper roof EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), 4mm poly carbonate sheet fitted on top, Fitted with plastic light weight LLDPE roto molded, The superstructure Toilet to be one piece molded plasticwalls and roof with single wall construction by Roto-molded process-fixed on base with suitable fastners-having many nos. of embossed ribs for better strength., Outside panelling of 22 gauge Galvanized plain sheet as per IS 277 / latest and Inside panelling of 10 mm thick Cement fibre board of category 3 Type B confmg. to IS 14862 / latest, Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	<b>Door panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated with necessary stiffeners and Aluminium accessories (2 Al handles-1 Al tower bolt-1Al L-drop and steel sheet thickness 0.6mm 275MPA), Outside paneling of 18 gauge aluminum sheet(corrugated sheet), Fitted with plastic light weight LLDPE roto molded, Single leaf shutter to be made out with PUF insulated sandwich panel - Panel to be 0.3mm thick Pre coated G,I. Sheet both side of PUF - Shutter thickness to be 20mm - Door width 600mm and Fixed with Hinges, 22 gauge Galvanized plain sheet as per IS / 277 (latest), Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>partition panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), Fitted with plastic light weight LLDPE roto molded, Outside panelling of 22 gauge Galvanized plain sheet as per IS 277 / latest and Inside panelling of 10 mm thick Cement fibre board of category 3 Type B confmg. to IS 14862 / latest ( To be 750 mm above the inside floor ), Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM $\pm$ 2 kg/CUM
	<b>Floor material</b>	5mm thick FRP material, 2-3mm thick SS material, Fitted with plastic light weight LLDPE roto molded, Anti skid tile finish floor inside toilet, The double wall constructed ready-made base shall be made out with Plastics material by roto-molded process - PUF to be filled in cavity between two walls for extra load bearing - single piece molded with required outlets - special handle to be provided on two side of toilet block for easily shifting the whole Block, 1.6 - 1.9 mm thick SS 304, 2 - 3 mm thick SS 304
DIMENSION	<b>Cabin size(LXWXH) <math>\pm</math> 25mm</b>	890mm X 840mm X 1980mm (for 1- seater), 915mm X 915mm x 1980mm (for 1- seater), 1780mm X 1680mm X 1980mm(for 2-seater), 1830mm X 1830mm X 1980mm(for 2-seater), 2670mm X 2520mm x 1980mm (for 3-seater), 2745mm X 2745mm x 1980mm (for 3-seater), 1220mm X 915mm X 2055mm(for 1-seater), 915mm X 435mm X 1955mm, 1220mm X 1220mm X 1980mm, 1700mm X 1170mm X 1980mm, 990mm x 838mm x 2286mm, 1700mm x 890mm x 1980mm, 2520mm x 890mm x 1980mm, 3556mm x 1143mm x 1980mm, 2438mm x 1220mm x 1980mm, 1143mm x 890mm x 1980mm, 1778mm x 1143mm x 1980mm, 3660mm x 1220mm x 1980mm, 910mm x 1075mm x 2060mm, 1050 mm x 900 mm x 1980 mm, 1525 mm x 780 mm x 1980 mm (for 1 - seater)
	<b>Door size(WxH) <math>\pm</math> 20mm</b>	585mm x 1830mm, 1790mm X 655mm(Steel sheet thickness - 0.6mm 275MPA), 1790 mm x 700 mm (GI sheet thickness 1.2 mm)
	<b>Single pan size <math>\pm</math> 10mm</b>	580mm X 440mm with built in platform/footrest, As per buyer's choice
	<b>Stairs size <math>\pm</math> 10mm</b>	610mm X 230mm having 1-step, 610mm X 230mm having 2-step, 610mm X 230mm having 3-step, NO stairs
	<b>Leg height <math>\pm</math>10mm</b>	455mm, NO legs, 350mm
MISC	<b>Door locking bolts</b>	Size 100mm of MS, Size 100mm SS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Towerbolt locking</b>	Towerbolt of MS size 75mm, Towerbolt of SS size 75mm, Towerbolt of Aluminium size 75mm
	<b>Overhead tank material</b>	made of double layer HDPE sheet, made of three layer HDPE sheet, Made of PVC, NO tank, Loft type single layer HDPE
	<b>Wash basin material</b>	made of FRP(fiber reinforced plastic), made of Ceramic, made of SS 304, No wash basin
	<b>WC material</b>	made of FRP(fiber reinforced plastic), made of Ceramic, made of SS 304
	<b>Towel rail/ring</b>	made of plastic, made of SS 304, Chrome plated, NO towel rail
	<b>P-trap material</b>	made of HDPE(75mm), made of PVC(75mm)
	<b>Footrest(WC) material</b>	made of FRP integrated with Indian WC and floor, made of SS 304 integrated with Indian WC and floor, made of Ceramic integrated with Indian WC and floor, N.A
	<b>Sewage tank material</b>	made of FRP 4mm thick(for 2-seater & 3- seater), Twin Leech pit with insepection chamber, NO sewage tank, Hume type Septic tank, As per buyer's choice
	<b>Dia of lifting hook</b>	20mm, 25mm, 30mm, 40mm, NO lifting hook
	<b>Size of Mirror</b>	455mm X 305mm, NO mirror
	<b>Electric provision</b>	By mean solar energy, BY mean of battery, By mean of connection from main line, NO electric provision
	<b>Base floor surface</b>	To be suitably slanted towards WC for proper drainage(for Indian WC), N.A
	<b>Movement facility for 2-seater and 3-seater</b>	Having two axle of 25mm X 25mm with four wheels(250mm each) made of solid rubber, Having two axle of 25mm X 25mm with four wheels(250mm each) made of PVC, N.A
<b>WARRANTY</b>	<b>Warranty period in number of years</b>	1, 2, 3

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Dehradun	2	15

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 5. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

### 6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

### 7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 8. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in

the bid document.

#### 9. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 10. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 11. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### 12. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 13. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### **अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---