

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-03-2026 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	16-03-2026 10:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Social Justice And Empowerment
विभाग का नाम/Department Name	Department Of Empowerment Of Persons With Disa
संगठन का नाम/Organisation Name	Swami Vivekanand National Institute Of Rehabilitati Research (svnirtar)
कार्यालय का नाम/Office Name	Cuttack
कुल मात्रा/Total Quantity	2020
वस्तु श्रेणी /Item Category	5 MP 30 mtr range CCTV Camera , 5 MP 50 mtr rang CCTV Camera 30 metres range , 32 Channel NVR , 1 32U standing rack , 4 Port Giga POE switch , 8 Port Port Giga POE switch , 24 Port Gigabit Managed Swi CAT 6 UTP Cable box , Outdoor UTP CAT 6 cable box optic armoured cable , OFC 12 core LIU wall mount SM Pigtail , OFC SC SC SM duplex patch cord fibre 3 Media converter , PVC conduit casing pipe 3 m long Display unit 43 inch size , Optical mouse , HDMI cat including brackets poles electrification monkey gua management software Cascading device Central Co Overall configuration and testing
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	rack
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Dumbbell Rack, Metal Shelving Racks (Adjustable T 1883 (V2), Bathroom Rack, Networking / Server Rac (Version 2), Squats Rack (Version 2), Wooden Shelf / Modular Storage (V2), Laboratory Reagent rack, H Racks, Servers (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Internal Storage Device (SSD/HDD) (V2)
बीओक्यू शीर्षक /BOQ Title	CCTV BID II
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	5 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)

बिड विवरण/Bid Details	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Rec Authorization Certificate,Additional Doc 1 (Requeste BoQ specification and supporting document *In case any bidder is seeking exemption from Expe Criteria, the supporting documents to prove his elig must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification the tender/bid process will also be displayed to other after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	32 Channel NVR
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	26000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	30

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in place wherever it is applicable.

लाभार्थी /Beneficiary :

Director

CUTTACK, Department of Empowerment of Persons with Disabilities, Swami Vivekanand National Institute of Rehabilitation Research (SVNIRTAR), Ministry of Social Justice and Empowerment
(Dr P P Mohanty)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
---	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance sheets for the last three financial years or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant periods uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Product to State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid or relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having completed during each of the Financial year. In case of bunch bids, the category of primary product having highest value should be considered.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as per Public Procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier shall be as per the Public Procurement (Preference to Make in India) Order 2017. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM or the local content and the details of locations at which the local value addition is made along with their bid, failing which the purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a Chartered Accountant if the OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2017. Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 4.6.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated on Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 04.06.2017. Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on which the purchase preference is being offered and hence resellers offering the product by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase price of L-1 as defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded to the bidder. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be available only if the bidder is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for the purpose of shortlisting of bidders. It has no relevance or bearing on the selection of bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criterion for the reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonable and competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in the following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1.
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1.

5 MP 30 Mtr Range CCTV Camera

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	25	30

5 MP 50 Mtr Range CCTV Camera

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	7	30

2 MP CCTV Camera 30 Metres Range

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	24	30

32 Channel NVR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	30

HDD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	5	30

4U Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	11	30

6U Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	30

32U Standing Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	30

4 Port Giga POE Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	11	30

8 Port Giga POE Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	4	30

16 Port Giga POE Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	30

24 Port Gigabit Managed Switch With 4 SFP Ports

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	30

CAT 6 UTP Cable Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	6	30

Outdoor UTP CAT 6 Cable Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	3	30

OFC 6 Core SM Fibre Optic Armoured Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	800	30

OFC 12 Core LIU Wall Mount With Adapter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	7	30

OFC SC SM Pigtail

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	72	30

OFC SC SC SM Duplex Patch Cord Fibre 3 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	15	30

OFC 100 Mbps SM Media Converter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	7	30

PVC Conduit Casing Pipe 3 M Long Good Quality

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1000	30

UPS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	8	30

Display Unit 43 Inch Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	30

Optical Mouse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	30

HDMI Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	30

Other Accessories Including Brackets Poles Electrification Monkey Guards CCTV Camera | Software Cascading Device Central Control System Etc

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	30

Overall Configuration And Testing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Conte qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 2% at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 2% at the time of placement of contract.

contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall be calculated from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period, the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be calculated as $(\text{quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is more than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculation to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

DIRECTOR, SVNIRTAR
payable at
CUTTACK

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer by the Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides as per GeM GTC). DD should be made in favour of

DIRECTOR, SVNIRTAR
payable at
CUTTACK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of the original DD to the Buyer within 15 days of award of contract.

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

SWAMI VIVEKANAND NATIONAL INSTITUTE OF REHABILITATION TRAINING A

(Ministry of Social Justice & Empowerment, Govt. of India)

Department of Empowerment of Persons with Disabilities, (Divyangjan)

OLATPUR, P.O: BAIROI, DIST: CUTTACK (ODISHA) Pin: 754010.

Tel. No: 0671-2805552, 2805 778, FAX: 0671 2805862.

Website: www.svnirtar.nic.in, E-mail: dir.nirtar@nic.in & svnirtar@gmail.com

Ref-AD-5/BOQ/CCTV/Campus//25-26

Date-17.02.26

GEM BOQ BID DOCUMENT FOR PROCUREMENT OF CCTV

GENERAL INSTRUCTIONS AND TERMS & CONDITIONS OF TENDER DOCUMENT

-
**Bidders can participate in GEM BOQ Bid in GEM site those are registered seller
All rules & regulations of bid are as per default conditions and procedure of G**

A. FOLLOWING DOCUMENTS TO BE UPLOADED.

SI	Name of documents
1	GST Certificate
2	Pan Card
3	Aadhar card
4	Latest quarter/month GST 3B receipt.
5	IT return for 24-25/25-26
6	Bidder turnover certificate mentioning UDIN Number of CA.
7	Experience certificate in GEM and in same type of item supply and installation in Govt Organization.
8	MSME certificate if any & MII certificate (mandatory).
9	Technical Bid details as per Annexure-I (mandatory)
10	Compliance Statement as per Annexure-II (mandatory)
11	Declaration as per Annexure-III (mandatory)
12	Technical documents as per annexure-IV (mandatory)
13	Bank Account details,
14	OEM authorization and STQC certificate of items as required. (mandatory)
15	Declaration/undertaking for warranty and CMC of product.

-

-

P.S -I/C

AD-7

AO/OIC-Accounts

D.D P&A-Offg

D.D-Tech-Off

-
Annexure-I (Technical bid details format).

Sl. No.	Information required	Information to be provided by the bidder
1	Name of the firm/ organization	
2	Whether the organization is proprietorship/ partnership/ Pvt. Ltd./ Ltd. Company	
3	Permanent and Local/present Address,	
4	Mobile No. & Whatsapp No. and E-mail. Id of the proprietor/firm/contact person..	
4	If the head office other than in (3) above, then give the address for the same	

**Annexure
COMPLI
T) -MANE**

Name of Items	Required Specification	Whether complied to the required specification YES/NO	Write brand of items and model number of items to be supplied.
1	2	3	4
5 MP 30 mtr range CCTV Camera	IP based fixed lens night vision Bullet type. (Details spec given below)		
5 MP 50 mtr range CCTV Camera	IP based vari-focal night vision Bullet type. (Details spec given below)		
2 MP CCTV Camera : 30 metres range	IP based night vision Dome type. (Details spec given below)		
32 Channel NVR	with IP camera inputs and 4 channel SATA compatibility. (Details spec given below)		
HDD	10 TB Surveillance grade. (Details spec given below)		

4U rack	4U with all accessories. (Details spec given below)		
6U rack	6U with all accessories. (Details spec given below)		
32U standing rack	With all accessories. (Details spec given below)		
4 Port Giga POE switch	(Details spec given below)		
8 Port Giga POE switch	(Details spec given below)		
16 Port Giga POE switch	(Details spec given below)		
24 Port Gigabit Managed Switch with 4 SFP ports	(Details spec given below)		
CAT 6 UTP Cable box	305 mtr long box		
Outdoor UTP CAT 6 cable box	-do-		
OFC - 6 core SM Fibre optic armoured cable	(Details spec given below)		
OFC - 12 core LIU wall mount with adapter	-do-		
OFC - SC-SM Pigtail	-do-		
OFC - SC-SC SM duplex patch cord fibre (3 m)	-do-		
OFC - 100 Mbps SM Media converter	-do-		
PVC conduit/ casing pipe (3 m long) good quality,	As approved by Engineer-in-charge, including flexible pipes and piping accessories as required.		
UPS	800 VA Line interactive		
Display unit (43" size)	(Dell, Samsung, Sony, LG or HP make)		
Optical mouse	Wireless		
HDMI cable	(as required)		

**Annexu
TION FC**

Other accessories including brackets, poles, electrification, monkey guards, CCTV camera management software, Cascading device, Central Control System etc.	As required for proper connectivity and functioning of the entire setup,		
Overall configuration & testing	For all the above supplied items so as to make them fully functional		

I/we having my/our office at do hereby declare that I/we have carefully read all the terms & conditions of GEM B OQ BID of the SVNIRTAR, Olatpur, Bairoi, Dist-Cuttack, Odisha-754010. I will abide by all terms and conditions set forth in the tender paper and GEM for the period of agreement.

Signature of Bidder

Si

ANNEXURE-IV (TECHNICAL DOCUMENTS)

Bidders must submit the following documents (self-attested) along with Technical bid.

1. Valid copies of certifications for the offered products, including BIS (Bureau of Indian Standards), CE, FCC Part-15 Subpart-B, and IK10 (Vandal Resistance), IP Rating certification (minimum IP67) for outdoor equipment and ONVIF Profile S & G compliance certificates to ensure interoperability.
2. A valid MII Compliance Audit Certificate or a self-certification (as per the latest Public Procurement Order) affirming the local content percentage for all surveillance products.
3. An undertaking that all Active and Passive components are from the same Original Equipment Manufacturer (OEM) to ensure seamless integration and single-point service support.
4. Confirmation of a minimum 02 (Two) Years Comprehensive Warranty on all products from the date of installation.
5. A technical write-up or certificate clarifying whether the cameras and NVR are compatible for cascading to other existing departments and support a Unified Single Display interface for all integrated channels.
6. A detailed Compliance Sheet clearly mentioning the Make and Model of each item.
7. The bidder must attach the official OEM Datasheets. The specifications mentioned in the compliance sheet must be verifiable against the technical data published on the OEM's official website.
8. To ensure technical synergy and ease of maintenance, all Cables, Switches, Racks, and Transceiver Modules must be sourced from the same OEM. Clarification regarding the same must be submitted.
9. Bid-Specific OEM Authorization Certificate (MAF).
- 10.** An OEM Escalation Matrix providing clear contact points for technical and service support.

Terms & Conditions

Ø As per default terms & condition of GEM.

- Ø Materials will be delivered and installed at SVNIRTAR during working hours and or y. If the consignee is changed, it will be informed by mail or clarification/ATC in t
- Ø If any items are not accepted, they may be replaced within seven days otherwise ted.

- Ø If the price of any items or total amount of order is more than our estimate value items may be rejected, or total bid may be cancelled.
- Ø Work will be treated as ok if it is accepted by the indenting department.
- Ø Installation/demonstration is the responsibility of supplier. No extra cost will be paid.
- Ø Warranty certificates must be submitted along with materials.
- Ø Supplier must attend the call for maintenance of any defect of equipment/materials during warranty period.
- Ø Defects in equipment/materials must be replaced/repared within seven days and be ok.
- Ø Bidders may submit leaflets and details specification of materials to be supplied.
- Ø **MSME certificate will be accepted for exemption of EMD if bidder is the the bid items otherwise bidder will deposit EMD.**

General Terms and Conditions.

Right to reject all bids

The authority reserves the right to accept/reject and cancel any bid.

2. **Terms of delivery.** Delivery of materials and installation work will be done in time and within the knowledge of Engineer I/C.
3. **Scope of work:** - *Supply and installation of all items mentioned in the schedule and list as per required specification including all installation materials, commissioning of cable laying with PVC casing pipe to all cameras, etc. After installation it should be tested and demonstrated for successful working of all cameras.*

CCTV surveillance will be installed at campus (both outside road around and inside of the Institute building). Installation and view point will be decided by the Engineer-I/C. All work will be done in coordination and supervision of Engineer-I/C. Before installation of materials, it should be verified and certified by Engineer-I/c. Challan of all installation materials and installation report card must be submitted in stores department duly signed by Engineer-I/C will be completed as per instruction of the Engineer-I/C.
4. **Minimum two years of warranty shall be assured by the selected vendor.**
5. Bidder must submit the OEM's declaration certificate regarding their genuineness in manufacturing setups and IPR for the CCTV Camera mentioning details about contact if required.

Standard Terms and conditions

- a. **The Service Provider must quote by considering the location(s) and other factors necessary for successful completion of the supply, installation and service scope of work.**
- b. **The Service Provider is advised to see the site conditions and nature of work and identify themselves with the site condition before submission of bid. No claim shall be entertained at a later date.**

- c. All tools, tackles, machines, plants and all other equipment's relevant to the work done by the bidder and cost with respect to the same shall be borne by bidder alone.
- d. The Labourers/Supervisor shall be arranged by the bidder at his cost for the work.
- e. The bidder has to transport his material/accessories, equipment's and other tool cost.
- f. Bidder shall follow the safety rules of the buyer's organization.
- g. Bidder's personnel while working at the location shall follow all the safety precautions to avoid any accident. The bidder shall be fully responsible for any mishaps, loss, damage to men during the working either to his men or to buyer's property. The buyer reserves the right for recovery of appropriate amounts from his bill/security deposit to compensate the loss.
- h. Work has to be completed within 45 days from the date of receipt of work order.
- i. Bidder must submit the following documents along with Technical Bid.
 1. Work Completion certificates on execution of CCTV works in central government Departments/PSUs organizations during last one year.
 2. Bid specific authorization from the manufactures of CCTV camera, NVHDD, etc.
- j. SVNIRTAR would award contract either for all the items or some of the items mentioned in Annexure-A. The requirements may be altered by SVNIRTAR, as and when required in the situation.
- k. No residential accommodation can be provided to the service provider or his team during the execution of work.
- l. The service provider is responsible for due compliance of laws/norms relating to the execution of work. The entire risk and responsibility pertaining to this contract regarding safety & security of men, materials & machine shall rest on the service provider.
- m. The contract shall be covered by Contract Labour (Regulation and Abolition) Act 1947 & Contract Labour (Regulation & Abolition) Central Rule 1971 with all amendments.
- n. In case of breach of any laws, acts, rules mentioned above or any terms of contract, the contract shall be cancelled automatically.
- o. The service provider shall execute the contract through own work force. Sub-contracting shall not be allowed.
- p. Work will be executed as per instructions of Engineer-in-charge.
- q. Engineer-in-charge shall have the right to stop the execution of work at any stage if the quality of work is found inferior, if the progress of work slower or if the work is not in accordance with specifications/instructions of Engineer-in-charge.
- r. The service provider shall not cause any damage to the work, nor shall hinder other works. The cost of any damage done by the service provider to the existing infrastructure or other contractors works, shall be borne by the defaulter with additional cost as decided by the Director, SVNIRTAR.
- s. Execution work and installation of fittings etc. (as per work order) is the entire responsibility of the contractor.
- t. Payment shall be released approximately within 30 days after satisfactory execution of work as per terms of contract and submission of bill. Taxes/ duties, as applicable, shall be borne by the contractor.
- u. The service provider shall provide warranty of 2 years from the date of completion of work as per company's warranty. In case of any defect found during the warranty period, the service provider shall promptly rectify the defects at site within 7 days of verbal/ written instructions of the Engineer-in-charge.
- v. In case the service provider commits any breach of contract, the institute may at its discretion in written summarily terminate the contract without compensation to the service provider on any reason.
- w. **Bidder must be the local area within 50 kms from the Institute for providing service as and when required.**
- x. the bidder should not have been blacklisted by any organization.

y. Technical compliance form for the technical specification of items with must be filled up properly without any ambiguity failing which the tender is rejected. The bidder has to furnish one make & one model of main/main camera, NVR, Switch) looking into the compatibility of the system. The bidder is quoting more than one make/model of these items.

BOQ OF CCTV FOR MAIN CAMPUS (OUTDOOR & INDOOR) :

Sl. No.	Description	Qty.	Unit
1	5 MP IP based fixed lens night vision Bullet type CCTV Camera : 30 metres range	25	nos
2	5 MP IP based vari-focal night vision Bullet type CCTV Camera : 50 metres range	7	nos.
3	2 MP IP based night vision Dome type CCTV Camera : 30 metres range	24	nos
4	32 Channel NVR with IP camera inputs and 4 channel SATA compatibility	2	nos
5	10 TB Surveillance grade HDD	5	nos
6	4U rack with all accessories	11	nos
7	6U rack with all accessories	2	no.
8	32U standing rack with all accessories	1	no.
9	4 Port Giga POE switch	11	nos
10	8 Port Giga POE switch	4	nos.
11	16 Port Giga POE switch	2	no.
12	24 Port Gigabit Managed Switch with 4 SFP ports	1	no.
13	CAT 6 UPT Cable box of 305 m	6	nos.
14	Outdoor UTP CAT 6 cable box of 305 m	3	nos.
15	OFC - 6 core SM fiber optic armoured cable	800	m
16	OFC - 12 core LIU wall mount with adapter	7	nos.
17	OFC - SC-SM Pigtail	72	nos.
18	OFC - SC-SC SM duplex patch cord fiber (3 m)	15	nos.
19	OFC - 100 Mbps SM Media converter	7	nos.
20	PVC conduit/ casing pipe (3 m long) of good quality, as approved by Engineer-in-charge, including flexible pipes and piping accessories as required.	1000	nos.
21	800 VA Line interactive UPS	8	nos

22	Display unit (43" size) (Dell, Samsung, Sony, LG or HP make)	1	no.
23	Wireless optical mouse	2	nos
24	HDMI cable (as required)	2	nos
25	Other accessories as required for proper connectivity and functioning of the entire setup, including brackets, poles, electrification, monkey guards, CCTV camera management software, Cascading device, Central Control System etc.	1	job
26	Overall configuration & testing of all the above supplied items so as to make them fully functional	1	job

DETAILED SPECIFICATIONS OF ITEMS MENTIONED IN THE BOQ:

Sl.	Item	Specifications	
1	2 MP IP based fixed full colour view with night vision Dome type CCTV Camera of 30 meters range (of STQC certified brands only)	Image Sensor	2 MP Dome camera 1/2.8" Progressive Scan, CMO
		Supported resolutions	1920 x 1080, 720p, D1,(VGA)
		Video Compression	H.264, H.265, MJPEG or Higher
		Video Standard	PAL/NTSC
		Number of Streaming profiles supported	Profile 1: 1920x1080p(2MP) @ 30fps Profile 2: D1(720x576) @ 30fps Profile 3: 1080p/720p/D1/2CIF/CIF @ 30fps Profile 4: 720p/D1/2CIF/CIF @ 30fps
		Bitrate	128kbps-8Mbps or Better
		Adaptive streaming	Should Support
		Unicasting/ Multicasting	Support of Unicasting and Multicasting as provided
		Shutter speed	1/15s-1/100000s or Better
		Minimum Illumination	Colour - 0.01 Lux @(F1.2 AGC) Black & white - 0 Lux or Better
		Signal to Noise Ratio (SNR)	70dB or better

Lens focal length	3.6mm Lens HFOV - 87.5°, VF 04.9°
Built In IR irradiance upto	Min 30mtrs
Day/Night Camera Switching	Should Support
Network Failure recording	In case of Network failure, the recording on NAS or SD Card.
Edge Storage	512 GB Onboard storage or b
Network Connectivity	10Base-T/100BaseTX Etherne
Supported Network Protocols	TCP/IP, UDP, HTTP, HTTPS, DHCP, DNS, RTP, RTCP, RTSP, PPPOE, TP, TLS/SSL, SFTP, ICMP, IGMP, IPv4, IPv6, QoS Layer 3, DNS Bonjour
Data Encryption	All data, including sensitive data, should be encrypted with AES and RSA
IP Address Filtering	Should Support
HTTPs Streaming	Should Support
Edge Data Encryption	Should Support
Network Authentication	802.1x Network authentication
Video Content Analytics (VCA)	Detection: Motion Detection, Trip/No Trip Detection, Object Intrusion, IP Conflict, Network Intrusion, Alarm In Alert: IP conflict, Network disconnection, Manual Triggered
Back light Compensation (BLC)	Should Support
Wide Dynamic Range	120 dB or Better
Image Enhancement	Saturation, Contrast, Sharpness, Exposure, White balance & be
Noise Reduction	3 DNR
Power	POE (802.3af/at), 12 V 2A or E
Operating Temperature	~30°C- +60°C or better
Operating Humidity	95% or less
Ingress Protection	IP67
Impact protection	IK10
MAC Address	The MAC address of the camera should be in the name of the OEM, and in India.

		ONVIF Compliance	S,G & T, The IP Camera make ear on the ONVIF Conformant
		Regulatory Approvals/ Certifications To be attach	FCC, BIS, CE, RoHs, NDAA, NE y Certified by STQC to meet ment issued by MeitY.
		IP camera & NVR	Should be same Make
		Plug and Play	The IPCAM shall get connecte R/VMS when plugged in the n om NVR or VMS
2	5 MP IP based fixed full colour view with night vision Bullet type CCTV Camera of 30 meters. (of STQC certified brands only)	Image Sensor	5 MP Dome camera 1/2.8" Progressive Scan, CMO
		Supported resolutions	2592 X 1944,2592 X 1520,2080,720p,D1,2CIF,CIF,VGA
		Video Compression	H.264, H.265, MJPEG or Highe
		Video Standard	PAL/NTSC
		Number of Streaming profiles support	Profile 1: Mainstream - 2592* H.264) Profile 2: Substream - D1@30 Profile 3: MJPEG - 2048*1536(VGA@15fps(H.264/H.265) Profile 4:1920*1080@30fps (H
		Bitrate	128kbps-16Mbps or Better
		Adaptive streaming	Should Support
		Unicasting/ Multicasting	Support of Unicasting and provided
		Shutter speed	1/15s-1/100000s or Better
		Minimum Illumination	Colour - 0.01 Lux @(F1.2 AGC Black & white - 0 Lux or Bette
		Signal to Noise Ratio (SNR)	70dB or better
		Lens focal length	4.0mm Lens HFOV* - 87.6°, V 104.5°
		Built In IR irradiance up to	Min 30mtrs
		Day/Night Camera Switching	Should Support
		Network Failure recording	In case of Network failure, the eording on NAS or SD Card.
		Edge Storage	512 GB Onboard storage or b
		Network Connectivity	10Base-T/100BaseTX Etherne

Supported Network Protocols	TCP/IP, UDP, HTTP, HTTPS, DHCP, DNS, RTP, RTCP, RTSP, PPPOE, TP, TLS/SSL, SFTP, ICMP, IGMP, x, IPv4, IPv6, QoS Layer 3, DS, Bonjour
Data Encryption	All data, including sensitive data, should support AES and RSA
IP Address Filtering	Should Support
HTTPs Streaming	Should Support
Edge Data Encryption	Should Support
Network Authentication	802.1x Network authentication
Video Content Analytics (VCA)	Detection: Motion Detection, Trip/No Trip Detection, Object Intrusion, IP Conflict, Network Failure, Alarm In Alert: IP conflict, Network disconnection triggered, Manual Trigger
Back light Compensation (BLC)	Should Support
Wide Dynamic Range	120 dB or Better
Image Enhancement	Saturation, Contrast, Sharpness, Exposure, Gamma, White balance
Noise Reduction	3 DNR
Power	POE (802.3af/at), 12 V 2A or better
Operating Temperature	~30°C- +60°C or better
Operating Humidity	95% or less
Ingress Protection	IP67
Impact protection	IK10
MAC Address	The MAC address of the camera should be in the name of the OEM, and it should be unique in India.
ONVIF Compliance	S, G & T, The IP Camera manufacturer should be ONVIF Conformant
Regulatory Approvals/ Certifications To be attached	FCC, BIS, CE, RoHS, NDAA, NEERI, and Certified by STQC to meet the requirements issued by MeitY
IP camera & NVR	Should be same Make
Plug and Play	The IPCAM shall get connected to NVR/VMS when plugged in the network from NVR or VMS

3

5 MP IP based varifocal full color view with night vision Bullet type CCTV Camera of 50 meters . (of STQC certified brands only)

Image Sensor	5 MP Dome camera 1/2.8" Progressive Scan, CMO
Supported resolutions	2592 X 1944,2592 X 1520,2048 X 1520, 80,720p, D1,2CIF, CIF, VGA
Video Compression	H.264, H.265, MJPEG or Higher
Video Standard	PAL/NTSC
Number of Streaming profiles supported	Profile 1: Mainstream - 2592*1520@30(H.264) Profile 2: Substream - D1@30(H.264) Profile 3: MJPEG - 2048*1536@30(VGA@15fps(H.264/H.265)) Profile 4:1920*1080@30fps (H.264)
Bitrate	128kbps-16Mbps or Better
Adaptive streaming	Should Support
Unicasting/ Multicasting	Support of Unicasting and Multicasting provided
Shutter speed	1/15s-1/100000s or Better
Minimum Illumination	Colour - 0.01 Lux @(F1.2 AGC) Black & white - 0 Lux or Better
Signal to Noise Ratio (SNR)	70dB or better
Lens focal length	2.8mm - 12mm Lens, Manual Focus FOV* - 87.6°, VFOV*- 46.4°, DFOV*- 10.4m
Built In IR irradiance up to	Min 50mtrs
Day/Night Camera Switching	Should Support
Network Failure recording	In case of Network failure, the camera will continue recording on NAS or SD Card, and will resume recording back when the network connection is restored (R)
Edge Storage	512 GB Onboard storage or better
Network Connectivity	10Base-T/100BaseTX Ethernet
Supported Network Protocols	TCP/IP, UDP, HTTP, HTTPS, DHCP, DNS, RTP, RTCP, RTSP, PPPOE, PPTP, TLS/SSL, SFTP, ICMP, IGMP, IPv4, IPv6, QoS Layer 3, DNS, Bonjour
Data Encryption	All data, including sensitive data, is encrypted with AES and RSA
IP Address Filtering	Should Support
HTTPs Streaming	Should Support

Edge Data Encryption	Should Support
Network Authentication	802.1x Network authentication
Video Content Analytics (VCA)	Detection: Motion Detection, Trip/No Trip Detection, Object Intrusion IP Conflict, Network Full, Alarm In Alert: IP conflict, Network downtime triggered, Manual Trigger
Back light Compensation (BLC)	Should Support
Wide Dynamic Range	120 dB or Better
Image Enhancement	Saturation, Contrast, Sharpness Exposure, Gamma, White balance
Noise Reduction	2 DNR, 3 DNR
Power	POE (802.3af/at), 12 V 2A or E
Operating Temperature	~30°C- +60°C or better
Operating Humidity	95% or less
Ingress Protection	IP67
Impact protection	IK10
MAC Address	The MAC address of the camera in the name of the OEM, and in India.
ONVIF Compliance	S, G & T, The IP Camera make reference on the ONVIF Conformant
Regulatory Approvals/ Certifications To be attached	FCC, BIS, CE, RoHS, NDA, NEI Certified by STQC to meet the requirement issued by MeitY
IP camera & NVR	Should be same Make
Plug and Play	The IPCAM shall get connected to NVR/VMS when plugged in the network from NVR or VMS
SYSTEM	
Control Mode	Desktop Client, Mobile Client, (through HDMI)
OS	Embedded Linux
Processor	ARM cortex- Quad Core
VIDEO AND AUDIO	
Video-Input	32 IP channels

4 32 channel NVR with 4 SATA Slots

Video Output	HDMI (2.0) - 1 Port (Main)
Video Compression	H.265/H.264/ Motion JPEG
Audio input	1 Channel, RCA Port
Audio Output	1 Channel, RCA Port
Audio Compression	G.711u
Two-way Audio	Required
DISPLAY	
Recording Resolution	12MP, 8MP, 5MP, 4MP, 3MP, 2
Decoding Resolution (on local display)	Up to 4K
Split (Through LAN/HDMI)	1x1, 2x2, 3x3, 4x4, 1+5, 1+7, 1+9, 2+12, 3+9, 4+9, 2+12, 5x5, 6x6, 7x7, 8x8, 9x9, 10x10, 11x11, 12x12, 13x13, 14x14, 15x15, 16x16, 17x17, 18x18, 19x19, 20x20, 21x21, 22x22, 23x23, 24x24, 25x25, 26x26, 27x27, 28x28, 29x29, 30x30, 31x31, 32x32, 33x33, 34x34, 35x35, 36x36, 37x37, 38x38, 39x39, 40x40, 41x41, 42x42, 43x43, 44x44, 45x45, 46x46, 47x47, 48x48, 49x49, 50x50, 51x51, 52x52, 53x53, 54x54, 55x55, 56x56, 57x57, 58x58, 59x59, 60x60, 61x61, 62x62, 63x63, 64x64, 65x65, 66x66, 67x67, 68x68, 69x69, 70x70, 71x71, 72x72, 73x73, 74x74, 75x75, 76x76, 77x77, 78x78, 79x79, 80x80, 81x81, 82x82, 83x83, 84x84, 85x85, 86x86, 87x87, 88x88, 89x89, 90x90, 91x91, 92x92, 93x93, 94x94, 95x95, 96x96, 97x97, 98x98, 99x99, 100x100
Digital Zoom	Both Live view and Playback
OSD	Channel Number, Name, Bitrate
Snapshot Format	JPEG
Recording type	Continuous, Scheduled, Manual
Bandwidth Optimization	Yes
PLAYBACK AND BACKUP	
Synchronous Playback	4 channels @ 1080P (via Desktop) / 4 channels @ 1080P (via HDMI)
Search Mode	Date & Time, Camera, Record Drive
Playback Modes	Fast Forward, Slow Forward, Stop, Reverse at Different Speed Control
Backup	Manual Backup & Scheduled Backup
Configuration Backup	Required
Remote Operations	Monitor, PTZ Control, Playback Download, Log Information, etc.
VIDEO DETECTION AND ALARMS	
Camera events	Motion Detection, Recording Start, Camera offline, Camera online
System events	Manual Trigger, On Boot Alarm, Volume Full, Disk Fault, Schedule

Actions	Recording on Selected Chann FTP/Email server, Email Snapshot, TCP Notification, R ion, Turn On/Off Alarm Outpu n, SMS Notification
DEVICE STATUS	
Camera status, Manual recording, S cheduled recording, Alarm recordin g, Adaptive recording	Required
FPS and GOP count	Required
Motion detection, View tampering, T ripwire, Object intrusion, Missing Ob ject, Suspicious Object, Loitering De tection, Audio Exception, Object Cou nting	Required
CPU usage display	Required
CPU temperature display	Required
Thermal shutdown	Required
STORAGE	
SATA Interface	4 SATA III (18TB per port)
NAS	2 NAS (CIFS, NFS)
RAID	RAID-0, RAID-1, RAID-5, RAID-
Recording Retention	Camera-wise, HDD usage % v
NETWORK	
Incoming Bandwidth	512 Mbps
Outgoing Bandwidth	512 Mbps
Maximum User	128 Programmable
Simultaneous login	9
Network Protocols	TCP/IP, DHCP, PPPOE, DNS, D TP, RTP/RTSP, CIFS/NFS
INTERFACES	
Audio Input	1 Channel, RCA Port (1V RMS)
Audio Output	1 Channel, RCA Port (0.5V RM
Alarm Input	2 Ports (Max. load resistance:
Alarm Output	1 Port (Max load power: <50V <1A)
Network Interface	2 Ports x Ethernet (RJ-45) 10/:

USB	3 ports (2 x USB 2.0, 1x USB 3.0)
Number of SATA Interface	4 Ports (SATA III)
HDD size	18 TB HDD support (with 6Gb/s)
HDMI	HDMI (2.0) - 1 Port (Main)
Reset Switch (Network, User account, and General settings)	Required
Buzzer	Required
CERTIFICATION	
Regulatory Approvals/ Certifications	FCC (FCC Part 15 Subpart B Class B), CE, EN/IEC
ELECTRICAL AND MECHANICAL	
Operating temperature	0°C to +50°C (32°F to 122°F)
Humidity range	5% to 95% RH Non-Condensing
Chassis	19" inch Rack mount
Power input	SMPS (100-240-volt AC)
Power consumption (without Hard disk)	≤60W

5 CAMERA MANEGEMENT SOFTWARE

SOFTWARE SPECIFICATIONS:

- It should be possible to configure, playback & live streaming of cameras as a main NVR without the need of any server/workstation.
- The system should be capable of integrating with IP cameras of any brand 2.0 & above or ONVIF S profile.
- It should be possible to define a different number of retention days for in NVR should have a configuration wizard for quick configurations.
- NVR should show the estimated number of storage days.
- The device must be capable of taking Snapshot with integrated Access control system of the same brand in case of user allow/denied events.
- Digital Zoom during live view.
- The system should be able to take a Snapshot during live view/ playback
- The Device Must Provide Configuration Backup.
- It Should Have its Own Free DNS Server.
- Video pop-up for both Desktop and Local clients.
- 3 User Access Levels (Default): Admin, Viewer, and Operator
- 10,000 Events Log
- NVR Should Be Capable of Exporting Files in Native and AVI File Format to
- NVR should have IP Address Filtering to Enhance Security.

		System Admin Should Be Capable of Programming PTZ Tour.
		Dual Stream Option Should Be Available for Simultaneous Recording and on The Network Depending on The Bandwidth.
		The system should support Daylight Saving Time (DST).
		The Device Should Be Designed, Developed, and Manufactured in India.
		MOBILE CLIENT:
		Mobile application should be provided by the Vendor free of cost with the
		It should be possible to see the playback from a mobile client.
		The Mobile client should Have 4 x 4 Layout for Display cameras.
		The Mobile client should Have Digital Zoom functionality.
		The Mobile client should Be Able to Control PTZ Cameras.
		The Mobile client Software Should Support Up To 50 NVRs.
		Software Should Have Feature to Configure Camera as Favorite Channels.
		Mobile Viewer Application Should Function on Android and IOS Based Phor
		Mobile Viewer Application Should Support Calling from Mobile App Feature er Can be Added Per Camera in the Device and The User Can Directly Call y Just One Click on Camera View from Mobile(without any SIM card in NVR
6	CASCADING DEVICE	If, Possible compatible with NVR for cascading to other Department, Single
7	24 port Gigabit Managed Switch	Layer-2 Fully Managed Stackable Switch having 24x 10/100/1000BaseT ports & 4x 10G SFP+ slots
		Should have RJ-45 console ports for out-of-band CLI management & GigE P based out-of-band remote management
		One USB 2.0 Port for easy management for images and configuration files and from the NVRAM of the Switch
		Switching Capacity should be at least 168 Gbps
		Packet Forwarding Rate should be at least 125 Mpps for 64-byte packet size
		The switch should have non-blocking architecture & wire-speed performance condition from day one
		The switch should have smart fans (min. 2nos.) with sensor IC that provides based on different temperature.
		The switch should have support for physical stacking with at least 6 units
		The switch should have support for virtual stacking with at least 25 units per
		The Switch should have support for redundant power supply.
		Secure Product Development Lifecycle Process Requirement Certification in 62443-4-1: 2018 standard. Certificate must be submitted along with the bid use for rejection of bid.
		The Switch should have following L2 features from day one
		1. MAC Address Table size: At least 16000
		2. Flow Control: IEEE 802.3x in full duplex, HoL blocking prevention

3. Jumbo Frame Support (At least 9K bytes)
4. IGMP v1 v2 v3 snooping with at least 1024 IGMP snooping groups, Per GMP snooping fast leave
5. MLD v1 v2 snooping with at least 1024 MLD snooping groups, Per VLAN nooping fast leave
6. IEEE802.1D STP, 802.1w RSTP, 802.1s MSTP with at least 16 MSTP instance. G.8032 ERPS features.
7. The switch should be able to avoid the loop occurring in a single port congested switch/hub by shutting down the corresponding port or corresponding
8. IEEE 802.3ad & IEEE 802.1AX Link Aggregation with at least 8 ports per switch.
9. Port mirroring & VLAN mirroring for Tx/Rx/Both. One-to-One mode, Managed mirroring.
10. IEEE 802.1Q VLAN, at least 4000 Static VLANs, 4000 Dynamic VLANs, Private VLAN, asymmetric VLAN, 802.1v protocol VLAN, MAC based VLAN, Private VLAN (n-Q)
The switch should have 802.1p support with 8 queues per port. Support shaping technique. trTCM, srTCM.
The switch should support CoS based on VLAN, IP address, MAC address, Member, 802.1p priority queues, protocol type, IPv6 traffic class.
The switch should have Port-based ingress & egress bandwidth control with a granularity of at least 8Kbps. Flow-based ingress & egress bandwidth control with a granularity of at least 8Kbps
The switch should have support for standard & extended Access control Lists. Support 802.1p priority, MAC address, IP Address, DSCP, TCP/UDP port number, IP Address, Time based ACL.
The switch should have the following security features from day one: SSH, Denial of Service (DoS) prevention, Port Security, Storm Control, Multicast & Unicast storm control, port security features with at least 16 user segmentation, ARP spoofing prevention, IEEE 802.1x port based authentication, DHCP database failover, DHCP server screening, DAI (Dynamic ARP Inspection), Denial of Service (DoS) attack prevention, Binding of IP address & MAC address with physical address; MAC based Access Control, Dynamic VLAN assignment, Guest Access Control; MAC based Access Control, Dynamic VLAN assignment, Guest Access Control (ACS+). At least four level of user account control.
The switch should have feature to protect the CPU from protocol control plane
The switch should have feature of at least 512 static routes, default route, Policy Based Routing, at least 128nos. Of IP interfaces, IPv6 Neighbour Discovery, Policy based route from first day
The Switch should have following Management features from day one: Web Management (IPv4 & IPv6), CLI, Telnet Server (IPv4 & IPv6), TFTP Client (IPv4 & IPv6), SFTP server, SSH (IPv4 & IPv6), SNMP trap, BOOTP/DHCP Client, SNTP, NTP, debug command, RMON, ICMPv6, DHCP server (IPv4 & IPv6), DHCP Relay Option 60,61,62,125, LLDP, Management support, sflow, trusted host, Physical console port for Out of band management, 3ah Ethernet Link OAM, IEEE 802.1ag, ITU-T Y.1731.
OEM offered must be in steady and profitable business in India at-least for 5 financial years (FY 2019-20 to 2024-25). Bidder shall have to submit audited financial statement of their claim.
OEM should have valid ISO 9001 & ISO 14001 & ISO 45001 for design & development products. ISO 14064-1: 2006. Documents need to be submitted along

		OEM should have Average Annual Financial Turnover not less than 500 Crores in India for the last five financial years for data networking products.
		OEM should have Secure Product Development Lifecycle Process Requirement in accordance with IEC 62443-4-1: 2018 standard. Certificate must be submitted otherwise it may cause for rejection of bid.
		All the Switches and transceiver modules should be from same OEM
8	16 Port Gigabit unmanaged POE switch	(i) 16 nos. 10/100/1000 Mbps Gigabit PoE ports supporting 802.3af/at
		(ii) 2 nos. SFP ports
		(iii) 150 watts available PoE
		(iv) Working modes: Extend, VLAN, QoS, PoE
		(v) Maximum distance of 250m
		(vi) Operating Temperature: 0 to 40 deg C
		(vii) Lightning/ Surge protection: 6 KV
		(viii) Plug and play installation
9	8 Port Gigabit unmanaged POE switch	(i) 8 nos. 10/100/1000 Mbps Gigabit PoE ports supporting 802.3af/at
		(ii) 2 nos. 10/100/1000 Mbps uplink ports
		(iii) 120 watts available PoE
		(iv) Working modes: Extend, VLAN, QoS, PoE
		(v) Maximum distance of 250m
		(vi) Operating Temperature: 0 to 40 deg C
		(vii) Lightning/ Surge protection: 6 KV
		(viii) Plug and play installation
10	4 Port Gigabit unmanaged POE switch	(i) 4 nos. 10/100/1000 Mbps Gigabit PoE ports supporting 802.3af/at
		(ii) 2 nos. 10/100/1000 Mbps Ethernet/ SFP uplink ports
		(iii) 60 watts available PoE
		(iv) Working modes: Extend, VLAN, QoS, PoE
		(v) Maximum distance of 250m
		(vi) Operating Temperature: 0 to 40 deg C
		(vii) Lightning/ Surge protection: 6 KV
		(viii) Plug and play installation
11	4U rack	4U rack with all accessories
12	6U rack	6U rack with all accessories
13	32U rack	32U standing rack with all accessories
14	INDOOR CABLE	Indoor UTP CAT 6 cable box of 305 m
15	OUTDOOR Cable	Outdoor UTP CAT 6 cable box of 305 m

16	6 Core Fiber Optic Cable	6 Core Single Mode Outdoor Armoured Fiber Optic Cable. Electro Chromium Steel Tape (ECCS). Central loose tube with jelly compound. Sequential method should fulfil the requirement of IEC 60793-1/60794-1-2, ISO 11801, ITU-T Recommendation G.652.D. HDPE Jacket: 1.8±0.2mm. Bend Radius: Short Term (20D). Pulling Tension: 100N. The fiber is optimized for operation at 1310 nm and at 1550 nm. Nominal Core Diameter: 9.2 µm. Cladding Diameter: 125 µm. Cable Cut-off Wavelength: 1260nm.
17	Work of OFC cable.	Digging of Hard/ Soft soil up to a depth of 2.5ft and width of 1 ft . Then fill including road cutting, if and as required. Tench work including laying of HDPE pipe. All other works, as necessary for the same to be taken up without any objections of the Engineer-in-charge.

EMD AND SD DD AND E-PBG WILL BE SUBMITTED FROM THE SBI AS MENTIONED IN THE BID. EMAIL ADDRESS AND NAME OF THE BRANCH MANAGER OF ISSUING BANK AND HEAD OFFICE MUST BE MENTIONED IN THE BID IF SUBMITTED.

IF REQUIRED PRE-BID MEETING WILL BE CALLED AT SVNIRTAR TO ATTEND PHYSICALLY.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modifications in specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regardless of the nature and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bid without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by the Buyer in regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to the terms and conditions of the tender documents under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category restriction.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attachers](#) allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying the same in the Bid Documents / Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid details section above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid documents allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional to any other document. If buyer needs more items along with the main item, the same must be added through k items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this representation against the same by using the Representation window provided in the bid details field in Seller dashb seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would no if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relat Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or ne corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1941 Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. an requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a contract and shall entitle the Buyer to take appropriate action in accordance with the contract and app

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conc](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में 8 करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत ह को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने 3 कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to unde declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---