

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	17-03-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-03-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Culture
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Indira Gandhi Rashtriya Manav Sangrahalaya
कार्यालय का नाम/Office Name	Igrms
कुल मात्रा/Total Quantity	4040
वस्तु श्रेणी /Item Category	Workstation , Almirah , Side Storage , Flooring , paneling , False Ceiling
	3-seater L-shape workstation : Size of 1500mm(L)x1500mm(w)x 600mm(d) x 750/1200mm(h) in 45mm front aluminium Partition with choice of pin board and marke Board , 25mm Table Top including Wire Management for electric switch : Skirting race-way folloeing items., Wooden Almirah : Overall size 7 ft. (height) X 3 ft. (Width) 1.5 (Depth).. almirah are 18mm & 8 mm thick plywood Sheet with 1.0mm thickness PVC mica lipping and 19 MM good quality board. Lipping with White and color Mica for internal and outward pasting work over plyboard. 4 shelves and 5 compartments. Good Quality SS handle on both side cupboard provided, Godrej lock to be locking system provided with bottom side magnetic connected. Double folded hinges made of SS three hinges for each door connected. Good Quality Fevicol to be used along with Handle of apex design and quality to be decided and finalized by the Competent authority, WoodenSide Storage : Overall size 2.5 ft. (height) X 7 ft. (Width) 1.5 (Depth).. almirah are 18mm & 8 mm thick plywood Sheet with 1.0mm thickness PVC mica lipping and 19 MM good quality board. Lipping with White and color Mica for internal and outward pasting work over plyboard. 4 shelves and 5 compartments. Good Quality SS handle on both side cupboard provided, Godrej lock to be locking system provided with bottom side magnetic connected. Double folded hinges made of SS three hinges for each door connected. Good Quality Fevicol to be used along with Handle of apex design and quality to be decided and finalized by the Competent authority, Heterogeneous 2 mm thick Pvc vinyl flooring : Providing and fixing 2 mm thick heterogeneous PVC (poly vinyl flooring) EN (EuropeanStandard) with wear layer is 0.55mm thick of

बिड विवरण / Bid Details	PVC total weight is 2300 g/m ² approx. PUR (polyurethane reinforced), residual indentation approx. 0.05 mm, castor wheel test qualified, dimensional stability <0.10%, static electrical charge <2kv, all vinyl sheets must be linked crosswise with a continuous copper strip and finally connected to earth for grounding electrostatic electrical charges. good resistance to scratch, slip, chemical and fire, doesn't favour in growth of fungi & bacteria. 100% recyclable (eco-friendly). Low VOC emissions after 28days of installation (lower than ≤10µg/m ³). phthalate free technology. directional in design. The floor finish should termite free at the room perimeter passing over a concealed cove forming and continuing up on the wall upto100mm Size of the Room L-18.5feetXwidth10.5feet, PANELING: Indoor wall are with MDF Board providing a lightweight used in commercial projects. Dimensions: Size of 3 walls is (1st side wall overall size L- 37 ft, W-21ft. thicknesses ranging of 12 mm. Finishes & Styles: Options include natural wood grain textures, matte or glossy coatings, and designs supported by a wide palette of natural and modern colors.These are lowmaintenance, resistant to moisture and termites,Installation Fitting is simple, with tongue-and-groove or click-lock systems ensuring fast installation and seamless alignment on walls. Indoor wall serving as decorative wall treatments, False Ceilings :Gypsum Board false Ceiling Providing, fabrication and fixing in position of false ceiling at a height of 8 to 10'-0" from floor by fixing 8-mm Thickness. Gypsum Board sheets on frame work of GI sheet section. The main runners of 22 gauge GI sheet and cross runners of 24 gauge GI sheet must be framed. The Gypsum Board must be fixed to the GI frame and joint to be properly filled in with POP paste and paper tape to get a leveled smooth ceiling.Size is L-24ft , W-20ft, Heterogeneous 2 mm thick Pvc vinyl flooring : Providing and fixing 2 mm thick heterogeneous PVC (poly vinyl flooring) EN (EuropeanStandard) with wear layer is 0.55mm thick of PVC, total weight is 2300 g/m ² approx. PUR (polyurethane reinforced), residual indentation approx. 0.05 mm, castor wheel test qualified, dimensional stability <0.10%, static electrical charge <2kv, all vinyl sheets must be linked crosswise with a continuous copper strip and finally connected to earth for grounding electrostatic electrical charges. good resistance to scratch, slip, chemical and fire, doesn't favour in growth of fungi & bacteria. 100% recyclable (eco-friendly). Low VOC emissions after 28days of installation (lower than ≤10µg/m ³). phthalate free technology. directional in design. The floor finish should termite free at the room perimeter passing over a concealed cove forming and continuing up on the wall upto100mm Size of the Room L-12feetXwidth10feet, PANELING: Indoor wall are with MDF Board providing a lightweight used in commercial projects. Dimensions: Size of walls is L-24 ft, W-20ft. thicknesses ranging of 12 mm. Finishes & Styles: Options include natural wood grain textures, matte or glossy coatings, and designs supported by a wide palette of natural and modern colors.These are low-maintenance, resistant to moisture and termites,Installation Fitting is simple, with tongue-and-groove or click-lock systems ensuring fast installation and seamless alignment on walls. Indoor wall serving as decorative wall treatments, False Ceilings :Gypsum Board false Ceiling Providing, fabrication and fixing in position of false ceiling at a height of 8 to 10'-0" from floor by fixing 8-mm Thickness. Gypsum Board sheets on frame work of GI
<p>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</p>	

<p>विड विवरण/Bid Details</p>	<p>sheet section. The main runners of 22 gauge GI sheet and cross runners of 24 gauge GI sheet must be framed. The</p>
	<p>Gypsum Board must be fixed to the GI frame and joint to be properly filled in with POP paste and paper tape to get a leveled smooth ceiling. Size is L-40ft , W-22ft, Heterogeneous 2 mm thick Pvc vinyl flooring : Providing and fixing 2 mm thick heterogeneous PVC (poly vinyl flooring) EN (European Standard) with wear layer is 0.55mm thick of PVC, total weight is 2300 g/m² approx. PUR (polyurethane reinforced), residual indentation approx. 0.05 mm, castor wheel test qualified, dimensional stability <0.10%, static electrical charge <2kv, all vinyl sheets must be linked crosswise with a continuous copper strip and finally connected to earth for grounding electrostatic electrical charges. good resistance to scratch, slip, chemical and fire, doesn't favour in growth of fungi & bacteria. 100% recyclable (eco-friendly). Low VOC emissions after 28days of installation (lower than ≤10µg/m³). phthalate free technology. directional in design. The floor finish should termite free at the room perimeter passing over a concealed cove forming and continuing up on the wall upto 100mm Size of the Room L-20feetXwidth11feet, PANELING: Indoor wall are with MDF Board providing a lightweight used in commercial projects. Dimensions: Size of walls is L-40 ft, W-22ft. thicknesses ranging of 12 mm. Finishes & Styles: Options include natural wood grain textures, matte or glossy coatings, and designs supported by a wide palette of natural and modern colors. These are low-maintenance, resistant to moisture and termites, Installation Fitting is simple, with tongue-and-groove or click-lock systems ensuring fast installation and seamless alignment on walls. Indoor wall serving as decorative wall treatments</p>
	<p>Searched String: 3-seater L-shape workstation : Size of 1500mm(L)x1500mm(w)x 600mm(d) x 750/1200mm(h) in 45mm front aluminium Partition with choice of pin board and marke Board , 25mm Table Top including Wire Management for electric switch : Skirting race-way folloeing items.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wooden Almirah : Overall size 7 ft. (height) X 3 ft. (Width) 1.5 (Depth).. almirah are 18mm & 8 mm thick plywood Sheet with 1.0mm thickness PVC mica lipping and 19 MM good quality board. Lipping with White and color Mica for internal and outward pasting work over plyboard. 4 shelves and 5 compartments. Good Quality SS handle on both side cupboard provided, Godrej lock to be locking system provided with bottom side magnetic connected. Double folded hinges made of SS three hinges for each door connected. Good Quality Fevicol to be used along with Handle of apex design and quality to be decided and finalized by the Competent authority</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wooden Side Storage : Overall size 2.5 ft. (height) X 7 ft. (Width) 1.5 (Depth).. almirah are 18mm & 8 mm thick plywood Sheet with 1.0mm thickness PVC mica lipping and 19 MM good quality board. Lipping with White and color Mica for internal and outward pasting work over plyboard. 4 shelves and 5 compartments. Good Quality SS</p>

बिड विवरण / Bid Details

handle on both side cupboard provided, Godrej lock to be locking system provided with bottom side magnetic connected. Double folded hinges made of SS three hinges for each door connected. Good Quality Fevicol to be used along with Handle of apex design and quality to be decided and finalized by the Competent authority

Category not available on GeM for the text string uploaded by the buyer

Searched String: Heterogeneous 2 mm thick Pvc vinyl flooring : Providing and fixing 2 mm thick heterogeneous PVC (poly vinyl flooring) EN (EuropeanStandard) with wear layer is 0.55mm thick of PVC, total weight is 2300 g/m² approx. PUR (polyurethane reinforced), residual indentation approx. 0.05 mm, castor wheel test qualified, dimensional stability <0.10%, static electrical charge <2kv, all vinyl sheets must be linked crosswise with a continuous copper strip and finally connected to earth for grounding electrostatic electrical charges. good resistance to scratch, slip, chemical and fire, doesn't favour in growth of fungi & bacteria. 100% recyclable (eco-friendly). Low VOC emissions after 28days of installation (lower than ≤10µg/m³). phthalate free technology. directional in design. The floor finish should termite free at the room perimeter passing over a concealed cove forming and continuing up on the wall upto100mm Size of the Room L-18.5feetXwidth10.5feet

Category not available on GeM for the text string uploaded by the buyer

Searched String: PANELING: Indoor wall are with MDF Board providing a lightweight used in commercial projects. Dimensions: Size of 3 walls is (1st side wall overall size L- 37 ft, W-21ft. thicknesses ranging of 12 mm. Finishes & Styles: Options include natural wood grain textures, matte or glossy coatings, and designs supported by a wide palette of natural and modern colors.These are lowmaintenance, resistant to moisture and termites,Installation Fitting is simple, with tongue-and-groove or click-lock systems ensuring fast installation and seamless alignment on walls. Indoor wall serving as decorative wall treatments

Category not available on GeM for the text string uploaded by the buyer

Searched String: False Ceilings :Gypsum Board false Ceiling Providing, fabrication and fixing in position of false ceiling at a height of 8 to 10'-0" from floor by fixing 8-mm Thickness. Gypsum Board sheets on frame work of GI sheet section. The main runners of 22 gauge GI sheet and cross runners of 24 gauge GI sheet must be framed. The Gypsum Board must be fixed to the GI frame and joint to be properly filled in with POP paste and paper tape to get a leveled smooth ceiling.Size is L-24ft , W-20ft

Category not available on GeM for the text string uploaded by the buyer

Searched String: Heterogeneous 2 mm thick Pvc vinyl flooring : Providing and fixing 2 mm thick heterogeneous PVC (poly vinyl flooring) EN (EuropeanStandard) with wear layer is 0.55mm thick of PVC, total weight is 2300 g/m² approx. PUR (polyurethane reinforced), residual indentation approx. 0.05 mm, castor wheel test qualified, dimensional stability <0.10%, static electrical charge <2kv, all vinyl

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

sheets must be linked crosswise with a continuous copper strip and finally connected to earth for grounding

electrostatic electrical charges. good resistance to scratch, slip, chemical and fire, doesn't favour in growth of fungi & bacteria. 100% recyclable (eco-friendly). Low VOC emissions after 28days of installation (lower than $\leq 10\mu\text{g}/\text{m}^3$). phthalate free technology. directional in design. The floor finish should termite free at the room perimeter passing over a concealed cove forming and continuing up on the wall upto100mm Size of the Room L-12feetXwidth10feet

Category not available on GeM for the text string uploaded by the buyer

Searched String: PANELING: Indoor wall are with MDF Board providing a lightweight used in commercial projects. Dimensions: Size of walls is L-24 ft, W-20ft. thicknesses ranging of 12 mm. Finishes & Styles: Options include natural wood grain textures, matte or glossy coatings, and designs supported by a wide palette of natural and modern colors. These are low-maintenance, resistant to moisture and termites, Installation Fitting is simple, with tongue-and-groove or click-lock systems ensuring fast installation and seamless alignment on walls. Indoor wall serving as decorative wall treatments

Category not available on GeM for the text string uploaded by the buyer

Searched String: False Ceilings :Gypsum Board false Ceiling Providing, fabrication and fixing in position of false ceiling at a height of 8 to 10'-0" from floor by fixing 8-mm Thickness. Gypsum Board sheets on frame work of GI sheet section. The main runners of 22 gauge GI sheet and cross runners of 24 gauge GI sheet must be framed. The Gypsum Board must be fixed to the GI frame and joint to be properly filled in with POP paste and paper tape to get a leveled smooth ceiling. Size is L-40ft , W-22ft

Category not available on GeM for the text string uploaded by the buyer

Searched String: Heterogeneous 2 mm thick Pvc vinyl flooring : Providing and fixing 2 mm thick heterogeneous PVC (poly vinyl flooring) EN (European Standard) with wear layer is 0.55mm thick of PVC, total weight is 2300 g/m² approx. PUR (polyurethane reinforced), residual indentation approx. 0.05 mm, castor wheel test qualified, dimensional stability <0.10%, static electrical charge <2kv, all vinyl sheets must be linked crosswise with a continuous copper strip and finally connected to earth for grounding electrostatic electrical charges. good resistance to scratch, slip, chemical and fire, doesn't favour in growth of fungi & bacteria. 100% recyclable (eco-friendly). Low VOC emissions after 28days of installation (lower than $\leq 10\mu\text{g}/\text{m}^3$). phthalate free technology. directional in design. The floor finish should termite free at the room perimeter passing over a concealed cove forming and continuing up on the wall upto100mm Size of the Room L-20feetXwidth11feet

Category not available on GeM for the text string uploaded by the buyer

Searched String: PANELING: Indoor wall are with MDF Board providing a lightweight used in commercial projects. Dimensions: Size of walls is L-40 ft, W-22ft. thicknesses

<p style="text-align: center;">बिड विवरण / Bid Details</p>	<p>ranging of 12 mm. Finishes & Styles: Options include natural wood grain textures, matte or glossy coatings, and designs supported by a wide palette of natural and modern colors. These are low-maintenance, resistant to moisture and termites, Installation Fitting is simple, with tongue-and-groove or click-lock systems ensuring fast installation and seamless alignment on walls. Indoor wall serving as decorative wall treatments</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • File Storage Boxes
<p>बीओक्यू शीर्षक / BOQ Title</p>	<p>Refurbishment work of Director Office and Accounts Section</p>
<p>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)</p>	<p>9 Lakh (s)</p>
<p>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</p>	<p>1 Year (s)</p>
<p>वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience</p>	<p>Yes Partial Experience - 1 year (s)</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover</p>	<p>No</p>
<p>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</p>	<p>Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<p>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</p>	<p>Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)</p>
<p>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</p>	<p>1</p>
<p>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</p>	<p>3</p>
<p>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</p>	<p>1</p>
<p>विगत प्रदर्शन / Past Performance</p>	<p>20 %</p>
<p>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</p>	<p>No</p>

बिड विवरण/Bid Details	
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	paneling
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	1820443
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	54613

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director
Indira Gandhi Rashtriya Manav Sangrahalaya, Shamlia Hills, Bhopal, M.P. 462003
(Director)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which

no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Workstation

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sandeep Sharma	462002,INDIRA GANDHI RASHTRIYA MANAV SANGRAHALAYA Post box 2, Shamla hills, Next to Regional College campus, Bhopal	3	120

Almirah

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sandeep Sharma	462002,INDIRA GANDHI RASHTRIYA MANAV SANGRAHALAYA Post box 2, Shamla hills, Next to Regional College campus, Bhopal	3	120

Side Storage

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sandeep Sharma	462002,INDIRA GANDHI RASHTRIYA MANAV SANGRAHALAYA Post box 2, Shamla hills, Next to Regional College campus, Bhopal	2	120

Flooring

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sandeep Sharma	462002,INDIRA GANDHI RASHTRIYA MANAV SANGRAHALAYA Post box 2, Shamla hills, Next to Regional College campus, Bhopal	535	120

Paneling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sandeep Sharma	462002,INDIRA GANDHI RASHTRIYA MANAV SANGRAHALAYA Post box 2, Shamla hills, Next to Regional College campus, Bhopal	2137	120

False Ceiling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sandeep Sharma	462002,INDIRA GANDHI RASHTRIYA MANAV SANGRAHALAYA Post box 2, Shamla hills, Next to Regional College campus, Bhopal	1360	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Director
Indira Gandhi Rashtriya Manav Sangrahalaya
Shamla Hills
Bhopal
Madhya Pradesh, Pin Code-462003

3. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

The Director, Indira Gandhi Rashtriya Manav Sangrahalaya
payable at
Bhopal

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Rate Contract**

Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bidder/Seller should have fully fledged operational and registered office at Consignee Location i.e. Bhopal Madhya Pradesh for ease of command, control and actions as per convenience and as decided by the Competent Authority.

2. The OEM must provide a functional Toll-Free Number/Landline/Mobile Number dedicated for after-sales service and complaint resolution. The contact details must remain active during the entire warranty/defect liability period. An undertaking on the OEM's official letterhead, clearly mentioning the contact details and duly signed and sealed by the authorized signatory, must be uploaded.

3. The OEM must possess valid and current certifications namely ISO 9001:2015 (Quality Management System), ISO 14001:2015 (Environmental Management System), ISO 50001:2011 (Energy Management System), BIFMA 7.1 certification, and LEAN Certificate. All certificates must be valid as on the date of bid submission. Self-certified copies of these certificates shall be uploaded along with the technical bid.

4. The OEM must have valid MSME Registration under the appropriate category, wherever applicable. The registration certificate must be active and valid on the date of bid submission. Self-certified copies of the MSME certificate must be uploaded.

5. The OEM should possess a valid ZED Pledge Certificate issued by the competent authority. The certificate must be valid and self-certified copies shall be uploaded as documentary proof.
6. The OEM should have a valid ASHRAE Certificate as applicable to the product category. Self-certified copies of the same must be uploaded with the bid documents.
7. The OEM must submit a Make in India (MII) Declaration confirming compliance with Public Procurement (Preference to Make in India) Order guidelines. The declaration must be duly signed and stamped by the authorized signatory and uploaded with the bid.
8. The OEM should have a valid SVA-GRIHA Certificate, wherever applicable to the product or manufacturing facility. Self-certified documentary proof must be uploaded.
9. The OEM should possess a valid AIOTA Certificate. Self-certified copies of the certificate must be submitted along with the technical documents.
10. The OEM must have valid GST Registration under the GST Act. The GST certificate must be active and in the name of the bidding entity. Self-certified copies must be uploaded.
11. The OEM must have a valid PAN issued by the Income Tax Department. Self-certified copies of the PAN card must be uploaded.
12. The OEM must have a positive net worth in the last audited financial year. A certificate issued and duly signed by a Chartered Accountant clearly mentioning the positive net worth status must be uploaded as proof.
13. The OEM/Authorized Reseller must not have been blacklisted, debarred, or banned by any Central Government Department, State Government Department, PSU, or Autonomous Body during the last three (03) years for supply of material/products. An affidavit to this effect must be submitted on non-judicial stamp paper of ₹100/-, duly notarized and signed by the authorized signatory. The bidder should have experience with the supply of relevant materials and execution of such works that is mentioned in the Bid, The copies related to such execution may be attached.
14. Decision of the Director will be final and binding on the bidders, participation in this bid may be construed as acceptance of these clauses. The clauses of the BID document may be relaxed on the decision of the Director only.
15. The Bidder must have to complete all the Installation works within prescribed timeframe and also provide the necessary support post execution of the work too. In case of non-providing of support, necessary action regarding escalation of complaint to higher authorities of GeM may be taken.
16. The work must be with proper quality and standard. In case of any works found unsatisfactory regarding quality etc., the same may be redo by the concerned vendor/firm or else payment may be deducted as per the decision of the competent authority.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any

Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला

सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---