

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-03-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-03-2026 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Indian Institute Of Technology (iit)
कार्यालय का नाम/Office Name	Indian Institute Of Technology Patna
कुल मात्रा/Total Quantity	6330
वस्तु श्रेणी /Item Category	AC Pump , Contactor 3-Pole,32 Amp Coil Voltage 415 , Contactor 4-Pole 100A, coil voltage 415V , MCB Enclosure DP , MCB Enclosure FP , Energy plug 06A Top , Energy plug 16A Top , Fan Regulator 1 M , Fan Regulator 2 M , Flush Box G.I, 3M , Flush Box G.I, 4M , Flush Box G.I, 6M , Flush Box G.I, 8M , Indicating Lamp for panel , LED Downlight surface 15W , Tricolour Rope light , LED Post top Fitting 45W Bajaj Archner , LED Post top Fitting 45W Bajaj Arian , Lug 300 sq.mm AL , Lug 240 sq.mm AL , Lug 150 sq.mm AL , Lug 120 sq.mm AL , Lug 70 sq.mm AL , Lug 50 sq.mm AL , Lug 35 sq.mm AL , Lug 25 sq.mm AL , Lug 16 sq.mm AL , PVC Casing Caping 25mm , Modular Switch, 6A , Modular Switch, 16A , Modular 32A - Switch - DP , Modular Socket, 6A , Modular Socket, 16A , Timer For Street Light , Wire Cu 1.5 sq MM , Space Heater For 33kv Panel , Glow sgin board SMPS 12V,33A , Celling Fan 1200 sweep normal , BLDC Controller Kit , 3M PVC Box

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

AC Pump, Contactor 3-Pole,32 Amp Coil Voltage 415, Contactor 4-Pole 100A, coil voltage 415V, MCB Enclosure DP, MCB Enclosure FP, Energy plug 06A (Top), Energy plug 16A (Top), Fan Regulator 1 M, Fan Regulator 2 M, Flush Box G.I, 3M, Flush Box G.I, 4M, Flush Box G.I, 6M, Flush Box G.I, 8M, Indicating Lamp for panel, LED Downlight surface 15W, Tricolour Rope light, LED Post top Fitting 45W Bajaj Archner, LED Post top Fitting 45W Bajaj Arian, Lug 300 sq.mm AL, Lug 240 sq.mm AL, Lug 150 sq.mm AL, Lug 120 sq.mm AL, Lug 70 sq.mm AL, Lug 50 sq.mm AL, Lug 35 sq.mm AL, Lug 25 sq.mm AL, Lug 16 sq.mm AL, PVC Casing Caping 25mm, Modular Switch, 6A, Modular Switch, 16A, Modular 32A - Switch - DP , Modular Socket, 6A, Modular Socket, 16A, Timer For Street Light, Wire Cu 1.5 sq MM, Space Heater For 33kv Panel, Glow sgin board SMPS 12V,33A, Ceiling Fan 1200 sweep normal, BLDC Controller Kit , 3M PVC Box

Searched String: AC Pump

AC Charging Station, Styling Chair / Salon Chair / Swiveling Barber Chair, AC Current Transducer, Descaling Pump, Small Angle Grinders, Drainage Pump, Dosing pump, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Vacuum Pump, Split Air Conditioner Including Green AC, Wall Mount Type (V2)

Searched String: Contactor 3-Pole,32 Amp Coil Voltage 415

Category not available on GeM for the text string uploaded by the buyer

Searched String: Contactor 4-Pole 100A, coil voltage 415V

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Fuse Unit, Miniature Circuit Breakers Distribution Boards as per IS 13032, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Bamboo, Tent Pole as per IS 7344, Answer Book/Booklets For Examinations (V3), Disconnectors (Isolators) for working voltage up to and including 1 KV

Searched String: MCB Enclosure DP

Chlorpyrifos 1.5% DP, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Turbine - Acoustic Enclosure (BHEL), Cypermethrin 0.25% DP (Dustable Powder), Networking / Server Rack, Quinalphos 01.50% DP (Dustable Powder), LAPTOP CADDY, modular electrical enclosure switch board boxes for modular type accessories, Chlorpyrifos 1.5% DP ((Dustable Powder) (V2), Battery Cover

Searched String: MCB Enclosure FP

Turbine - Acoustic Enclosure (BHEL), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), LAPTOP CADDY, Fountain Pens (V2), Battery Cover, Networking / Server Rack, Circuit Breakers for DC Operation, Cylinder Liner, modular electrical enclosure switch board boxes for modular type accessories, Oxygen Hood (V2)

बिड विवरण/Bid Details	Searched String: Energy plug 06A (Top)
	<p>Mobile Containers For Solid Waste Conforming to IS 12402, Overbed Tables, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Electrical Plugs (V2) ISI Marked to IS 1293, Modular Table / Meeting Table / Centre Table (V2)</p> <p>Searched String: Energy plug 16A (Top)</p> <p>Mobile Containers For Solid Waste Conforming to IS 12402, Overbed Tables, Recirculating chiller, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Electrical Plugs (V2) ISI Marked to IS 1293, Modular Table / Meeting Table / Centre Table (V2)</p> <p>Searched String: Fan Regulator 1 M</p> <p>Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Electric Pedestal Type Fan and Regulator as per IS 1169, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Screw Drivers as per IS 844, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, modular electrical enclosure switch board boxes for modular type accessories, Fan Blades for Cooling Tower fan Rev 1, Lyophilizer, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p>Searched String: Fan Regulator 2 M</p> <p>Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Spinal Support, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, modular electrical enclosure switch board boxes for modular type accessories, Oxygen Gas Regulators (Version 2), Screw Drivers as per IS 844, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Electric Pedestal Type Fan and Regulator as per IS 1169, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Bucket Mop Wringer Trolley</p> <p>Searched String: Flush Box G.I, 3M</p> <p>All in One PC (V2), modular electrical enclosure switch board boxes for modular type accessories, Dental Lab Micromotor (V2), Muffle/Box Furnace (V2), Bucket Mop Wringer Trolley, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, computer kiosk, Electrical Extension Box (V4), Laboratory Glassware Volumetric Flask</p> <p>Searched String: Flush Box G.I, 4M</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Muffle/Box Furnace (V2), File/Folder (V3), Bucket Mop Wringer Trolley, Electrical Extension Box (V4), Laboratory Glassware Volumetric Flask, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, cleaning or janitorial cart, Laboratory Beakers (V2) as per IS 2619, Laboratory Glass Adapters</p>

बिड विवरण/Bid Details Searched String: Flush Box G.I, 6M

Muffle/Box Furnace (V2), modular electrical enclosure switch board boxes for modular type accessories, Electrical Extension Box (V4), Bucket Mop Wringer Trolley, Laboratory Glassware Volumetric Flask, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, cleaning or janitorial cart, Laboratory Beakers (V2) as per IS 2619, Handloom Cotton Bed Sheets (V2) as per IS 745, Laboratory Glass Adapters

Searched String: Flush Box G.I, 8M

modular electrical enclosure switch board boxes for modular type accessories, Muffle/Box Furnace (V2), File/Folder (V3), Bucket Mop Wringer Trolley, Laboratory Glassware Volumetric Flask, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, cleaning or janitorial cart, Laboratory Beakers (V2) as per IS 2619, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Laboratory Glass Adapters

Searched String: Indicating Lamp for panel

LED Based Indicating Lamp for Panel Cut Outs, Infrared Lamp For Panchakarma, Ultra Violet (UV) Cabinet for Sterilization, Interactive Panel Solution for Institutions, Starters For Fluorescent Lamps - IS 2215, Lamp Ballast for HPSV Lamps as per IS 15882:2009, IS 15885, Submersible Pump Starters (Motor starter controls), Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Weld Mesh Panel for Perimeter Security Fence as per IS 4948, Ballasts for Fluorescent Lamps as per IS 1534 (Part 1)

Searched String: LED Downlight surface 15W

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Hand Held Search Light, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Garden Light (V2), LED Diving Torch Light (Diving Instruments or Accessories), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Phototherapy Machine for (SNCU), SMD Rework Station, LED Light Bar (Strobe or warning lights), LED Examination Light for medical use

Searched String: Tricolour Rope light

LED Rope Light (LED Strip Light) Conforming To IS 10322 (Part 5/Section 9) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Coir Rope, Ophthalmic Trial Frame (V2) - RBSK, Battle Rope, Monkey rope, Distance Vision Testing Drum (V2) - RBSK, Wire Rope For Wire Rope Barrier, Ceramic Fiber Rope, Multipurpose Rope (Defence)

Searched String: LED Post top Fitting 45W Bajaj Archner

Led post top lantern

Searched String: LED Post top Fitting 45W Bajaj Arian

Led post top lantern

Searched String: Lug 300 sq.mm AL

बिड विवरण / Bid Details	Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE
	<p>Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Electronic Baby Weighing Scale - RBSK</p> <p>Searched String: Lug 240 sq.mm AL</p> <p>Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694</p> <p>Searched String: Lug 150 sq.mm AL</p> <p>Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Roti Making Machine</p> <p>Searched String: Lug 120 sq.mm AL</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as</p>

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: Lug 70 sq.mm AL

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: Lug 50 sq.mm AL

Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), RO Water Treatment System Above 50 LPH Filtration Capacity, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: Lug 35 sq.mm AL

Copper Tube 35 mm-OFB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: Lug 25 sq.mm AL

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vitreous China Sanitary Appliances - Squatting Pans conforming to IS 2556 (Part 3), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated Copper Cable Single Core and Multi Core

विड विवरण/Bid Details Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, PVC Insulated Copper Cord Single

Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Primary Aluminium Ingots for Remelting for General Engineering Purposes Conforming to IS 2590, Parallel Bar - Outdoor Gym Equipment

Searched String: Lug 16 sq.mm AL

Chloropyriphos 16% + Alphacypermethrin 1% EC (Emulsifiable Concentrate), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: PVC Casing Caping 25mm

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Fall Arrestor, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Casing Grease (API MOD) for ONGC (Ahmedabad), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: Modular Switch, 6A

modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Modular Metal Drawer File Cabinet Pedestal, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Multipara Monitor - Low End, Modular Toilet, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: Modular Switch, 16A

modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Cleaning Duster (V3), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Metal Drawer File

Searched String: Modular 32A - Switch - DP

modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Director-Class Storage Area Network (SAN) Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Computer Monitor (V2), Digital Earth Resistance Meter, Modular Table / Meeting Table / Centre Table (V2), SAN Switch, Networking / Server Rack

Searched String: Modular Socket, 6A

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Table / Meeting Table / Centre Table (V2), Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Metal Drawer File Cabinet Pedestal, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Multipara Monitor - Low End, Modular Toilet, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Impact socket

Searched String: Modular Socket, 16A

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Table / Meeting Table / Centre Table (V2), Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Cleaning Duster (V3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Toilet, Modular Metal Drawer File Cabinet Pedestal

Searched String: Timer For Street Light

Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), SOVP Device for Street light Pole Mounted, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Slamps (Algorithm based Street Light Automatic Switch), High Mast Lighting Tower for large area with LED Flood Lighting System, Inverter Based LED Street Light (V2), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Junction Box for Lighting

Searched String: Wire Cu 1.5 sq MM

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wild - Life Cages, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy

बिड विवरण / Bid Details	Duty) Electric Cables (V2) as per IS 1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire
	<p>Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Theft Proof Rifle Racks</p> <p>Searched String: Space Heater For 33kv Panel</p> <p>Space Heater, File/Folder (V3), Space Heater for Turbo Generator (BHEL), Interactive Panel Solution for Institutions, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Shaft Insulator Heater-IS:302, IS:4159, Modular Work Stations (V3), LED Based Indicating Lamp for Panel Cut Outs, Submersible Pump Starters (Motor starter controls), Weld Mesh Panel for Perimeter Security Fence as per IS 4948</p> <p>Searched String: Glow sgin board SMPS 12V,33A</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Ceiling Fan 1200 sweep normal</p> <p>Digital Electronic Spirit Level (Digi level or Digital inclinometer), Convection Heaters - Room Heater, Blower, Poly-pallets for bag storage godowns (V2) Conforming to IS 13664</p> <p>Searched String: BLDC Controller Kit</p> <p>Programmable Logic Controller Trainer Kit, Power Generator - DG Set (up to 900 KVA), Wireless Controller, PID Controller, magnetic stirrers, Temperature Controller, Motorized Pipette Controller, Sanitary Napkins Incinetator Machine with Smoke Control Unit, Temperature humidity controller, Flying Insect Control Traps - Fly Catcher</p> <p>Searched String: 3M PVC Box</p> <p>PVC Item (Gujarat Govt), High End Desktop Computer, PVC gitti, Resistance Box, Entry and Mid Level Desktop Computer, Pencil box, Box Spanner, Sofa (V3), Tissue box, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018 • MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) • XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)
बीओक्यू शीर्षक /BOQ Title	Electrical items for Works department
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	17 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	35 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)

बिड विवरण/Bid Details	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	60 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	AC Pump
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	3500000
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	3

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Registrar, IIT Patna
Indian Institute Of Technology Patna, Department of Higher Education, Indian Institute of Technology (IIT),
Ministry of Education
(IIT Patna)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

<p>सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)</p>	<p>Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)</p>
--	--

एमएसई खरीद वरीयता/MSE Purchase Preference

<p>एमएसई खरीद वरीयता/MSE Purchase Preference</p>	<p>Yes</p>
<p>सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$</p>	<p>15</p>
<p>सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference</p>	<p>25</p>

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 60% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

AC Pump

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	40	15

Contactor 3-Pole,32 Amp Coil Voltage 415

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	20	15

Contactor 4-Pole 100A, Coil Voltage 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	20	15

MCB Enclosure DP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	200	15

MCB Enclosure FP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	200	15

Energy Plug 06A Top

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	200	15

Energy Plug 16A Top

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	200	15

Fan Regulator 1 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	100	15

Fan Regulator 2 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Flush Box G.I, 3M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	100	15

Flush Box G.I, 4M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Flush Box G.I, 6M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	100	15

Flush Box G.I, 8M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Indicating Lamp For Panel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

LED Downlight Surface 15W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	100	15

Tricolour Rope Light

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	25	15

LED Post Top Fitting 45W Bajaj Archner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	10	15

LED Post Top Fitting 45W Bajaj Arian

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	15	15

Lug 300 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 240 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 150 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 120 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 70 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 50 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 35 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 25 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

Lug 16 Sq.mm AL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

PVC Casing Caping 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	150	15

Modular Switch, 6A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	500	15

Modular Switch, 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	500	15

Modular 32A - Switch - DP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	10	15

Modular Socket, 6A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	400	15

Modular Socket, 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	400	15

Timer For Street Light

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	20	15

Wire Cu 1.5 Sq MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	2000	15

Space Heater For 33kv Panel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	10	15

Glow Sgin Board SMPS 12V,33A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	10	15

Celling Fan 1200 Sweep Normal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	50	15

BLDC Controller Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	100	15

3M PVC Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajvardhan Jaideva	801106,IIT Patna, Kanpa Road, Bihta	200	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

IIT Patna

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

IIT Patna

Account No.

37956806500

IFSC Code

SBIN0017164

Bank Name

State Bank of India

Branch address

IIT Patna Campus, Bihta

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

7. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

9. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each

Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

10. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

12. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

13. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Detailed specs are provided with ATC document for reference and compliance purpose.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---