

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-03-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-03-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Coal
विभाग का नाम/Department Name	Neyveli Uttar Pradesh Power Limited
संगठन का नाम/Organisation Name	Neyveli Uttar Pradesh Power Limited
कार्यालय का नाम/Office Name	Nuppl
कुल मात्रा/Total Quantity	1710
वस्तु श्रेणी /Item Category	Supply of Refrigerant R22 gas , Supply of Refrigerant R410a , Supply of Refrigerant R32 , Supply of refrigerant copper pipe 1by4 inch , Supply of refrigerant copper pipe 1by2 inch , Supply of refrigerant copper pipe 5by8 inch , Supply of refrigerant copper pipe 3by8 inch , Supply of Flare Nuts of different size , Supply of Refrigerant Pipe Insulation of different sizes , Supply of PVC Self Adhesive White Monsoon Tape 48mm - minimum 18m roll , Supply of 440V capacitors in the range of 35-55MFD , Supply of Anchor Fastener M8x50mm , Supply of Teflon Tape 12mm minimum 10m roll , Supply of Copper Brazing rod 3.2mm thick minimum 300mm long , Supply of Butane Gas 225gm bottle , Supply of AC drain flexible pipe , Supply of Air Conditioner Fan Blade , Supply of Air Conditioner 1.5T or 2T PCB for non-inverter type , Supply of Air Conditioner 1.5T or 2T PCB for inverter type. , Repairing of Air conditioner coil leakage , Supply of outdoor fan safety grill or cover , Supply of Stabilizer for AC , Supply of Indoor unit Fan or Blower , Supply of Ac remote Make Voltas , Hitachi , Midea , Carrier etc , Repairing of Ceiling fan motor , Repairing of domestic Exhaust Fan , Repairing of Heavy duty Exhaust Fan , Rewinding of stator of 7.5 Hp Motor , Repairing of Electric Water geyser

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Supply of Refrigerant R22 gas , Supply of Refrigerant R410a, Supply of Refrigerant R32, Supply of refrigerant copper pipe 1/4", Supply of refrigerant copper pipe 1/2", Supply of refrigerant copper pipe 5/8", Supply of refrigerant copper pipe 3/8", Supply of Flare Nuts of different size, Supply of Refrigerant Pipe Insulation of different sizes, Supply of PVC Self Adhesive White Monsoon Tape 48mm - minimum 18m roll, Supply of 440V capacitors in the range of 35-55MFD, Supply of Anchor Fastener M8*50mm, Supply of Teflon Tape 12mm minimum 10m roll, Supply of Copper Brazing rod 3.2mm thick minimum 300mm long, Supply of Butane Gas 225gm bottle, Supply of AC drain flexible pipe, Supply of Air Conditioner Fan Blade, Supply of Air Conditioner (1.5T/2T) PCB for non-inverter type, Supply of Air Conditioner (1.5T/2T) PCB for inverter type., Repairing of Air conditioner coil leakage, Supply of outdoor fan safety grill / cover, Supply of Stabilizer for AC, Supply of Indoor unit Fan / Blower, Supply of Ac remote (Make Voltas , Hitachi , Midea , Carrier etc), Repairing of Ceiling fan motor , Repairing of domestic Exhaust Fan , Repairing of Heavy duty Exhaust Fan, Rewinding of stator of 7.5 Hp Motor, Repairing of Electric Water geyser

Searched String: Supply of Refrigerant R22 gas
 Refrigerant Gas, Cleaning Duster (V3), Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Compressed Medical Oxygen (IP) Gas Supply in Cylinders, Revolving Chair (V5), Portable Dissolved Gas Analysis of Transformer Oil (Powergrid), Liquefied Petroleum Gas (LPG) as per IS 4576 for Bulk Supply

Searched String: Supply of Refrigerant R410a
 Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Cleaning Duster (V3), Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Shoes Black Non-Slip for Camouflage Rig ICG, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Toilet Brush (V2), Revolving Chair (V5), Battery Cell as per IS 9128, IS 8144, Dry Erase Writing Boards (V3), Mobile Containers For Solid Waste (Industrial) - IS 12402

Searched String: Supply of Refrigerant R32
 Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Cleaning Duster (V3), Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Shoes Black Non-Slip for Camouflage Rig ICG, Football, Revolving Chair (V5), Battery Cell as per IS 9128, IS 8144, Dry Erase Writing Boards (V3), Towel Hand Cotton Turkish (IAF)

Searched String: Supply of refrigerant copper pipe 1/4"
 Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, PVC Insulated Copper Cable Single and Multi -

बिड विवरण / Bid Details	Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Package No 4 - Atal Tinkering Lab of Niti
	<p>Aayog Power Supply and Accessories and Safety Equipment, Elastomer Insulated, Elastomer Sheathed Cables, Pad Lock Various (As Per Defence Specification), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Extendable Road Barricade (V2), Modular Toilet, CPVC Industrial Pipe Fittings, Schedule 80</p> <p>Searched String: Supply of refrigerant copper pipe 1/2"</p> <p>Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, thermal gloves, Elastomer Insulated, Elastomer Sheathed Cables, Mild Steel Sheet, Line Interactive UPS with AVR (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Electronic Weighing Scales</p> <p>Searched String: Supply of refrigerant copper pipe 5/8"</p> <p>Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Non Sparking Pipe Wrench (V2), Polyethylene Pipes for Water Supply conforming to IS 4984, Non Sparking Combination Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, Non Sparking Double Ended Ring Spanner (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Safety Footwear (V3) ISI marked to IS 15298 (Part 2)</p> <p>Searched String: Supply of refrigerant copper pipe 3/8"</p> <p>Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Non Sparking Pipe Wrench (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, CPVC Industrial Pipe Fittings, Schedule 80, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Modular Toilet, Polyethylene Pipes for Water Supply conforming to IS 4984</p> <p>Searched String: Supply of Flare Nuts of different size</p> <p>Casing of Different Sizes with Coupling (CMPDI), Nitrile Coated/Nitrile Hand Gloves (V2), Fishing Tools of Different Sizes and Adapters (CMPDI), Diamond Casing Bit and Shoe Bits of Different Sizes (CMPDI), Cleaning Duster (V3), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Hawkers of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Dielectric Constant Kit for</p>

बिड विवरण / Bid Details Solids, Write - Wipe And Clean Books (Preschool Kit)

Searched String: Supply of Refrigerant Pipe Insulation of different sizes

Casing of Different Sizes with Coupling (CMPDI), Cleaning Duster (V3), Fishing Tools of Different Sizes and Adopters (CMPDI), Ceramic Fibre Blanket Insulation (V2) Conforming To IS 15402, Diamond Casing Bit and Shoe Bits of Different Sizes (CMPDI), Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Modular Toilet, Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778

Searched String: Supply of PVC Self Adhesive White Monsoon Tape 48mm - minimum 18m roll

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of 440V capacitors in the range of 35-55MFD

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Ferromanganese (V3) Conforming to IS 1171

Searched String: Supply of Anchor Fastener M8*50mm

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Staplers (V2), Endotracheal Tube - Sterile (Single Use), tray mess compartmented ss army pattern, Polyethylene Pipes for Water Supply conforming to IS 4984, Modular Toilet, General Purpose Hand Gloves (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Supply of Teflon Tape 12mm minimum 10m roll

Caution / Crime Scene Tape (V2), Steel Scrap, Picket Steel as per DGS&D Drawing, Pressure Sensitive Adhesive Tapes with Plastic Base (V3) Conforming to IS 13262, ECG Recording Paper(V2)

Searched String: Supply of Copper Brazing rod 3.2mm thick minimum 300mm long

Self Watering Tree guard, Copper Strip for Electrical Purposes as per IS 1897, Steel Scrap

Searched String: Supply of Butane Gas 225gm bottle

Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Liquified Petroleum Gas (LPG) as per IS 4576 for Bulk Supply

Searched String: Supply of AC drain flexible pipe

Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Rubber Seals Joint Rings for Water Supply,

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Drainage and Sewerage Pipelines as per IS 5382, Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment

Searched String: Supply of Air Conditioner Fan Blade

Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner (Floor Type), as per IS: 1391 (part 2)

Searched String: Supply of Air Conditioner (1.5T/2T) PCB for non-inverter type

Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2)

Searched String: Supply of Air Conditioner (1.5T/2T) PCB for inverter type.

Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner Including Green AC, Wall Mount Type, Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Alcohol Resistant Aqueous Film Forming Foam (AR - AFFF, Type 3 / 3) Liquid Concentrate for Fire Fighting (PNG)

Searched String: Repairing of Air conditioner coil leakage

Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner (Floor Type), as per IS: 1391 (part 2), Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2)

Searched String: Supply of outdoor fan safety grill / cover

Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment

Searched String: Supply of Stabilizer for AC

Sulphuric acid for Bulk supply - FACTL, Cleaning Duster (V3), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Blanket for AC Coach Passengers (V2) Indian Railways, Trolley Mounted AC Supply lighting tower with

विड विवरण / Bid Details	LED Flood Light, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Polyethylene Pipes for
	<p>Water Supply, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Coke Breeze for Bulk Supply, Toilet Brush (V2)</p> <p>Searched String: Supply of Indoor unit Fan / Blower</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Supply of Ac remote (Make Voltas , Hitachi , Midea , Carrier etc)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Repairing of Ceiling fan motor</p> <p>Operation And Maintenance Of Electro-Mechanical Installations, Operation And Maintenance Of Fire Alarm System, Refilling of Industrial Gases in Cylinders, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2), Monthly Basis Cab & Taxi Hiring Services</p> <p>Searched String: Repairing of domestic Exhaust Fan</p> <p>Operation And Maintenance Of Electro-Mechanical Installations, Operation And Maintenance Of Fire Alarm System, Refilling of Industrial Gases in Cylinders, Refilling of LPG cylinders, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2), Pest and Animal Control Service</p> <p>Searched String: Repairing of Heavy duty Exhaust Fan</p> <p>Leasing of Electric Trucks</p> <p>Searched String: Rewinding of stator of 7.5 Hp Motor</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Repairing of Electric Water geyser</p> <p>Operation And Maintenance Of Electro-Mechanical Installations, Leasing of Electric Trucks, Hiring of Water Tanker Service, Rejuvenation of Water Bodies, Testing of Water Quality, Leasing of Electric Vehicles (Long Term), Water Audit Service, Supply of Packaged Water Bottle, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Operation And Maintenance Of Fire Alarm System</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Refrigerant Gas • Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2) • PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
बीओक्यू शीर्षक /BOQ Title	Purchase of spares and consumables for Air conditioners along with certain Electrical Services

बिड विवरण/Bid Details	
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience	Yes Complete
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Years Of Experience	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Supply of Air Conditioner 1.5T or 2T PCB for inverter type.
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईएमडी राशि/EMD Amount	50000
-----------------------	-------

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	27

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Chief Executive Officer

Ministry of Coal {A JOINT VENTURE OF NLC INDIA LTD. & UP RAJYA VIDYUT UTPADAN NIGAM LTD.} Ghatampur Thermal Power Project Administrative Building, Near Lahurimau - Kasimpur Village, Ghatampur Tehsil, P.O. Samuhi - 209 206, Kanpur Nagar Dist. Uttar Pradesh CIN: U40300UP2012GOI053569, GSTIN: 09AAECN3221F1ZS (Neyveli Uttar Pradesh Power Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Supply Of Refrigerant R22 Gas

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EjnhhMQ2	25	730

Supply Of Refrigerant R410a

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	25	730

Supply Of Refrigerant R32

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	15	730

Supply Of Refrigerant Copper Pipe 1by4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	40	730

Supply Of Refrigerant Copper Pipe 1by2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	35	730

Supply Of Refrigerant Copper Pipe 5by8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	15	730

Supply Of Refrigerant Copper Pipe 3by8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	20	730

Supply Of Flare Nuts Of Different Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	15	730

Supply Of Refrigerant Pipe Insulation Of Different Sizes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EjnhhMQ2	50	730

Supply Of PVC Self Adhesive White Monsoon Tape 48mm - Minimum 18m Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EjnhhMQ2	40	730

Supply Of 440V Capacitors In The Range Of 35-55MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	25	730

Supply Of Anchor Fastener M8x50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	80	730

Supply Of Teflon Tape 12mm Minimum 10m Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	50	730

Supply Of Copper Brazing Rod 3.2mm Thick Minimum 300mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	20	730

Supply Of Butane Gas 225gm Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Supply Of AC Drain Flexible Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	100	730

Supply Of Air Conditioner Fan Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Supply Of Air Conditioner 1.5T Or 2T PCB For Non-inverter Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	20	730

Supply Of Air Conditioner 1.5T Or 2T PCB For Inverter Type.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	20	730

Repairing Of Air Conditioner Coil Leakage

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Supply Of Outdoor Fan Safety Grill Or Cover

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Supply Of Stablizer For AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Supply Of Indoor Unit Fan Or Blower

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Supply Of Ac Remote Make Voltas , Hitachi , Midea , Carrier Etc

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	15	730

Repairing Of Ceiling Fan Motor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	500	730

Repairing Of Domestic Exhaust Fan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	500	730

Repairing Of Heavy Duty Exhaust Fan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

Rewinding Of Stator Of 7.5 Hp Motor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	20	730

Repairing Of Electric Water Geyser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Santhoshkumar Raju	209206,OFFICE: Ghatampur Thermal Power Project Site Office, Near Lahurimau - Kasimpur Village,NUPPL Ghatampur Thesil, Samuhi P.O. - 209206 Kanpur Nagar Dist., Uttar Pradesh. (About 70 Kms from Kanpur City) https://goo.gl/maps/uLd5EJnhhMQ2	10	730

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Neyveli Uttar Pradesh Power Limited
payable at
Panki, Kanpur

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary

name

Neyveli Uttar Pradesh Power Limited

Account No.

33780367147

IFSC Code

SBIN0011607

Bank Name

State Bank of India

Branch address

Panki, Kanpur

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

4. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Neyveli Uttar Pradesh Power Limited

payable at

Panki, Kanpur

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

5. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Neyveli Uttar Pradesh Power Limited

Account No.

33780367147

IFSC Code

SBIN0011607

Bank Name

State Bank of India

Branch address

Panki, Kanpur

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

8. **Rate Contract**

The Purchase orders placed through the rate of this bid shall be placed by . The order shall be placed by buyer separately based on the requirement.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

SCOPE OF WORK:

- Ø Supply Portion: Supply of materials as per the specification within the delivery period.
- Ø Service Portion: Collection of materials from NUPPL, repairing the fault in the works hop and return it to NUPPL within the delivery period.

DELIVERY PERIOD

1. Supply Portion: 7days from the date of intimation/release of suborder from NUPPL.
2. Service Portion: 30days from the date of intimation/release of suborder from NUPPL.

PAYMENT TERMS:

1. No advance payment shall be made.
2. TDS will be applicable as per govt. norms.
3. Supply Portion: 100% payment will be done after satisfactory delivery and acceptance of materials.
4. Service Portion: 100% payment will be done after satisfactory working of repaired materials.

PENALTY:

If the bidder fails to deliver the material within the delivery period, the penalty of 0.5% per day from the price of the delayed items to the maximum limit of 10% from the price of the delayed goods.

TECHNICAL SPECIFICATION:

1. If the refrigerants are supplied in cylinders, the cylinders will be returned after using the refrigerant.
2. Copper pipe shall be soft annealed and it suitable for use it in Air conditioners.
3. Flare Nuts shall be suitable for use it to fix refrigerant copper pipe in Air Conditioners.
4. Refrigerant Pipe insulation of 6mm thick shall be made of nitrile rubber. It shall be suitable for insulating the refrigerant copper pipe in Air Conditioners.
5. Capacitors shall be ISI marked.
6. New PCBs shall be compatible with the existing Air Conditioners Make.
7. PVC Self Adhesive Monsoon Tape shall be 48mm width and length of minimum 10m roll.
8. New Fan Blade shall be compatible with the existing Air Conditioners Make.
9. New Ac remotes shall be compatible with the existing Air Conditioners already installed in the NUPPL.

SPECIAL TERMS AND CONDITIONS:

1. Bidder may supply the refrigerant in cylinders and the cylinders will be returned.
2. Bidder shall follow the gate pass formalities as applicable in NUPPL before taking out the material for repairing.
3. Warranty of 3months shall be provided for the items in the service portion.
4. Warranty for the items in supply portion shall be as per Warranty provided by the OEM.
5. If any material which could not be repaired shall be returned to NUPPL with the undertaking that it could not be repaired, and no payment shall be made for the non-repairable items.
6. Bidder shall quote considering the cost of transportation and other overhead charges.
7. The rate quoted will be fixed for the period of two years.
8. Different Makes of Air Conditioners available at NUPPL
 - a. Non-Inverter Types(1.5T/2T) Cool Only: Samsung, Midea, Carrier, Bluestar, Voltas, Hitachi.
 - b. Inverter Type (1.5T/2T) Cool Only: Whirpool, Voltas, Venstar, LG, Godrej, Operational Guard.
 - c. Inverter Type (1.5T) Hot & Cold: Hitachi

-

PRE-QUALIFICATION REQUIREMENTS:-

The Bidder should have Supplied Electrical items in any Government/Quasi Government or its undertaking /PSUs/ State Government /Public Limited company only in past (05) years reckoned with the scheduled date of tender opening, for a value of not less than Rs. 12,43,341/- (Rupees Twelve Lakhs Forty Three Thousand Three Hundred Forty One only) in single order / agreement.

Necessary documentary proof in the form of purchase/work order and completion /experience certificate with the value of work completed issued by the competent authority shall be submitted along with the bid document for the same purchase/work order. Copy of the purchase/work order alone is not sufficient, copy of completion certificate/experience certificate with the required PQ value must be enclosed. In case of GeM contract, multiple contract orders issued under different schedules of a single GeM Bid will be considered for evaluation as single order, subject to production of necessary proof of actual completion of value.

Ø OTHER CONDITIONS:-

1. The Bidder shall declare that their company is not banned/debarred/blacklisted by other Central Public Sector Enterprises (CPSEs)/Government Entities as on the original scheduled date of Bid opening. In case while processing the Bid or during post award of Bid, any such banned/Debarred/Blacklisted instances by other Central Public Sector Enterprises (CPSEs)/Government Entities, is known to NLCIL/NUPPL then the bidder will be disqualified for that particular Bid, if the Bid is under process. If already awarded, then the Purchase Order/Contract will be terminated. In the above circumstances, Bidder shall not have any claim on NLCIL/NUPPL towards such disqualification or termination of Contract/Purchase Order. The Bidders shall submit the declaration as per the format attached Buyer Added Bid Specific ATC Annexure -I (Page No. 1).

2. NOTE (Regarding EMD Exemption):- The following supporting document(s) for the proof of manufacturing the offered product(Primary Product in case of bunch bid with total value wise evaluation) have to be submitted by the MSE bidders for claiming EMD Exemption :-

(SUBMIT DOCUMENTS as per A and B)

A. Valid Udyam Registration Certificate registered with Relevant category NIC code as per National Industrial Classification (All Economic Activities), 2008 (Bidder should be registered with atleast anyone of NIC codes as listed below) :-

- **27339: Manufacture of other wiring devices and fittings n.e.c.**
- **26516: Manufacture of laboratory analytical instruments and miscellaneous laboratory apparatus for measuring and testing such as scales, balances, incubators etc.**
- **26517: Manufacture of industrial process control equipment**
- **26519: Manufacture of other measuring n.e.c.**
- **27900: Manufacture of other electrical equipment**
- **33140: Repair of electrical equipment**
- **43219: Other electrical electrical installation n.e.c.**

AND

B. Certificate issued by Department of industries & commerce/Valid NSIC/Small Scale Industries (SSI) /Bureau of Indian Standard (BIS)/Trade mark license.

In case of non-submission of valid Udyam Registration certificate along with the relevant/adequate supporting documents (for the proof of manufacturing the offered product) by the bidders during the initial bid itself, no claim for EMD exemption shall be entertained. Such bids (if submitted without EMD) shall be treated as u

non-responsive.

3. **NOTE (Regarding MSE Purchase Preference):-** The following supporting document(s) for the proof of manufacturing the offered product (Primary Product in case of bunch bid with total value wise evaluation) have to be submitted by the MSE bidders for claiming MSE Purchase Preference :-

(SUBMIT DOCUMENTS as per A and B)

- A. Valid Udyam Registration Certificate registered with Relevant category NIC code as per National Industrial Classification (All Economic Activities), 2008 (Bidder should be registered with atleast anyone of NIC codes as listed below) :-

- **27339: Manufacture of other wiring devices and fittings n.e.c.**
- **26516: Manufacture of laboratory analytical instruments and miscellaneous laboratory apparatus for measuring and testing such as scales, balances, incubators etc.**
- **26517: Manufacture of industrial process control equipment**
- **26519: Manufacture of other measuring n.e.c.**
- **27900: Manufacture of other electrical equipment**
- **33140: Repair of electrical equipment**
- **43219: Other electrical electrical installation n.e.c.**

AND

- B. Certificate issued by Department of industries & commerce/Valid NSIC/Small Scale Industries (SSI) /Bureau of Indian Standard (BIS)/Trade mark license.

4. **NOTE (Regarding Exemption from Experience):-** If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Experience Criteria" subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. The bidder shall submit any one of the following documentary proof for availing exemption from Experience Criteria:-

(SUBMIT DOCUMENTS as per A or B)

- A. Valid Udyam Registration Certificate registered with Relevant category NIC code as per National Industrial Classification (All Economic Activities), 2008 (Bidder should be registered with atleast anyone of NIC codes as listed below) :-

- **27339: Manufacture of other wiring devices and fittings n.e.c.**
- **26516: Manufacture of laboratory analytical instruments and miscellaneous laboratory apparatus for measuring and testing such as scales, balances, incubators etc.**
- **26517: Manufacture of industrial process control equipment**
- **26519: Manufacture of other measuring n.e.c.**
- **27900: Manufacture of other electrical equipment**
- **33140: Repair of electrical equipment**
- **43219: Other electrical electrical installation n.e.c.**

OR

- B. Valid NSIC Certificate registered with relevant category as per bid conditions.

5. **Verification of Local Content :** The bidder shall give self-certification for local content in the quoted item (goods/works/services) at the time of tendering. However, at the time of execution

on of the project, for all Contracts above INR 10 Crore, the contractor/supplier shall be required to give local content certification duly certified by cost/chartered accountant in practice. For cases where it is not possible to provide certification by Cost/Chartered Accountant at the time of execution of project, the supplier shall be permitted to provide the certificate for local content from Cost/Chartered Accountant after completion of the contract, within time limit acceptable to the procuring entity. In case the Contractor/supplier does not meet the stipulated local content requirement and the category of the supplier changes from Class-I to Class-II/ Non-local or from Class-II to Non-local, a penalty up to 10% of the contract value may be imposed. However, contract once awarded shall not be terminated on this account.

6. In case Bank Guarantee is to be submitted, the same must be issued under SFMS Mode and Advising Bank details must be incorporated as per below details:

Name of beneficiary & its details	Neyveli Uttar Pradesh Power Limited
Beneficiary bank, branch & address	State Bank of India
	Block-2, Neyveli-607801
IFSC code	SBIN0000958

Any Bank Guarantee submitted in physical mode, including EMD/Bid Guarantee, which cannot be verified through SFMS will be rejected summarily

10. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---