

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	20-03-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	20-03-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Mod Sectt Establishment
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	5234
वस्तु श्रेणी /Item Category	Sch 1 , Sch 2 , Sch 3 , Sch 4 , Sch 5 , Sch 6 , Sch 7 , Sch 8 , Sch 9 , Sch 10 , Sch 11 , Sch 12 , Sch 13 , Sch 14 , Sch 15 , Sch 16 , Sch 17 , Sch 18 , Sch 19 , Sch 20 , Sch 21 , Sch 22 , Sch 23 , Sch 24 , Sch 25 , Sch 26 , Sch 27 , Sch 28 , Sch 29 , Sch 30 , Sch 31 , Sch 32 , Sch 33 , Sch 34 , Sch 35 , Sch 36 , Sch 37 , Sch 38 , Sch 39 , Sch 40 , Sch 41 , Sch 42 , Sch 43 , Sch 44 , Sch 45 , Sch 46 , Sch 47 , Sch 48 , Sch 49 , Sch 50 , Sch 51 , Sch 52 , Sch 53 , Sch 54 , Sch 55 , Sch 56 , Sch 57 , Sch 58 , Sch 59 , Sch 60 , Sch 61 , Sch 62 , Sch 63 , Sch 64 , Sch 65 , Sch 66 , Sch 67 , Sch 68 , Sch 69 , Sch 70 , Sch 71 , Sch 72 , Sch 73 , Sch 74 , Sch 75 , Sch 76 , Sch 77 , Sch 78 , Sch 79 , Sch 80 , Sch 81 , Sch 82 , Sch 83 , Sch 84 , Sch 85 , Sch 86 , Sch 87 , Sch 88 , Sch 89 , Sch 90 , Sch 91 , Sch 92 , Sch 93 , Sch 94 , Sch 95 , Sch 96 , Sch 97 , Sch 98 , Sch 99 , Sch 100 , Sch 101 , Sch 102 , Sch 103 , Sch 104 , Sch 105 , Sch 106 , Sch 107 , Sch 108 , Sch 109 , Sch 110 , Sch 111 , Sch 112 , Sch 113 , Sch 114 , Sch 115 , Sch 116 , Sch 117 , Sch 118 , Sch 119 , Sch 120 , Sch 121 , Sch 122 , Sch 123 , Sch 124 , Sch 125 , Sch 126 , Sch 127 , Sch 128 , Sch 129 , Sch 130 , Sch 131 , Sch 132 , Sch 133 , Sch 134 , Sch 135 , Sch 136 , Sch 137 , Sch 138 , Sch 139 , Sch 140 , Sch 141 , Sch 142 , Sch 143 , Sch 144 , Sch 145 , Sch 146 , Sch 147 , Sch 148 , Sch 149 , Sch 150 , Sch 151 , Sch 152 , Sch 153 , Sch 154
	GLASS PANE PLAIN, BRASS CP SINK COUPLING, BATHROOM CABINATE SINGLE MIRROR WHITE COLOUR WITH HINGES DOOR, BRASS CP HAND SHOWER ROSE WITH PVC TUBE, FLOOR SPRING FOR ALUMINIUM DOOR, GLASS PANE FROSTED, BRASS SPINDLE FOR CP BIB COCK and PILLAR COCK, WOODEN BEADING FOR GLASS PANE, WOODEN BEADING FOR GLASS PANE, GATE VALVE, PVC URINAL PIPE, CP GRATING, RUBBER BEADING 40MM WIDE AND 50MM THICK FOR DOOR BOTTOM, STAINLESS STEEL SLIDING

बिड विवरण/Bid Details**Searched String: GLASS PANE PLAIN**

Laboratory Glass Adapters, URF Plain- Defence, Glass Coasters, Plain Gauze Swab, Glass Fuse, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Connector Glass, Laboratory Beakers (V2) as per IS 2619, Glass Beads, Glass Cloth

Searched String: BRASS CP SINK COUPLING

Waste Fittings for Washbasin and Sinks as per IS 2963, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: BATHROOM CABINATE SINGLE MIRROR WHITE COLOUR WITH HINGES DOOR

Category not available on GeM for the text string uploaded by the buyer

Searched String: BRASS CP HAND SHOWER ROSE WITH PVC TUBE

Category not available on GeM for the text string uploaded by the buyer

Searched String: FLOOR SPRING FOR ALUMINIUM DOOR

Spring Bars For Watch Cases and Straps Conforming to IS 10865, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Therapy Floor Mat for Exercise - RBSK, Metal Storage Cabinet, Electro Forged Floor Grills, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, Door Frame Metal Detector, Spring Testing Machine (V2), File/Folder (V3)

Searched String: GLASS PANE FROSTED

Glass Fuse, Laboratory Beakers (V2) as per IS 2619, Connector Glass, Glass Beads, Glass Cloth, Safety Glass for Road Transport Marked to IS 2553 (Part 2), Glass Coaster, Modular Table / Meeting Table / Centre Table (V2), Glass Coasters, Whisky Glass

Searched String: BRASS SPINDLE FOR CP BIB COCK and PILLAR COCK

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Plug Cock for Water Supply Purpose as per IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Wrist and Forearm Splints (V2)

Searched String: WOODEN BEADING FOR GLASS PANE

Wooden Beading Patti, Modular Table / Meeting Table / Centre Table (V2), EPDM Rubber Beading For Mudguard, Wooden Display cabinet with Glass Doors, Phototherapy Machine for (SNCU), EPDM Rubber Beading For Passenger Door, Sealing Bulb Beading Rubber for Door, Glass Ionomer Cement for Dentistry, Wooden Furniture from Hoshiarpur - ODOP, traffic signs - bilinker light

बिड विवरण/Bid Details Searched String: WOODEN BEADING FOR GLASS PANE

Wooden Beading Patti, Modular Table / Meeting Table / Centre Table (V2), EPDM Rubber Beading For Mudguard, Wooden Display cabinet with Glass Doors, Phototherapy Machine for (SNCU), EPDM Rubber Beading For Passenger Door, Sealing Bulb Beading Rubber for Door, Glass Ionomer Cement for Dentistry, Wooden Furniture from Hoshiarpur - ODOP, traffic signs - bilinker light

Searched String: GATE VALVE

Knife Edge Gate Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sliding Gate, Grill Gate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, General Purpose Ball Valves (V2), HF Gate Antenna Systems

Searched String: PVC URINAL PIPE

Pipe for Gardening Purpose, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Pipe Cutter, Patient Urinal (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Urinal Sensor Flusher, Pipe Clamps (V2), FRP Urinal Cabin, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Waterless and Odourless Urinal

Searched String: CP GRATING

Fibre Reinforced Plastic Grating(FRP Grating), Video Recorder for CCTV System (V2), GI Grating (in Number), GI Grating (in MT), Pencil / Die Grinder (V2), Lea Grating Paddles for Vision Testing, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Camera for CCTV System (V3), Ankle CPM (V2), PISTOL GRIP PNEUMATIC DRILL GUNS

Searched String: RUBBER BEADING 40MM WIDE AND 50MM THICK FOR DOOR BOTTOM

Category not available on GeM for the text string uploaded by the buyer

Searched String: STAINLESS STEEL SLIDING DOOR BOLT

Sliding door, Metal Storage Cabinet, Heated Display Case - Hot Case (V2), Sliding Doors (V2), STEEL BOLT(OFB-DEFENCE), Pole Mounted Stainless Steel Dustbin (V2), Instrument Trolley for Hospitals (V2), Fire Rated Steel Door, medical stools or chairs, Laboratory Refrigerator (V2)

Searched String: GI NIPPLE

Seamless Carbon Steel Nipple, Insect Killer, Rigid GI Pipe (BHEL), GI Grating (in Number), Parallel Bar - Outdoor Gym Equipment, GI Grating (in MT), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Grain Storage Bin (V2)

Searched String: PTMT STOP COCK

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps

बिड विवरण / Bid Details

and Stop Valves for Water Services as per IS 781, Stop Watch, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Badminton Shuttle Cock (V2) as per IS 415, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Bus Stop Shelter, Globe Valve as per IS 778, Plug Cock for Water Supply Purpose as per IS 3004, Flush Valves and Fitting for Water Closets and Urinals

Searched String: DOOR STOPPER ALUMINIUM

Lock Stopper key, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Iodine Flask with Stopper, Laboratory Vials (V2), door mats, Metal Storage Cabinet, Sliding door, Vault (Strong Room) Door as per IS 11188, Curtains (V2), M.S Stopper for Traffic Control (Portable Barrier)

Searched String: BRASS CP GRATING CENTER HOLE

Metalware-Handicraft, Tapered Bearings as per IS 12102, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: SS TOWER BOLT

spoon ss and chamcha ss, Autoclave (Horizontal), Tower Bolts (Ferrous Metals) as per IS 204, Thermos SS (Defence), Allen Bolt, U Bolt, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Tower Ladder (V2), Platform Trolley (V2), pona ss (cqa specification)

Searched String: SS SCREW WOOD

Wood screws, Modular Table / Meeting Table / Centre Table (V2), spoon ss and chamcha ss, Thermos SS (Defence), Wooden Podium, Screw Compressor, Compression Screw, Autoclave (Horizontal), pona ss (cqa specification), patient care beds for general use

Searched String: M SEAL

M - Seal as per IS 9197, Ultra low temperature laboratory deep freezer, Puf Seal, Bolt / Bullet Seal, Plastic Grip Seal, water baths, D Seal (Rubber), Inflatable Tent, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Laboratory Incubators

Searched String: DOOR HANDLE SS

Access Controlled Handle Door Lock, Metal Storage Cabinet, Sweeping Long SS Handle Steel Fork, spoon ss and chamcha ss, Door Handles & Knobs, Door Handles as per IS 208, Door Handles & Knobs-handcrafted, Curtains (V2), Door Handles (V2) ISI marked to IS 208, Autoclave (Horizontal)

Searched String: FEVICOL

Glue Stick (V2)

Searched String: GATE VALVE

Knife Edge Gate Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sliding Gate, Grill Gate,

बिड विवरण / Bid Details
Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931,
General Purpose Ball Valves (V2), HF Gate Antenna Systems

Searched String: PILLAR COCK

PTMT Tap Fitting, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Badminton Shuttle Cock (V2) as per IS 415, Pillar Taps (V2) as per IS 1795, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Plug Cock for Water Supply Purpose as per IS 3004, Pillar Taps for Water Supply Purpose conforming to IS 1795, Drilling Machine Bench Type / Pillar Type as per IS 2425, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Cockroach Gel Fipronil

Searched String: PVC SHOWER ROSE

(Vitreous China) - Shower Rose-IS:2556, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Rose Seeds, Bathroom Water Shower (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Ceiling rose - IS 371, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Shower Caps (V2), Decontamination Shower- IS:10592, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: SS HANDLE ANODIZED

Sweeping Long SS Handle Steel Fork, spoon ss and chamcha ss, Anodized Aluminium Frame, Autoclave (Horizontal), Anodized Aluminium Frame (V2), Thermos SS (Defence), Lifting Handle (BHEL), ETO Sterilizer, Insulated T-Handle, Platform Trolley (V2)

Searched String: SS HANDLE ANODIZED

Sweeping Long SS Handle Steel Fork, spoon ss and chamcha ss, Anodized Aluminium Frame, Autoclave (Horizontal), Anodized Aluminium Frame (V2), Thermos SS (Defence), Lifting Handle (BHEL), ETO Sterilizer, Insulated T-Handle, Platform Trolley (V2)

Searched String: SS SLIDING DOOR BOLT WITH HASP
COMMA STAPLE

Category not available on GeM for the text string uploaded by the buyer

Searched String: BUTT HINGES SS

Non - Ferrous Metal Butt Hinges as per IS 205, Autoclave (Horizontal), Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, spoon ss and chamcha ss, Steam Sterilizer (V2), Butt-Weld Pipe Fittings, Platform Trolley (V2), Thermos SS (Defence), Stainless Steel Worktable With Undershelf

Searched String: SS SCREW WOOD

Wood screws, Modular Table / Meeting Table / Centre Table (V2), spoon ss and chamcha ss, Thermos SS (Defence), Wooden Podium, Screw Compressor, Compression Screw, Autoclave (Horizontal), pona ss (cqa specification), patient

बिड विवरण/Bid Details care beds for general use

Searched String: PVC WASTE COUPLING

Grid coupling, Bio - Medical Waste Collection Bags (Biohazard Bags), Flexible Jaw Coupling, Saddle Coupling (BHEL), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Coupling-I (BHEL), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Waste Container (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Medical Waste Incinerator

Searched String: BUTT HINGES SS

Non - Ferrous Metal Butt Hinges as per IS 205, Autoclave (Horizontal), Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, spoon ss and chamcha ss, Steam Sterlizer (V2), Butt-Weld Pipe Fittings, Platform Trolley (V2), Thermos SS (Defence), Stainless Steel Worktable With Undershelf

Searched String: BUTT HINGES SS

Non - Ferrous Metal Butt Hinges as per IS 205, Autoclave (Horizontal), Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, spoon ss and chamcha ss, Steam Sterlizer (V2), Butt-Weld Pipe Fittings, Platform Trolley (V2), Thermos SS (Defence), Stainless Steel Worktable With Undershelf

Searched String: WASHER PVC FOR LOW LEVEL FLUSHING CISTERN

Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

Searched String: SS SCREW WOOD

Wood screws, Modular Table / Meeting Table / Centre Table (V2), spoon ss and chamcha ss, Thermos SS (Defence), Wooden Podium, Screw Compressor, Compression Screw, Autoclave (Horizontal), pona ss (cqa specification), patient care beds for general use

Searched String: BRASS LOCK 6 LEVER

Padlocks (ताले) conforming To Is 15275, Pad Lock Various (As Per Defence Specification), Locking Compression Plates (V2)

Searched String: FANCY TYPE DECORATIVE PVC SHEATHED GI CURTAIN

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694

Searched String: SS SCREW WOOD

Wood screws, Modular Table / Meeting Table / Centre Table (V2), spoon ss and chamcha ss, Thermos SS (Defence), Wooden Podium, Screw Compressor, Compression Screw, Autoclave (Horizontal), pona ss (cqa specification), patient care beds for general use

Searched String: WASHER PVC FOR LOW LEVEL FLUSHING

विड विवरण / Bid Details

CISTERN

Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

Searched String: SS BRACKET CHROMIUM PLATED

Retort Ring with Boss Head, Weightlifting Bar and Collars, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest)

Searched String: SS HANDLE FABRICATED TYPE

Sweeping Long SS Handle Steel Fork, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Handles for Detachable Surgical Blades (Bard Parker Type) Conforming to IS 3319, Parliament Hinges-IS:362, Tarpaulins Made from High Density Polyethylene (HDPE) Woven Fabrics (V3) Conforming to IS 7903, USB Type External Solid State Drive Capacity Greater than 256 GB, Bullet Recovery Box, Binder Clips (V3) Conforming to IS 8231, Non Sparking Spades as per IS 4595, Bitumen Emulsion for Roads - Cationic Type (V2) as per IS 8887

Searched String: BRASS CP CONCEALED STOP COCK

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Plug Cock for Water Supply Purpose as per IS 3004, Three Way Stopcocks, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781

Searched String: CEMENT WHITE

White Cement Based Polymeric Putty as per IS 17545, Dry Erase Writing Boards (V3), White Yam Seeds, Calcofluor white stain, Cement Capsule, WHITE CLOVER (SHAFTAL) Seeds, Register (V2), Zinc Phosphate Cement(Dental Cement)-IS:6035, Flower Pots or Planters (V2), Zinc polycarboxylate cement

Searched String: NAILS WIRE

Steel Countersunk Head Wire Nails Conforming To IS 723, Muffle Furnace, Panels Pins and Lost Head Nails Conforming To IS 6738, Coiled Nails, Molybdenum Wire, Wire Rope For Wire Rope Barrier, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Kirschner Wire (V2), Tapered Bearings as per IS 12102, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2)

Searched String: BRASS WASHER JUMPER

Copper Jumper, Lock Washer, Plain Washer as per IS 2016, Nylon washer, Brass Sieve, Metal Alloy Casting Water Tap with Aerator (V2), High Pressure Washer, Square Washer(BHEL), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, ELISA Plate Washer (V2)

Searched String: BRASS WASHER JUMPER

Copper Jumper, Lock Washer, Plain Washer as per IS 2016, Nylon washer, Brass Sieve, Metal Alloy Casting Water Tap with Aerator (V2), High Pressure Washer, Square Washer(BHEL), Cast Copper Alloy Screw Down Bib Taps and

विड विवरण / Bid Details Stop Valves for Water Services as per IS 781, ELISA Plate Washer (V2)

Searched String: STAINLESS TEEL PLATE RACK

Stainless Steel Shoe Rack, Stainless Steel Shelf Rack, Temperature sensor, Stainless Steel Wire Shelving Rack Or Pot Rack, Laboratory Hot plate, Steel Plate/Thali, Stainless Steel Name Plates, Monograms, Labels - BHEL, Commercial Dosa Hot Plate, Kadhai, Heavy Duty Storage Racks

Searched String: PVC SHELF

Stainless Steel Shelf Rack, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Shelf stable prepared soups or stews, PVC gitti, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Stainless Steel Worktable With Undershelf, PVC Reducer Socket, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC End Cap

Searched String: SS CHROMIUM BRACKET

Bracket (Defence), Autoclave (Horizontal), spoon ss and chamcha ss, Grinding Media Balls as per IS 6079, Chromium Acetate - ONGC, Corner Bracket(BHEL), Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Thermos SS (Defence), Platform Trolley (V2), pona ss (cqa specification)

Searched String: PH REDUCING SOLUTION

PH buffer solution, pH Meter, pH Paper, pH Electrode, Ultra low temperature laboratory deep freezer, Instrument Trolley for Hospitals (V2), Buffer Solutions, Wheel Chairs (V2), Pressure reducing valve, Patient Bed (Fowler and Semi Fowler)

Searched String: MCCB

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit

Searched String: MCB DOUBLE POLE

Octagonal Pole (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Metal Pole, Harvesting Pole, Sofa (V3), Kho Kho Pole (V2), Precision Height Gauge, Pole (OFB (Defence)), Pole Mounted Stainless Steel Dustbin (V2), Pole Umbrella (V2)

Searched String: MCB DOUBLE POLE

Octagonal Pole (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Metal Pole, Harvesting Pole, Sofa (V3), Kho Kho Pole (V2), Precision Height Gauge, Pole (OFB (Defence)), Pole Mounted Stainless Steel Dustbin (V2), Pole Umbrella (V2)

Searched String: MCB SINGLE POLE

Octagonal Pole (V2), Surgical Gowns Conforming to IS 17334, Metal Pole, Harvesting Pole, Sofa (V3), Kho Kho Pole

विड विवरण/Bid Details (V2), Pole (OFB (Defence)), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Pole Umbrella (V2),

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: SODA ASH

Soda Ash (ONGC), Fly Ash Bricks as per IS 13757, IS 12894, Soda Ash (V2) conforming to IS 251, general purpose cleaners and soda ash, Soda Lime (as Carbon Dioxide Absorbent) as per IS 5321, Soda Ash, Technical for Bulk Purchase - IS 251, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), Ash Trays(V2), Caustic Soda for Bulk Supply as per IS 252, Ash Gourd (Petha) Seeds

Searched String: MCB SINGLE POLE

Octagonal Pole (V2), Surgical Gowns Conforming to IS 17334, Metal Pole, Harvesting Pole, Sofa (V3), Kho Kho Pole (V2), Pole (OFB (Defence)), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Pole Umbrella (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: FR PVC INSULATED UNSHEATHED FLEXIBLE WIRE COPPER

PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Battery Chargers (for Transreceivers) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694

Searched String: FR PVC INSULATED UNSHEATHED FLEXIBLE WIRE COPPER

PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Battery Chargers (for Transreceivers) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694

Searched String: MCB SINGLE POLE

Octagonal Pole (V2), Surgical Gowns Conforming to IS

विड विवरण / Bid Details 17334 Metal Pole, Harvesting Pole, Sofa (V3), Kho Kho Pole (V2), Pole (OFB (Defence)), Single Use Sterile Rubber

Surgical Gloves Conforming to IS 13422, Pole Umbrella (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: BELL DING DONG

Bell Metal Craft from Bajali - ODOP, Bell Metal Products from Barpeta - ODOP, Electric Bells and Accessories as per IS 2268, Bell Metal Products from Bastar - ODOP, Competition kettle bells, Brass and Bell Metal Products from Nayagarh - ODOP, acoustic stethoscope, Wireless Attendant Calling System, E C DINGHY (Sailing Boat), Acoustic Binaural Stethoscope (V3)

Searched String: LED FLOOD

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), LED Luminaire for Flood Light, Flame Proof (V2), Laboratory Incubators, Trolley Mounted AC Supply lighting tower with LED Flood Light, Muffle Furnace, High Mast Lighting Tower for large area with LED Flood Lighting System, LED Luminaire for High Bay Lighting

Searched String: UG ARMoured CABLE

Armoured Optical Fibre Cable for Direct Burial (Underground), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cable for direct burial xlpe ugac cable for DMRC, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Antenna Cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Control Cable, telecommunication cable

Searched String: RUBBER INSERTION SHEET

Sheet Rubber Jointing and Rubber Insertion Jointing - IS 638, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Hospital Rubber Sheetings Conforming to IS 4135, Sheet Rubber Jointing (BHEL), Industrial Rubber Sheets, Sheet Cellular Defence or Foam Rubber Sheet as per IS 8255, mackintosh sheet hospital rubber sheetings, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), PPIUCD Insertion Forceps, Urine Catheter Insertion Trainer

Searched String: UG ARMoured CABLE

Armoured Optical Fibre Cable for Direct Burial (Underground), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cable for direct burial xlpe ugac cable for DMRC, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Antenna Cable, PVC Insulated Copper Cable Single Core and

विड विवरण / Bid Details Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Control Cable, telecommunication cable

Searched String: SOCKET OUT LET MODULAR TYPE

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Online Ups Modular Type, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037

Searched String: SUBMERSIBLE CABLE

PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Submersible Sewerage Pump, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Submersible Pumps for Slurry Application, Submersible Pump Starters (Motor starter controls), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: RUBBER MAT

bathroom mat, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Stable Rubber Mats, Anti Fatigue Mat, Automotive Floor Mat, chair mat-cushion, Rubberized Weight Dumbbells, door mat jute, Kabaddi Mat (V2), Yoga Mats

Searched String: COTTON WASTE

Cotton Yarn Waste (V2) as per IS 5485, Cleaning Duster (V3), Waste Container (V3), Medical Waste Incinerator, Bio - Medical Waste Collection Bags (Biohazard Bags), Green Waste Reprocessor (Automatic / Semi Automatic), Cotton Saree, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cotton Stockinette, Markin Cloth (V2)

Searched String: FR PVC INSULATED UNSHEATHED FLEXIBLE WIRE COPPER

PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Battery Chargers (for Transreceivers) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with

बिड विवरण

Rigid Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires)

Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694

Searched String: PLUG TOP

Plug Gauge, Modular Table / Meeting Table / Centre Table (V2), Rubber Plug, Electrical Plugs (V2) ISI Marked to IS 1293, Computer Table (V3), Plain Plug Gauges as per IS 6137, Fiber Optic Patch Cord, Rubber Plug (V2), Rotary Shaker, Thread Plug Gauge

Searched String: UG ARMoured CABLE

Armoured Optical Fibre Cable for Direct Burial (Underground), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cable for direct burial xlpe ugac cable for DMRC, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Antenna Cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Control Cable, telecommunication cable

Searched String: BELL PUSH FLUSH

Emergency Push Button Switch, Fitness Push Up Bar, Flushing Cistern, Flush Valves and Fitting for Water Closets and Urinals, Mobile Storage Compactors, telephone instrument single push button, Lawn Mowers, Bell Metal Craft from Bajali - ODOP, Bell Metal Products from Barpeta - ODOP, Auditorium Chair (V2)

Searched String: RESIDUAL CHLORINE TESTING KIT

Residual Chlorine analyzer, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, CHLORINE KIT(RCF), Relay Testing Educational Kit, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), pusa soil test and fertilizer recommendation kit, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Mechanic Motor Vehicle trainee tool kit (Skill India Program), SARS-CoV-2 IgG (COV2G) Testing Kit, Ready Made Water Analysis Test Kit

Searched String: UG ARMoured CABLE

Armoured Optical Fibre Cable for Direct Burial (Underground), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cable for direct burial xlpe ugac cable for DMRC, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Antenna Cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Control Cable, telecommunication cable

Searched String: PLUG TOP

Plug Gauge, Modular Table / Meeting Table / Centre Table (V2), Rubber Plug, Electrical Plugs (V2) ISI Marked to IS

बिड विवरण / Bid Details

1293, Computer Table (V3), Plain Plug Gauges as per IS 6137, Fiber Optic Patch Cord, Rubber Plug (V2), Rotary Shaker, Thread Plug Gauge

Searched String: HT TAPE

HT Tape, Elastic Surgical Adhesive Tapes (V2), HT Motor Protection Fuse (BHEL), Tape Cartridge / Tape Media, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Measuring Tape, Aluminum Tape, Foam Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221, Empire Tape

Searched String: GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS 4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM), Surgical Sutures, Packing Strip

Searched String: LEAD PIG

Pig Lead (V2) as per IS 27, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Pipeline pig, Refined Secondary Lead (V2) as per IS 3717, Lead nitrate, Lead(II) Acetate, Lead (II) Oxide (LithARGE) LR, Spill Containment Pallets, Lead(II) Chloride Anhydrous, Notesheet (Azure Laid) (V2)

Searched String: GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS 4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM), Surgical Sutures, Packing Strip

Searched String: SWITCH FLUSH

Flush Valves and Fitting for Water Closets and Urinals, Layer 2 Access Switch (V2), Isolator switch, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Limit Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Reed Switch, modular electrical enclosure switch board boxes for modular type accessories, Rotary Switch, Switch Fuse Unit

Searched String: LAMP HOLDER

Solar Lamp (Solar Study Lamp), Dumbbell Rack, Hand Lamp, Business Card Holder (V2), Inspection Lamp, Slit Lamp, Gouging holder, Badge Holders - I Card, Lamp Shades-Handicraft, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)

Searched String: LEAD WOOL

Steel Wool, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Socks, Men's Wool (Defence), Lead nitrate, Wool Cotton Drawer, White (MHA), Gloves Wool Knitted - IAF Specification, Notesheet (Azure Laid) (V2), Resin Bonded Rock Wool Mattress, Absorbent Cotton

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Lead(II) Acetate

Searched String: LAMP HOLDER

Solar Lamp (Solar Study Lamp), Dumbbell Rack, Hand Lamp, Business Card Holder (V2), Inspection Lamp, Slit Lamp, Gouging holder, Badge Holders - I Card, Lamp Shades-Handicraft, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: GATE VALVE

Knife Edge Gate Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sliding Gate, Grill Gate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, General Purpose Ball Valves (V2), HF Gate Antenna Systems

Searched String: FUSE WIRE COPPER THINNED

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Control Cable, PTFE (Polytetrafluoroethylene) Wire, Zinc Coated EDM Wire (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: FUSE WIRE COPPER THINNED

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Control Cable, PTFE

बिड विवरण / Bid Details

(Polytetrafluoroethylene) Wire, Zinc Coated EDM Wire (V2), PVC Insulated Copper Cable Single Core and Multi Core

Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: STEEL SCREW

Stainless Steel slotted Cheese Head Screw - BHEL, Steel Almirah / Cabinets (V4), Screw Compressor, Strip Heater, Compression Screw, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Self Drilling Screw, Metal Storage Cabinet, Screw Cap Vial, medical stools or chairs

Searched String: GATE VALVE

Knife Edge Gate Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sliding Gate, Grill Gate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, General Purpose Ball Valves (V2), HF Gate Antenna Systems

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: LAMP HOLDER

Solar Lamp (Solar Study Lamp), Dumbbell Rack, Hand Lamp, Business Card Holder (V2), Inspection Lamp, Slit Lamp, Gouging holder, Badge Holders - I Card, Lamp Shades-Handicraft, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)

Searched String: BATTERY CHARGING CABLE

Charging Station, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), AC Charging Station, General Purpose Battery Chargers, DC EV Charging Station, Online UPS (V2), AC EV Charging Station, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Chargers (for Transreceivers) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: CAPACITOR

बिड विवरण / Bid Details

Capacitor Banks For Use On 11 KV System (PSPCL)), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL)

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: FUSE WIRE COPPER THINNED

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Control Cable, PTFE (Polytetrafluoroethylene) Wire, Zinc Coated EDM Wire (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: GATE VALVE

Knife Edge Gate Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sliding Gate, Grill Gate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, General Purpose Ball Valves (V2), HF Gate Antenna Systems

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: RAWAL PLUG

Plug Gauge, Lawn Mowers, Rubber Plug, Electrical Plugs (V2) ISI Marked to IS 1293, Mobile Containers For Solid Waste Conforming to IS 12402, Plain Plug Gauges as per IS 6137, Fiber Optic Patch Cord, Rubber Plug (V2), Thread Plug Gauge, Ear Plugs as per IS 9167

Searched String: FUSE WIRE COPPER THINNED

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire

बिड विवरण / Bid Details

as per IS 13730 (Part 0 / Sec 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Control Cable, PTFE (Polytetrafluoroethylene) Wire, Zinc Coated EDM Wire (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: CAPACITOR

Capacitor Banks For Use On 11 KV System (PSPCL)), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL)

Searched String: FUSE WIRE COPPER THINNED

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Control Cable, PTFE (Polytetrafluoroethylene) Wire, Zinc Coated EDM Wire (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: CEILING ROSE

Ceiling rose - IS 371, Ceiling OT Light (V2), Rose Seeds, Wiper Ceiling Bungji, (Vitreous China) - Shower Rose-IS:2556, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Chandeliers-Handicraft, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2)

Searched String: FAN CAPACITOR

Capacitors for Electric Fan Motors as per IS 1709 (V2), Capacitor Banks For Use On 11 KV System (PSPCL)), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Fan Bearing, Crossfit Fan, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Centrifugal Fan Blower, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312,

Mist Air Fan
बिड विवरण/Bid Details

Searched String: BELL PUSH DUAL 6 AMP FLUSH TYPE MODULAR

Flushing Cistern

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: GI TEE

Pumping tee, Insect Killer, Rigid GI Pipe (BHEL), GI Grating (in Number), Parallel Bar - Outdoor Gym Equipment, GI Grating (in MT), Broth Media, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Grain Storage Bin (V2), dust pans

Searched String: GALVANISED STEEL TUBING

Galvanised Steel Buckets for General use as per IS 726, Steel Almirah / Cabinets (V4), PLASTIC TUBING PUN, Galvanized Steel Barbed Wire for Fencing (V2) as per IS 278, Flexible Tubing for Medical Purpose (V2), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Hemodialysis Blood Tubings Set (V2), Tricycle, Hand Propelled for Specially Abled Conforming to IS 8088 ., Galvanised Foundation Bolt including Nuts and Washers (BHEL), Metal Storage Cabinet

Searched String: LUBRICATING GREASE

Lubricating Grease, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Synthetic Lubricating Grease, Lubricating soaps, Lithium Base Grease for Industrial Purposes as per IS 7623, Weapon Lubricating Oil, Turbine mobil lubricating oil, Grease Gun as per IS 7794, Aviation Grease, Filter Regulator Lubricator

Searched String: FAN CAPACITOR

Capacitors for Electric Fan Motors as per IS 1709 (V2), Capacitor Banks For Use On 11 KV System (PSPCL)), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Fan Bearing, Crossfit Fan, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Centrifugal Fan Blower, Propeller

विड विवरण/Bid Details Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Mist Air Fan

Searched String: ANTI FREEZE COOLENT

Anti Theft and Anti Sabotage Solution, AFFF Compound Freeze Protected To Minus 20 degree C (Defence), Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Anti Fatigue Mat, HYDRAULICALLY REGULATED DOOR CLOSERS, Anti-Seize Compound, Automated tissue processor, Anti spatter spray, stocking anti embolism stockings for dvt prophylaxis, Anti Plagiarism Software

Searched String: ALUMINIUM LUGS

Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Compression cable lugs, Electrical connection Lugs or thimbles, magnetic stirrers, Aluminium nitrate, Aluminium Oxide, ALUMINIUM LUMPS, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), ALUMINIUM SLIDE TRAY

Searched String: NUTS BOLTS AND WASHER

Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, Plain Washer as per IS 2016, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL

Searched String: ELECTROLITE

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: SPUN YARD

Yard Long Bean Seeds, Sewing Thread Spun Polyester (Defence), Cotton Silk Saree, Cattle Dung Manure, Ring Spun Grey Cotton Yarn Conforming to IS 13683, khadi hand spun hand woven gift pack napkins, Polypropylene Spun Bonded Non - Woven Crop Cover Fabric for Agricultural and Horticultural Applications conforming to IS 16718, Spun Polyester Sewing Threads as per IS 9543, Spun Polyester Sewing Thread for PP Bag (MRPL), Silk Saree

Searched String: DISTILLED WATER

Reagent Grade Distilled water, water baths, Bi Double Distillation Water Unit (V2), Water Aerator/Water Automiser, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Boiler, Amyl Alcohol as per IS: 360, Mineral Water, Environmental Chamber, Aerated Water

Searched String: ORTHIDINE FOR TESTING OF RESIDUAL CHLORINE IN ONE LTR PACKING

Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical

विड विवरण/Bid Details enclosure switch board boxes for modular type accessories

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: OFFLOAD CHANGEOVER SWITCH IN SHEET METAL ENCLOSURE

Tapered Bearings as per IS 12102, modular electrical enclosure switch board boxes for modular type accessories

Searched String: TINNED COPPER FUSE WIRE

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Zinc Coated EDM Wire (V2), Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: TINNED COPPER FUSE WIRE

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods

बिड विवरण / Bid Details

for Electrical Applications (V2) ISI Marked to IS 12444, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Zinc Coated EDM Wire (V2), Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: TINNED COPPER FUSE WIRE

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Zinc Coated EDM Wire (V2), Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: TINNED COPPER FUSE WIRE

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Zinc Coated EDM Wire (V2), Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: TINNED COPPER FUSE WIRE

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Zinc Coated EDM Wire (V2), Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: TINNED COPPER FUSE WIRE

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper Alloy Gate Valve for Waterworks Purpose as per IS

विड विवरण/Bid Details 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Copper Alloy Screw Down Bib Taps and Stop

Valves for Water Services as per IS 781, Zinc Coated EDM Wire (V2), Copper (In the Form of Refinery Shapes) ISI marked to IS 191

Searched String: HRC FUSE

HRC Fuse Conforming To IS/IEC 60269 (Part 2), Glass Fuse, Switch Fuse Unit, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Industrial composite color 3D Printer, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Cylindrical Fuses, HT Motor Protection Fuse (BHEL), Self Fusing Silicon Rubber Tape, High Voltage Fuses, Current Limiting Fuses

Searched String: HRC FUSE

HRC Fuse Conforming To IS/IEC 60269 (Part 2), Glass Fuse, Switch Fuse Unit, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Industrial composite color 3D Printer, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Cylindrical Fuses, HT Motor Protection Fuse (BHEL), Self Fusing Silicon Rubber Tape, High Voltage Fuses, Current Limiting Fuses

Searched String: HRC FUSE

HRC Fuse Conforming To IS/IEC 60269 (Part 2), Glass Fuse, Switch Fuse Unit, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Industrial composite color 3D Printer, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Cylindrical Fuses, HT Motor Protection Fuse (BHEL), Self Fusing Silicon Rubber Tape, High Voltage Fuses, Current Limiting Fuses

Searched String: SPUN YARN

Ring Spun Grey Cotton Yarn Conforming to IS 13683, Coir yarn, Woolen Yarn, Sewing Thread Spun Polyester (Defence), Yarn Package Hardness Tester (Textile), PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Automatic Single Yarn Strength Tester (Textile), khadi hand spun hand woven gift pack napkins, Artificial Turf, Spun Polyester Sewing Threads as per IS 9543

Searched String: LAMP HOLDER PVC INSULATED BODY BATTEN ANGULAR TYPE

Category not available on GeM for the text string uploaded by the buyer

Searched String: LAMP HOLDER PVC INSULATED BODY PENDENT TYPE

Electrode Holder as per IS 2641, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694

Searched String: HACKSAW BLADE ISI MARKED

Non Sparking Hacksaw Blade Or Frame-IS:4595, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Saw Blades or Hacksaw Blades (V2) as per IS 2594, Wheeled Fire

बिड विवरण / Bid Details

Extinguishers (V3) ISI Marked to Is 16018, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Morpholine (V4) ISI Marked to IS 12084, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Safes (V3) ISI Marked to IS 550

Searched String: NUT & BOLTS 35X6MM WITH WASHER

Studs-IS:1862, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Coach Bolt, Nut and Washer (BHEL), Splice Closure for Optical Fiber Cables, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Pin Up Notice Board (V2), Eye Bolts with Collars - IS 4190, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Span Bolt and Nut, Reciprocal Shakers - Mechanical Shaker Machine with Timer

Searched String: NUT & BOLTS 30X10MM WITH WASHER

Studs-IS:1862, Online UPS (V2), Coach Bolt, Nut and Washer (BHEL), Splice Closure for Optical Fiber Cables, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Eye Bolts with Collars - IS 4190, Pin Up Notice Board (V2), Span Bolt and Nut, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: NUT & BOLTS 25X6MM WITH WASHER

Studs-IS:1862, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Coach Bolt, Nut and Washer (BHEL), Splice Closure for Optical Fiber Cables, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Pin Up Notice Board (V2), Eye Bolts with Collars - IS 4190, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Span Bolt and Nut, Reciprocal Shakers - Mechanical Shaker Machine with Timer

Searched String: NUT & BOLTS 20X10MM WITH WASHER

Studs-IS:1862, Online UPS (V2), Coach Bolt, Nut and Washer (BHEL), Splice Closure for Optical Fiber Cables, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Eye Bolts with Collars - IS 4190, Pin Up Notice Board (V2), Span Bolt and Nut, Bucket Mop Wringer Trolley

Searched String: GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS 4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM),

बिड विवरण / Bid Details Surgical Sutures, Packing Strip

Searched String: GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS 4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM), Surgical Sutures, Packing Strip

Searched String: GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS 4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM), Surgical Sutures, Packing Strip

Searched String: GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS 4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM), Surgical Sutures, Packing Strip

Searched String: TAPE TEFLON

Teflon hose, Elastic Surgical Adhesive Tapes (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, Teflon Beaker with Lid, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Tape Cartridge / Tape Media, Measuring Tape, Aluminum Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221

Searched String: PVC GANG BOX FOR SWITCH SOCKET

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, modular electrical enclosure switch board boxes for modular type accessories, Electrical Extension Box (V4), Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Fume Hood (FSSAI)

Searched String: MODULAR SCOKET

Modular Toilet, Modular Table / Meeting Table / Centre Table (V2), Modular Control Desk, Modular Extendable Conference Table (V2), Modular prefabricated hut, Modular Metal Drawer File Cabinet Pedestal, Modular Cold Rooms, Multipara Monitor - Low End, Modular Tensile Structure, Modular Work Stations (V3)

Searched String: MODULAR SWITCH SOCKET

COMBINATION बिड विवरण / Bid Details	
	Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non-Modular Piano Type Sockets ISI Marked To IS 1293, Non-Modular Piano Type Copper-alloy Taps/Stop Valves (V2) Conforming to IS 8931 Domestic Electrical Switches ISI Marked To IS 3854, Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Sockets ISI Marked To IS 1293, Director-Class Storage Area Network (SAN) Switch
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	
बीओक्यू शीर्षक / BOQ Title	
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	12 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन / Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled	Yes

बिड विवरण/Bid Details	
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Sch 15
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	50000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE (AF) Gwalior
CWE AIR FORCE GWALIOR, Department of Defence, MoD Sectt Establishment, Ministry of Defence
(Col Anumapa Agrawal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई के लिए आरक्षित / Reserved for MSE

एमएसई के लिए आरक्षित / Reserved for MSE	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
7. Procurement under this bid is reserved for purchase from Micro and Small Enterprises having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal. If the bidder wants to avail themselves of the reservation benefit, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible to participate in this bid. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility based on documentary evidence submitted, while evaluating the bid. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Sch 1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	8	45

Sch 2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 3

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	9	45

Sch 4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	12	45

Sch 5

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	7	45

Sch 6

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	12	45

Sch 7

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	55	45

Sch 8

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	25	45

Sch 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

Sch 10

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 11

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 12

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

Sch 13

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	80	45

Sch 14

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	20	45

Sch 15

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 16

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 17

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	35	45

Sch 18

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

Sch 19

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	35	45

Sch 20

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

Sch 21

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	35	45

Sch 23

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 24

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 26

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	25	45

Sch 27

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 28

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	35	45

Sch 29

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 30

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	45	45

Sch 31

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 32

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 33

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 34

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 35

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

Sch 36

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 37

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	16	45

Sch 38

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	60	45

Sch 39

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 40

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

Sch 41

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	45	45

Sch 42

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 43

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 44

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 45

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 46

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 47

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 48

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	12	45

Sch 49

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

Sch 50

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 51

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	720	45

Sch 52

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 53

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 54

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	58	45

Sch 55

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 56

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	250	45

Sch 57

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 58

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	164	45

Sch 59

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	450	45

Sch 60

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	60	45

Sch 61

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	70	45

Sch 62

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 63

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	200	45

Sch 64

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 65

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	400	45

Sch 66

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	90	45

Sch 67

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

Sch 68

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 69

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

Sch 70

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	150	45

Sch 71

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	85	45

Sch 72

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	100	45

Sch 73

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	90	45

Sch 74

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 75

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	25	45

Sch 76

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	75	45

Sch 77

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 78

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 79

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 80

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 81

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	90	45

Sch 82

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	20	45

Sch 83

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 84

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	90	45

Sch 85

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	6	45

Sch 86

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 87

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 88

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 89

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 90

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	8	45

Sch 91

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 92

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 93

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 94

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 95

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 96

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

Sch 97

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	20	45

Sch 98

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 99

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 100

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

Sch 101

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	9	45

Sch 102

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 103

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	25	45

Sch 104

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 105

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	16	45

Sch 106

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	39	45

Sch 107

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	9	45

Sch 108

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	7	45

Sch 109

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	30	45

Sch 110

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

Sch 111

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 112

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 113

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 114

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	6	45

Sch 115

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 116

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	14	45

Sch 117

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 118

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 119

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 120

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 121

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 122

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 123

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 124

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 125

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 126

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 127

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 128

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 129

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 130

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 131

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 132

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	10	45

Sch 133

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 134

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 135

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 136

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 137

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 138

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 139

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 140

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 141

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	4	45

Sch 142

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	7	45

Sch 143

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 144

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 145

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 146

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 147

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 148

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 149

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	7	45

Sch 150

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 151

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 152

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	13	45

Sch 153

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	49	45

Sch 154

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	49	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

NOTE :-

(a) BIDDER MUST UPLOAD A SEPARATE SHEET HAVING DETAILS (LIKE NAME OF ITEM, MAKE, BRAND, MODEL NAME OR NUMBER, CAT PART NUMBER IF ANY, GST %, MRP ETC), WHICH (EXACTLY SAME) HAVE TO BE SUPPLIED TO CONSIGNEE AT THE TIME OF PHYSICAL DELIVERY OF ITEMS.

(b) CURRENT / LATEST PRICE LIST SHEET OF PRODUCT CONCERNED ONLY, ISSUED BY OEM (MENTIONING PRODUCT NAME, MANUFACTURE/MAKE/BRAND WITH CAT PART NUMBER IF ANY) TO BE ENCLOSED.

(c) OEM AUTHORIZATION LETTER FOR ALL BRANDS OFFERED BY BIDDER MUST BE UPLOADED.

(d) A DECLARATION TO BE UPLOADED BY BIDDER THAT ANY OFFICE OF GOVT OF INDIA HAS NOT BANNED /BLACKLISTED/DE-REGISTERED/DEBARRED HIM AND NOT SUSPENDED HIM DURING BID PARTICIPATION PERIOD. HE IS ALSO NOT BANKRUPT FROM ANY BANK/FINANCIAL INSTITUTION, NOT UNDER RECEIVERSHIP /LIQUIDATION /BANKRUPTCY ETC. ANY EVENT OF TIME, IF SUCH INFO IS NOTICED BY BIDDER, THE BIDDER HAS TO COMMUNICATE TO THIS OFFICE IMMEDIATELY IN WRITING, AND IS LIABLE NOT TO BE GIVEN CONTRACT OR IMMEDIATE TERMINATION OF CONTRACT IF ANY MAY ALSO BE TAKEN. THE BIDDER MAY ALSO NOT CLAIM PAYMENTS, EVEN IF CONTRACT ORDER HAVE BEEN GIVEN TO HIM OR ITEMS/SERVICES HAVE ALSO BEEN SUPPLIED BY HIM.

(e) FOR PAST PERFORMANCE CONFIRMATION (IF DEMANDED BY BUYER), COPIES OF RELEVANT CRAC/CONTRACTS/SUPPLY ORDER PERTAINING TO ANY CENTRAL/STATE GOVT/PSU TO BE ENCLOSED, HAVING SUPPLIED MENTIONED% OF QUANTITY OF BID OR IN CATEGORY OF PRIMARY PRODUCT.

(f) IF APPLIED FOR TO GET BENEFITS IN CATEGORY OF “MSME”, VALID LATEST MSME CERTIFICATE TO BE ENCLOSED BY OEM, HAVING CORRECT NAME/CATEGORY/GROUP OF THE ITEM DEMANDED IN THE CERTIFICATE IN NIC COLUMN CONCERNED.

(g) IF APPLIED FOR TO GET BENEFITS IN CATEGORY OF “MAKE IN INDIA CLASS-1 LOCAL SUPPLIER”, VALID LATEST DOCUMENT FROM OEM TO BE ENCLOSED.

-18-

(h) IF GEM PROCUREMENT PORTAL IS GIVING OPTION IN FILTERS TO OPT FOR BIS PRODUCTS/ISI MARKED/APPROVED PRODUCTS, THEN SAME MAY BE OPTED BY BUYER. IT IS BIDDER RESPONSIBILITY TO REGISTER/ADD/UPLOAD THEIR PRODUCTS IN APPROPRIATE FILTERS/OPTIONS IN GEM PROCUREMENT PORTAL. IF ANY ITEM IS GENERALLY NOT MADE BY ANY MANUFACTURER AS PER REQUIREMENT/SPECIFICATIONS GIVEN IN BID, THE BIDDER MAY PARTICIPATE IN BID, AND MAY SUBMIT BID AS PER NORMS APPROVED BY GOVT OF INDIA. THEN THE BID MAY BE ACCEPTED BASED ON SUPPORTING DOCUMENTS SUBMITTED BY BIDDER IN GEM ONLINE WHILE BIDDING IN RESPECT OF SUCH ITEMS.

(j) BIDS TO BE QUOTED FOR THE MANUFACTURER/MAKE/BRAND ONLY WHICH HAS BEEN APPROVED BY MILITARY ENGINEER SERVICES E-IN-C’S BRANCH, HQ CHIEF ENGINEER OF ANY COMMAND LEVEL/EQUIVALENT OFFICES. PRODUCT APPROVAL LETTER TO BE UPLOADED.

(k) IF ANY PRODUCTS ARE NOT AVAILABLE IN BRANDS APPROVED BY ABOVE SAID OFFICES, THEN PRODUCTS CONFIRMING TO INDIAN STANDARDS/BEST QUALITY/ ISI MARKED TO BE QUOTED & SUPPLIED.

(l) ALL DOCS UPLOADED BY BIDDER MUST BE DULY SIGNED BY BIDDER WITH SEAL OF THE FIRM.

(m) THIS ATC SHEET MUST BE ALSO UPLOADED, DULY SIGNED BY BIDDER WITH SEAL OF FIRM.

(n) SAMPLE MUST BE APPROVED BEFORE BULK SUPPLY.

(o) TEST CERTIFICATE BEARING WITH MFG DATE AND EXPIRY DATE MUST WITH BULK SUPPLY.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा |/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---