

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-02-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-02-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	6097
	LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) (Q3) , LED Batten (Q2) , LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2) (Q3) , LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5) (Q3) , LED bulb white 12 watt , 09 or 10 Watt LED bulb white , Fan regulator modular , PVC copper cable twin core 1.5 Sqmm , PVC aluminium 6 Sqmm two core , Flexible wire copper twin core 40 or 0.076 , Bldg security light fitting LED 15w 240 volts IP 65 , LED focus light 15 watt , Ceiling light 2x2 feet 10 watt , Batten holder , PVC casking caping 25mm , PVC casking caping 20mm , Flexible wire copper twin core sheathed 23 or 0.076 , Modular plate 12M , Modular box 12M , PVC switch board rectangle 8 x 12 inch , Modular plate 8M , Modular box 8M , Switch socket combination 6 or 16 Amp , Switch socket combination 3 Pin 15 Amp , Switch board boxes 230 x 80 x 50 mm , Modular plate 6M , Modular plate 4M , Modular plate 3M , Modular box 6M , Modular box 4M , Modular socket 6A , Modular socket 16A , Exhaust fan steel body 300 mm , 2 x 2 feet Ceiling light , 1 x 1 feet Ceiling light , Modular switch 6 A , Modular switch 16 A , Call bell ding dong , Modular switch socket combination box 5A , Modular switch socket combination box 15A , Socket modular 15A , Socket modular 5A , Socket 5 Amps 5 Pin , Bell push modular 6A or 10A , Plug top 3 pin 15 Amps , Holder Angular , Plug top 3 pin 6 Amps , Tape insulation tape PVC size 25mm x 25 mtr , Switch piano 5 Amps one way single pole , Ceiling rose 5 Amps , Pendent holder brass , Modular box 3M B , Modular blank space , Tape insulation PVC size 50mm x 25Mtr , LED lamp retrofit 5 Watt 240 Volts , MCB SP 16 Amp , PVC armoured cable 3.5 x 50 Sqmm , PVC copper 2.5 Sqmm single core multistand , PVC cable alu sheathered weather proof twin core plat 6 , PVC aluminium

विड विवरण / Bid Details	वस्तु श्रेणी / Item Category
	<p>cable single core 10 Sqmm , PVC Copper wire 6 Sqmm , PVC switch board 6 x 8 inch , PVC switch board 4 x 7 inch , PVC switch board 4 x 4 inch , 05 Watt LED B22 bulb white , LED lamp 3W B22CDL , Coloured lamp 15 W 240V Red and Green , Prospot COB swivel LED light 15 watt , Decorative type LED spot light 5W focus light 230V 50Hz , Thermostat for Geyser , Fuse copper wire 100 Amp , Fan capacitor 2.5 MFD 240V , PVC cable insulated copper conductor 3 core x 70 or 0.0076 , Lugs copper alloy 400 Sqmm , Copper lugs 70 Sqmm , Lugs Copper Alloy 16mm , Lugs Copper Alloy 25mm , Lugs Copper Alloy 35mm , Lugs Copper Alloy 50mm , Lugs Copper Alloy 95mm , Lugs Copper Alloy 120mm , Lugs Copper Alloy 150mm , Lugs Copper Alloy 185mm , Lugs Copper Alloy 240mm , Lt UG cable 3.5 core 25 sqm , ACSR Conductor , LT line separator , Heating element 2000 watt , HT fuse element suitable for 11000 volts 5 amp capacity , HT fuse element suitable for 11000 volts 20 amps capacity , HT fuse element suitable for 11000 volts 10 amps capacity , Cable jointing kit 3.5 corex95sqmm outdoor , Cable straight through joint kit 3.5 core 95x52 mm outdoor , Plastic laminated sheet teak face 8 feet x 4 feet x 1mm , Lock for Almirah Steel , Tower bolt aluminium 150mm , Helical door closer , Mortise lock , Gyser hot and cold stool connecting pipe , Hydraulic door closer , Sliding door bolt Aluminium 200 mm , Aluminium sliding door bolt 300mm long , Sluice valve 200 mm , Bleaching Powder , HT cable end joint kit 95 Sqmm , Fuse wire copper 15 Amp , Brass NRV 40 mm , Brass NRV 50 mm , Brass NRV 80 mm , Brass NRV 100 mm , Sluice valve 100 mm , Sluice valve 150 mm , Brass NRV 20 mm , Brass NRV 25 mm , Sluice valve 80 mm , Non return valve 150 mm 6 inch , Non return valve 200 mm 8 inch , Cast iron foot valve 80 mm 3 inch , Cast iron foot valve 125 mm 5 inch , Cast iron foot valve 150 mm 6 inch , Cast iron foot valve 200 mm 8 inch , PVC sheet for chair dinng map FD , Chapra Flakes Powder , Channel aluminium 12mm , Curtain rod stainless steel 15 to 20mm 6mtr long , Teak wood beading 19mm x 4mm x 2m , Continious piano hinge , Hasp and stapple aluminium 100mm , Painting brush 25mm , MS screw wood 15mm , Butt hinges 25mm , CP Knob 25 mm , Hasp and stapple SS 75mm , Haps and stapple SS 125mm , Check nut 32mm , Lock for drawer steel , Abbrasive cloth Emery Paper No 50 , Abbrasive cloth Emery Paper No 60 , Abbrasive cloth Emery Paper No 80 , Abbrasive cloth Emery Paper No 100 , Abbrasive cloth Emery Paper No 120 , Cloth Malmal white 1.5 mtr wide , Mild Steel Star Head Screw Wood 15 mm 100 Pcs Pkt , Mild Steel Star Head Screw Wood 20 mm 100 Pcs Pkt , Mild Steel Star Head Screw Wood 25 mm 100 Pcs Pkt , Mild Steel Star Head Screw Wood 35 mm 100 Pcs Pkt , Mild Steel Star Head Screw Wood 40 mm 100 Pcs Pkt , Mild Steel Panel Pin 15 mm 100 Pcs Pkt , Mild Steel Panel Pin 20 mm 100 Pcs Pkt , Mild Steel Panel Pin 25 mm 100 Pcs Pkt , Mild Steel Panel Pin 35 mm 100 Pcs Pkt , Mild Steel Panel Pin 40 mm 100 Pcs Pkt , Nails wire steel 20mm , Nails wire steel 50mm , Nails wire steel 25mm , PVC Edge Band Edge Tape Size 18mm W x 10 mtr L , PVC Edge Band Edge Tape Size 12mm W x 10 mtr L , PVC Edge Band Edge Tape Size 6mm W x 10 mtr L , MS screw wood 25mm , MS screw wood 35mm , Tower bolt aluminium 75 mm , Tower bolt aluminium 100mm , Call bell buzzer , PVC aluminium 6 Sqmm one twin core , PVC wall laminates , Curtain road fancy type 25mm dia 6m , Anti termite chemical , Plain aluminium sheet 0.56mm thick , Steel curtain rod 20mm dia and 3.6 m long , DB 8 way double door , MCB DP 40 Amp ,</p>

बिड विवरण / Bid Details

MCB TPN 40 Amp , MCB SPN 32 Amp , MCB TPN 63 Amp , MCB Trping range B 2 Pole with 1PP 240V 20A or 40A , MCB SP 10 Amp , MCB DP 20 Amp , MCB SPN 40 Amps , MCB SP 20Amp , MCB DP 32Amp , MCB DP 63Amp , LED Daylight bulb white , Fan regulator modular , PVC copper cable twin core 1.5 Sqmm , PVC aluminium 6 Sqmm two core , Flexible wire copper twin core sheathed 40 or 0.076 , Bldg security light fitting LED 15watt single phase 240 volts IP 65 , LED focus light 15 watt , Ceiling light 2x2 feet 10 watt , Batten holder , PVC cashing caping 25mm , PVC cashing caping 20mm , Flexible wire copper twin core sheathed 23 or 0.076 , Modular plate 12M , Modular box 12M , PVC switch board rectangle 8 x 12 inch , Modular plate 8M , Modular box 8M , Switch socket combination 6 or 16 Amp , Switch socket combination 3 Pin 15 Amp , Switch board boxes 230 x 80 x 50 mm , Modular plate 6M , Modular plate 4M , Modular plate 3M , Modular box 6M , Modular box 4M , Modular socket 6A , Modular socket 16A , Exhaust fan steel body 300 mm , 2 x 2 feet Ceiling light , 1 x 1 feet Ceiling light , Modular switch 6 A , Modular switch 16 A , Call bell ding dong , Modular switch socket combination box 5A , Modular switch socket combination modular 15A , Socket modular 15A , Socket modular 5A , Socket 5 Amps 5 Pin , Bell push modular 6A or 10A , Plug top 3 pin 15 Amps , Holder Angular , Plug top 3 pin 6 Amps , Tape insulation tape PVC size 25mm x 25 mtr , Switch piano 5 Amps one way single pole , Ceiling rose 5 Amps , Pendent holder brass , Modular box 3M B , Modular blank space , Tape insulation PVC size 50mm x 25Mtr , LED lamp retrofit 5 Watt 240 Volts , MCB SP 16 Amp , PVC armoured cable 3.5 x 50 Sqmm , PVC copper 2.5 Sqmm single core multistand , PVC cable alu sheathered weather proof twin core plat 6 , PVC aluminium cable single core 10 Sqmm , PVC Copper wire 6 Sqmm , PVC switch board 6 x 8 inch , PVC switch board 4 x 7 inch , PVC switch board 4 x 4 inch , 05 Watt LED B22 bulb white , LED lamp 3W B22CDL , Coloured lamp 15 W 240V Red and Green , Prospot COB swivel LED light 15 watt , Decorative type LED spot light 5W focus light 230V 50Hz , Thermostat for Geyser , Fuse copper wire 100 Amp , Fan capacitor 2.5 MFD 240V , PVC cable insulated copper conductor 3 core x 70 or 0.0076 , Lugs copper alloy 400 Sqmm , Copper lugs 70 Sqmm , Lugs Copper Alloy 16mm , Lugs Copper Alloy 25mm , Lugs Copper Alloy 35mm , Lugs Copper Alloy 50mm , Lugs Copper Alloy 95mm , Lugs Copper Alloy 120mm , Lugs Copper Alloy 150mm , Lugs Copper Alloy 185mm , Lugs Copper Alloy 240mm , Lt UG cable 3.5 core 25 sqm , ACSR Conductor , LT line separator , Heating element 2000 watt , HT fuse element suitable for 11000 volts 5 amp capacity , HT fuse element suitable for 11000 volts 20 amps capacity , HT fuse element suitable for 11000 volts 10 amps capacity , Cable jointing kit 3.5 corex95sqmm outdoor , Cable straight through joint kit 3.5 core 95x52 mm outdoor , Plastic laminated sheet teak face 8 feet x 4 feet x 1mm , Lock for Almirah Steel , Tower bolt aluminium 150mm , Helical door closer , Mortise lock , Gyser hot and cold stool connecting pipe , Hydraulic door closer , Sliding door bolt Aluminium 200 mm , Aluminium sliding door bolt 300mm long , Sluice valve 200 mm , Bleaching Powder , HT cable end joint kit 95 Sqmm , Fuse wire copper 15 Amp , Brass NRV 40 mm , Brass NRV 50 mm , Brass NRV 80 mm , Brass NRV 100 mm , Sluice valve 100 mm , Sluice valve 150 mm , Brass NRV 20 mm , Brass NRV 25 mm , Sluice valve 80 mm , Non return valve 150 mm 6 inch , Non return valve 200 mm 8 inch , Cast iron foot valve 80 mm 3 inch , Cast iron foot valve 125 mm 5 inch ,

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

विड विवरण/Bid Details	Cast iron foot valve 150 mm 6 inch, Cast iron foot valve 200 mm 8 inch, PVC sheet for chair dinng map FD, Chapra
	<p>Flakes/ Powder, Channel aluminium 12mm, Curtain rod stainless steel 15 to 20mm 6mtr long, Teak wood beading 19mm x 4mm x 2m, Continious piano hinge , Hasp and stapple aluminium 100mm , Painting brush 25mm , MS screw wood 15mm , Butt hinges 25mm , CP Knob 25 mm, Hasp and stapple SS 75mm, Haps and stapple SS 125mm , Check nut 32mm, Lock for drawer steel, Abbrasive cloth Emery Paper No 50 , Abbrasive cloth Emery Paper No 60 , Abbrasive cloth/Emery Paper No 80 , Abbrasive cloth/Emery Paper No 100, Abbrasive cloth/Emery Paper No 120, Cloth Malmal white 1.5 mtr wide , Mild Steel Star Head Screw Wood 15 mm 100 Pcs Pkt, Mild Steel Star Head Screw Wood 20 mm 100 Pcs Pkt, Mild Steel Star Head Screw Wood 25 mm 100 Pcs Pkt, Mild Steel Star Head Screw Wood 35 mm 100 Pcs Pkt, Mild Steel Star Head Screw Wood 40 mm 100 Pcs Pkt, Mild Steel Panel Pin 15 mm 100 Pcs Pkt, Mild Steel Panel Pin 20 mm 100 Pcs Pkt, Mild Steel Panel Pin 25 mm 100 Pcs Pkt, Mild Steel Panel Pin 35 mm 100 Pcs Pkt, Mild Steel Panel Pin 40 mm 100 Pcs Pkt, Nails wire steel 20mm , Nails wire steel 50mm , Nails wire steel 25mm, PVC Edge Band Edge Tape Size 18mm W x 10 mtr L , PVC Edge Band Edge Tape Size 12mm W x 10 mtr L , PVC Edge Band Edge Tape Size 6mm W x 10 mtr L , MS screw wood 25mm , MS screw wood 35mm, Tower bolt aluminium 75 mm , Tower bolt aluminium 100mm , Call bell buzzer , PVC aluminium 6 Sqmm one twin core, PVC wall laminates, Curtain road fancy type 25mm dia 6m, Anti termite chemical , Plain aluminium sheet 0.56mm thick, Steel curtain rod 20mm dia and 3.6 m long, DB 8 way double door, MCB DP 40 Amp , MCB TPN 40 Amp, MCB SPN 32 Amp, MCB TPN 63 Amp, MCB Trping range B 2 Pole with 1PP 240V 20A or 40A, MCB SP 10 Amp , MCB DP 20 Amp , MCB SPN 40 Amps , MCB SP 20 Amp, MCB DP 32 Amp , MCB DB SPN 4 way</p>
	<p>Searched String: LED bulb white 12 watt</p> <p>T Bulb, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Rechargeable LED Bulb (V2), Inspection Lamp, White - LED Based Solar Street Lighting System, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), White LED (W - LED) Based Solar Home Lighting Systems (V2), Hand Held Search Light, LED Bulb with Battery as per IS 16102</p> <p>Searched String: 09 or 10 Watt LED bulb white</p> <p>Solar Street Lighting System (NTPC), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), T Bulb, Hand Held Search Light, LED Batten, School Supply Set or Kit or Embroidery Learning Kit (V2), White - LED Based Solar Street Lighting System, LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Batten with Battery / Invertor</p> <p>Searched String: Fan regulator modular</p> <p>Piano Type Modular Domestic Fan Regulator as per IS 11037, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Multipara Monitor - Low End, Air</p>

विड विवरण / Bid Details

Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Electric Pedestal Type Fan and Regulator as per

IS 1169, Modular Metal Drawer File Cabinet Pedestal, Acetylene Pressure Regulator as per IS 6901, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549

Searched String: PVC copper cable twin core 1.5 Sqmm

PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: PVC aluminium 6 Sqmm two core

PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: Flexible wire copper twin core sheathed 40 or 0.076

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694

Searched String: Bldg security light fitting LED 15watt single phase 240 volts IP 65

Category not available on GeM for the text string uploaded by the buyer

Searched String: LED focus light 15 watt

Vehicle mounted focus light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Vehicle Mounted Focus Light (V2), Hand Held Search Light, LED Batten Light (LED Tube Light) (V2), LED Flash Light, LED Bulkhead Light, LED Luminaire for Floodlight (V2)

विड विवरण / Bid Details Conforming to IS 10322 (Part 5/Section 5), LED Garden Light (V2), LED Batten

Searched String: Ceiling light 2x2 feet 10 watt

Hand Held Search Light, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Emergency Light Unit (V2), Inflatable Tent, Flying Insect Control Traps - Fly Catcher, LED Tube Light (Retrofit Type)

Searched String: Batten holder

LED Batten, Gouging holder, Dumbbell Rack, LED Batten with Battery / Invertor, Badge Holders - I Card, LED Batten Light (LED Tube Light) (V2), Surgical Needle Holders, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Ryder Needle Holder, Soldering Clamp Holder

Searched String: PVC casing capping 25mm

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Sheet (V2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694

Searched String: PVC casing capping 20mm

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Sheet (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Vertical Blinds (V2), Marking Cones

Searched String: Flexible wire copper twin core sheathed 23 or 0.076

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694

Searched String: Modular plate 12M

Modular Toilet, Modular Table / Meeting Table / Centre Table (V2), Modular Control Desk, modular electrical enclosure switch board boxes for modular type accessories, Modular prefabricated hut, Multipara Monitor - Low End, Modular Cold Rooms, Auditorium Chair (V2), Modular Tensile

बिड विवरण/Bid Details	Structure, Modular Metal Drawer File Cabinet Pedestal
	<p>Searched String: Modular box 12M</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Modular Toilet, Modular Control Desk, Multipara Monitor - Low End, Modular prefabricated hut, Auditorium Chair (V2), Modular Cold Rooms, Modular Metal Drawer File Cabinet Pedestal, Modular Tensile Structure</p> <p>Searched String: PVC switch board rectangle 8 x 12 inch</p> <p>Chess Board (V2), The Indian National Flag as per IS 1</p> <p>Searched String: Modular plate 8M</p> <p>Modular Toilet, Modular Table / Meeting Table / Centre Table (V2), Modular Control Desk, modular electrical enclosure switch board boxes for modular type accessories, Modular prefabricated hut, Multipara Monitor - Low End, Modular Cold Rooms, Modular Metal Drawer File Cabinet Pedestal, Modular Tensile Structure, water baths</p> <p>Searched String: Modular box 8M</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Modular Toilet, Modular Control Desk, Multipara Monitor - Low End, Modular prefabricated hut, Modular Metal Drawer File Cabinet Pedestal, Modular Cold Rooms, water baths, Modular Tensile Structure</p> <p>Searched String: Switch socket combination 6 or 16 Amp</p> <p>Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), Flameproof Switch Socket</p> <p>Searched String: Switch socket combination 3 Pin 15 Amp</p> <p>Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electrical Extension Box (V4), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Fume Hood (FSSAI), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Non Sparking Combination Spanners (V2), Flameproof Switch Socket, Switching Power Supply for Wireless Application</p> <p>Searched String: Switch board boxes 230 x 80 x 50 mm</p> <p>Dry Erase Writing Boards (V3), modular electrical enclosure switch board boxes for modular type accessories, Pin Up Notice Board (V2), File/Folder (V3), Cast Iron Bench, Drawing Trussels / Drawing Board Stand, Corrugated Boxes, Compostable Nursery Bags, Work Benches, Correspondence Envelopes (V3)</p> <p>Searched String: Modular plate 6M</p> <p>Modular Toilet, Modular Table / Meeting Table / Centre Table (V2), Modular Control Desk, modular electrical enclosure switch board boxes for modular type accessories, Modular prefabricated hut, Multipara Monitor - Low End, Modular Cold Rooms, Modular Metal Drawer File Cabinet Pedestal, Modular Tensile Structure, water baths</p>

बिड विवरण/Bid Details Searched String: Modular plate 4M

Modular Toilet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Modular Control Desk, modular electrical enclosure switch board boxes for modular type accessories, Modular prefabricated hut, Modular Table / Meeting Table / Centre Table (V2), Modular Cold Rooms, Multipara Monitor - Low End, Modular Tensile Structure, Modular Metal Drawer File Cabinet Pedestal

Searched String: Modular plate 3M

Modular Toilet, Modular Table / Meeting Table / Centre Table (V2), Modular Control Desk, modular electrical enclosure switch board boxes for modular type accessories, Modular prefabricated hut, High End Desktop Computer, Modular Cold Rooms, Modular Tensile Structure, Entry and Mid Level Desktop Computer, Online Ups Modular Type

Searched String: Modular box 6M

modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Modular Toilet, Modular Control Desk, Multipara Monitor - Low End, Modular prefabricated hut, Modular Metal Drawer File Cabinet Pedestal, Modular Cold Rooms, water baths, Modular Tensile Structure

Searched String: Modular box 4M

modular electrical enclosure switch board boxes for modular type accessories, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Modular Toilet, Modular Control Desk, Modular Table / Meeting Table / Centre Table (V2), Modular prefabricated hut, Multipara Monitor - Low End, Modular Cold Rooms, Modular Metal Drawer File Cabinet Pedestal, Modular Tensile Structure

Searched String: Modular socket 6A

Piano Type Modular Domestic Electrical sockets - IS 1293, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Multipara Monitor - Low End, Modular Toilet, Modular Metal Drawer File Cabinet Pedestal, Impact socket, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Deep Socket

Searched String: Modular socket 16A

Piano Type Modular Domestic Electrical sockets - IS 1293, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Cleaning Duster (V3), Modular Toilet, Impact socket, Multipara Monitor - Low End, Deep Socket, Modular Metal Drawer File Cabinet Pedestal

Searched String: Exhaust fan steel body 300 mm

Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Ultrasonic Thickness Gauge, Triceps bar, Mild Steel Sheet, Electronic Baby Weighing Scale - RBSK

Searched String: 2 x 2 feet Ceiling light

विड विवरण / Bid Details

Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Laminar air flow cabinets or

stations, Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), External branding signage boards, Light Weight Sleeping Bag (Improved) - CAPF (V2), Bunk Beds as per IS 17636, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Television (TV) (V2), File/Folder (V3), Body Worn Camera System

Searched String: 1 x 1 feet Ceiling light

Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Cotton Towelling And Towels (V3) Conforming To IS 7056, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Aerial Bunched Cables as per IS 14255, rubber bands, Towel Hand Cotton Turkish (IAF), Correspondence Envelopes (V3) Conforming to IS 13892, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Elastic Surgical Adhesive Tapes (V2)

Searched String: Modular switch 6 A

modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Director-Class Storage Area Network (SAN) Switch, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Electrical Extension Box (V4), Moderate Heat Duty Fireclay Refractories, Group A as per IS 6, Computer Monitor (V2), Digital Earth Resistance Meter, Switch Mode Power Supply (SMPS) as per IS 14886:

Searched String: Modular switch 16 A

modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Director-Class Storage Area Network (SAN) Switch, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Vehicle Location Tracking System (VLT) as per IS 16833 : 2018 Annex A (Latest), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, socks, Computer Monitor (V2), Digital Earth Resistance Meter

Searched String: Call bell ding dong

Wireless Attendant Calling System, Electric Bells and Accessories as per IS 2268

Searched String: Modular switch socket combination box 5A

Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), modular electrical enclosure switch board boxes for modular type accessories

Searched String: Modular switch socket combination box 15A

Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), modular electrical enclosure switch

board boxes for modular type accessories

बिड विवरण/Bid Details

Searched String: Socket modular 15A

Piano Type Modular Domestic Electrical sockets - IS 1293, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Multipara Monitor - Low End, Modular Toilet, Modular Metal Drawer File Cabinet Pedestal, Impact socket, Deep Socket, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: Socket modular 5A

Piano Type Modular Domestic Electrical sockets - IS 1293, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Multipara Monitor - Low End, Modular Toilet, Modular Metal Drawer File Cabinet Pedestal, Impact socket, File/Folder (V3), Deep Socket

Searched String: Socket 5 Amps 5 Pin

5-5 Dithiobis -2-2 Nitrobenzoic Acid, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, High End Desktop Computer, 5-Sulfosalicylic acid, All in One PC (V2), Butachlor 5% Granule(GR), File/Folder (V3), Carbendazim 5% Granules(Gr)

Searched String: Bell push modular 6A or 10A

Modular Piano Type Domestic Electrical Switches as per IS 3854, Wheelbarrows (Two Wheels Type) as per IS 4184, Computer Monitor (V2), Bills or Bill Books (V2), Saw Blades or Hacksaw Blades (V2) as per IS 2594, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), Ceramic Fibre Blanket Insulation as per IS 15402, Wheelbarrows (Single Wheel Type) (V2) as per IS 2431, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Alphabet kits or Alphabet Slate

Searched String: Plug top 3 pin 15 Amps

Electrical Plugs (V2) ISI Marked to IS 1293

Searched String: Holder Angular

Gouging holder, Soldering Clamp Holder, Dumbbell Rack, Ryder Needle Holder, Tooth brush Holder, Badge Holders - I Card, Plane Mirror Strip Holder, Business Card Holder (V2), Surgical Needle Holders, ID Card Holder (V2)

Searched String: Plug top 3 pin 6 Amps

Electrical Extension Box (V4), Fume Hood (FSSAI), Electrical Plugs (V2) ISI Marked to IS 1293

Searched String: Tape insulation tape PVC size 25mm x 25 mtr

Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Elastic Surgical Adhesive Tapes (V2), Caution /

बिड विवरण / Bid Details

Crime Scene Tape (V2), Cast Iron Bench, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), HT Tape, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)

Searched String: Switch piano 5 Amps one way single pole

Category not available on GeM for the text string uploaded by the buyer

Searched String: Ceiling rose 5 Amps

Ceiling rose - IS 371, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Electrical Extension Box (V4), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Electric Ceiling Type Fan (V3) ISI Marked to IS 374

Searched String: Pendent holder brass

Gouging holder, Brass Sieve, Brass and Bell Metal Products from Nayagarh - ODOP, Soldering Clamp Holder, Modular Piano Type Domestic Electrical Switches as per IS 3854, Ryder Needle Holder, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Tooth brush Holder, Dumbbell Rack, EDM Brass Wire

Searched String: Modular box 3M B

modular electrical enclosure switch board boxes for modular type accessories, Electrical Extension Box (V4), Modular Table / Meeting Table / Centre Table (V2), Modular Piano Type Domestic Electrical Switches as per IS 3854, Muffle/Box Furnace (V2), Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Absorbent Cotton Gauze, Stud with Nuts, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2)

Searched String: Modular blank space

Space Heater, Modular Table / Meeting Table / Centre Table (V2), Blank ID Cards, Modular Extendable Conference Table (V2), Modular Toilet, Multipara Monitor - Low End, Blank ID Cards (V2), Modular Metal Drawer File Cabinet Pedestal, Improved Space Heating Device (Bukhari) (Dipas, DRDO) (Approved By MHA) (V2), Modular Work Stations (V3)

Searched String: Tape insulation PVC size 50mm x 25Mtr

Caution / Crime Scene Tape (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), HT Tape, Parallel Bar - Outdoor Gym Equipment, Labels Stickers (V3), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Copper Bus Bar (Bhel)-IS:1897, IS:8130, Electronic Baby Weighing Scale - RBSK, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Elastic Surgical Adhesive Tapes (V2)

Searched String: LED lamp retrofit 5 Watt 240 Volts

बिड विवरण / Bid Details

LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Inspection Lamp, LED Tube Light (Retrofit Type), Hand Lamp, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Held Search Light, LED Based Indicating Lamp for Panel Cut Outs, Slit Lamp, LED Batten

Searched String: MCB SP 16 Amp

Acetamiprid Soluble Powder (SP) (V2) Conforming to IS 16328, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, Speaker (V3), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Electrical Extension Box (V4), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 2) (Shade Nets Made from Mono Filament Yarns), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Spoon (V2) Conforming to IS 16286, Circuit Breakers for DC Operation

Searched String: PVC armoured cable 3.5 x 50 Sqmm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Aerial Bunched Cables as per IS 14255, Signal/ Triad Cable

Searched String: PVC copper 2.5 Sqmm single core multistand

PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: PVC cable alu sheathered weather proof twin core plat 6

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC aluminium cable single core 10 Sqmm

PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular

बिड विवरण / Bid Details

Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular

Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)

Searched String: PVC Copper wire 6 Sqmm

Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Copper Patch Cord, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Copper Wire Rods for Electrical Applications Conforming to IS 12444, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Zinc Coated EDM Wire (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694

Searched String: PVC switch board 6 x 8 inch

HDMI 8 x 8 Switcher, modular electrical enclosure switch board boxes for modular type accessories, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Mamata Card, File/Folder (V3), CPVC Industrial Pipe Fittings, Schedule 80, Polyethylene Bags for General Purposes, Electrical Extension Box (V4), External branding signage boards, Cardiopulmonary Bypass Connectors (V2)

Searched String: PVC switch board 4 x 7 inch

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, File/Folder (V3), modular electrical enclosure switch board boxes for modular type accessories, Information Boards or Illustration Board (V2), shoes school pvc boys girls, PVC gitti, Electrical Extension Box (V4), Cardiopulmonary Bypass Connectors (V2), PVC COATED CANOPY TENT STRUCTURE, Elastic Bandage

Searched String: PVC switch board 4 x 4 inch

Plastic Sheet (4 x 50 m) for NDRF, File/Folder (V3), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), modular electrical enclosure switch board boxes for modular type accessories, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Laminar air flow cabinets or stations, Electrical Extension Box (V4), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Crepe Bandage Conforming to IS 4605

Searched String: 05 Watt LED B22 bulb white

विड विवरण / Bid Details	Solar Street Lighting System (NTPC), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2)
	<p>(Under BIS Scheme - II), LED Batten, White - LED Based Solar Street Lighting System, LED Tube Light (Retrofit Type), T Bulb, LED Batten with Battery / Invertor</p> <p>Searched String: LED lamp 3W B22CDL</p> <p>LED PL-L (Plug-in Long) Lamp (V2), LED Portable Miner's Cordless Cap Lamp (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Based Indicating Lamp for Panel Cut Outs, Rechargeable LED Bulb (V2), Laboratory Incubators, Hand Held Search Light, Slit Lamp, LED Batten</p> <p>Searched String: Coloured lamp 15 W 240V Red and Green</p> <p>Markers and Highlighters, Hand Held Slit Lamp - RBSK, Pull, Stack and Link</p> <p>Searched String: Prospot COB swivel LED light 15 watt</p> <p>LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Hand Held Search Light, LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, White - LED Based Solar Street Lighting System, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Garden Light (V2), Track Light, LED Diving Torch Light (Diving Instruments or Accessories), LED Luminaire for Flood Light, Flame Proof (V2)</p> <p>Searched String: Decorative type LED spot light 5W focus light 230V 50Hz</p> <p>Hand Held Search Light, Television (TV) (V2)</p> <p>Searched String: Thermostat for Geysers</p> <p>Thermostat, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Thermostat(BHEL), Laboratory Incubators, Thermostate(BHEL), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Stationary Storage Type Electric Water Heaters (Geysers) (V3) ISI Marked to IS 2082, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Electric Water Heater - Geysers (V2) as per IS 2082:2018 (Latest), File/Folder (V3)</p> <p>Searched String: Fuse copper wire 100 Amp</p> <p>Fuse Wire as per IS 9926, Multicore Cable as per IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Copper Wire Rods for Electrical Applications Conforming to IS 12444, Zinc Coated EDM Wire (V2), Polyester Enamelled Round Copper Wire, Class 155 as per IS 13730 (Part 3), Automatic Fully Mechanised Organic Waste Machine for Compost, Copper (In the Form of Refinery Shapes) ISI marked to IS 191</p> <p>Searched String: Fan capacitor 2.5 MFD 240V</p>

बिड विवरण / Bid Details

Electric Ceiling Fan (V4) ISI Marked to IS 374, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098

(Part 1), Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Switch Mode Power Supply (SMPS) as per IS 14886:, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Coaxial Ophthalmoscope Rechargeable, Capacitors for Electric Fan Motors as per IS 1709 (V2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576

Searched String: PVC cable insulated copper conductor 3 core x 70 or 0.0076

PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Insulated Cables for Submersible Pumps - as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694

Searched String: Lugs copper alloy 400 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

Searched String: Copper lugs 70 Sqmm

PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Compression cable lugs, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694

Searched String: Lugs Copper Alloy 16mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single

बिड विवरण / Bid Details

Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw

Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 25mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 35mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 50mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 95mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw

बिड विवरण / Bid Details Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 120mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 150mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 185mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Lugs Copper Alloy 240mm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

बिड विवरण / Bid Details	Searched String: Lt UG cable 3.5 core 25 sqm
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pigtails for Fiber Cable Connection, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)</p>
	<p>Searched String: ACSR Conductor</p> <p>Busbar Hardware fitting for ACSR Zebra / Panther Conductor (PSPCL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Aluminium Conductors for Overhead Transmission Purposes (Powergrid), Steel Drum for Conductor, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Paper Covered Rectangular Copper Conductor, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p>
	<p>Searched String: LT line separator</p> <p>LT Spacer, Line Interactive UPS with AVR (V2), Spiral Separator, Vertical Pulsating High Gradient Magnetic Separator, Electrostatic Roll Separator, Desk and Chair Set for Classroom/Training Area, Specific Gravity Separator, book page separator, Fuel Water Separator, Ice Lined Refrigerator</p>
	<p>Searched String: Heating element 2000 watt</p> <p>Flexible Heating Element, Hot air oven, Hopper Heating Element as per IS 302, IS 4159, Single Burner Gas Range (for Deep Fryer), Shaft Insulator Heater-IS:302, IS:4159, Roti Making Machine, Solar Water Heating System as per IS 12976:1990, Convection Heaters - Room Heater, Blower, Heater Elements, Electric Two Wheeler - Motorcycle, Scooter and Moped</p>
	<p>Searched String: HT fuse element suitable for 11000 volts 5 amp capacity</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: HT fuse element suitable for 11000 volts 20 amps capacity</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: HT fuse element suitable for 11000 volts 10 amps capacity</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>

बिड विवरण / Bid Details
Searched String: Cable jointing kit 3.5 corex95sqmm outdoor

Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Cables, Converters and Adapters, Welding Cable (V2) as per IS 9857

Searched String: Cable straight through joint kit 3.5 core 95x52 mm outdoor

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2)

Searched String: Plastic laminated sheet teak face 8 feet x 4 feet x 1mm

Flex Posters / Banners (V2), External branding signage boards, Corrugated Boxes

Searched String: Lock for Almirah Steel

Steel Almirah / Cabinets (V4), Steel Cloth Lockers (V3), Theft Proof Rifle Racks, Stainless Steel Spring Lock Washer - BHEL-IS:3063, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Plastic Almirah For Record Keeping (Preschool Kit), Instrument Trolley for Hospitals (V2), Drill Collar Thread Lock compound for ONGC (Cambay), foot step for hospitals, Steel Bookcases conforming To Is 7761 (V2)

Searched String: Tower bolt aluminium 150mm

Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Tower Ladder (V2), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Scoop Stretcher, Combination Board

Searched String: Helical door closer

Helical Gear Box (V2), Metal Storage Cabinet, HYDRAULICALLY REGULATED DOOR CLOSERS, Hydraulically Regulated Door Closers conforming to IS 3564, Curtains

बिड विवरण / Bid Details (V2), Bag Closer Machine (Bag sealing tools or equipment), door mats, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Sliding door, Wooden Shoe Rack

Searched String: Mortise lock

Lock Washer, Weight Lock, Locking Compression Plates (V2), Pedestal Safety Lock, Lock Stopper key, Theft Proof Rifle Racks, Lock Nut (BHEL), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Wheel Lock Clamp, Pad Lock Various (As Per Defence Specification)

Searched String: Gyser hot and cold stool connecting pipe

Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Hot / Cold Water Dispenser (V2), PE-AL-PE Composite Pressure Pipes for Hot and Cold Water Supplies - IS 15450, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Polypropylene - Random Copolymer Pipes for Hot and Cold Water Supplies (Version 2) as per IS 15801 (Latest), Mild Steel Sheet, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

Searched String: Hydraulic door closer

HYDRAULICALLY REGULATED DOOR CLOSERS, Metal Storage Cabinet, Hydraulically Regulated Door Closers conforming to IS 3564, Bag Closer Machine (Bag sealing tools or equipment), Curtains (V2), door mats, Sliding door, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Vault (Strong Room) Door as per IS 11188, Styling Chair / Salon Chair / Swiveling Barber Chair

Searched String: Sliding door bolt Aluminium 200 mm

Mild Steel Sheet, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Sliding Doors (V2), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398

Searched String: Aluminium sliding door bolt 300mm long

Sliding Doors (V2)

Searched String: Sluice valve 200 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Mild Steel Sheet, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Roti Making Machine, scissors, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778

Searched String: Bleaching Powder

बिड विवरण / Bid Details	Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2),
	<p>Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Stable Bleaching Powder for Household and Industrial use (V3) conforming to IS 1065 (Part 1), Toilet Cleaners Powder as per IS 13760, Stable Bleaching Powder for Treatment of Water Intended for Drinking (V3) conforming to IS 1065 (Part 2), Garden Bench, Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Cellulose Powder, Classroom Stools, Calamine Powder</p> <p>Searched String: HT cable end joint kit 95 Sqmm</p> <p>Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: Fuse wire copper 15 Amp</p> <p>Fuse Wire as per IS 9926, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), High Pressure Fire Fighting Hose - IS 14933, Polyester Enamelled Round Copper Wire, Class 155 as per IS 13730 (Part 3), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Copper Wire Rods for Electrical Applications Conforming to IS 12444, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Zinc Coated EDM Wire (V2)</p> <p>Searched String: Brass NRV 40 mm</p> <p>Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Globe Valve as per IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Pad Lock Various (As Per Defence Specification), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, LED Batten, Polyethylene Pipes for Water Supply, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: Brass NRV 50 mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Globe Valve as per IS 778, modular electrical enclosure switch board boxes for modular type accessories, Pad Lock Various (As Per Defence Specification), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Iron Bench, Staplers (V2), Commercial CPVC Pipe Fittings</p> <p>Searched String: Brass NRV 80 mm</p> <p>Commercial CPVC Pipe Fittings, Globe Valve as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Polyethylene Pipes for Water Supply, Pad Lock Various (As Per Defence</p>

विड विवरण/Bid Details Specification). Correspondence Envelopes (V3), modular electrical enclosure switch board boxes for modular type

accessories, Computer Paper (V3) Conforming to IS 12766 (In Packet), Computer Paper (V3) Conforming to IS 12766

Searched String: Brass NRV 100 mm

Tress Name Plate (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Soap Dish/ Case (V2), Polyethylene Pipes for Water Supply, Globe Valve as per IS 778, Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, Pad Lock Various (As Per Defence Specification)

Searched String: Sluice valve 100 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Polyethylene Pipes for Water Supply, Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, modular electrical enclosure switch board boxes for modular type accessories

Searched String: Sluice valve 150 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Roti Making Machine, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778, Modular Toilet

Searched String: Brass NRV 20 mm

Non - Ferrous Metal Butt Hinges as per IS 205, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Memory Card Reader (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, LED Batten, Water Aerator/Water Automiser, Commercial CPVC Pipe Fittings, Pad Lock Various (As Per Defence Specification)

Searched String: Brass NRV 25 mm

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Globe Valve as per IS 778, Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with

विड विवरण/Bid Details Flexible Conductor (V2) as per IS 694, Commercial CPVC Pipe Fittings, Sterile Hypodermic Needles for Single use (V2)

Searched String: Sluice valve 80 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Polyethylene Pipes for Water Supply, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778, Modular Toilet, General Purpose Ball Valves (V2)

Searched String: Non return valve 150 mm 6 inch

Non Return Valve, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Body Seat Ring For Non Return Valve-IS:5312, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Check Valve (V2) as per IS 778, Modular Toilet, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves conforming to IS 9890, Laboratory Desiccator (V2)

Searched String: Non return valve 200 mm 8 inch

Non Return Valve, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Body Seat Ring For Non Return Valve-IS:5312, Check Valve (V2) as per IS 778, Portable Toilet, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Laboratory Desiccator (V2), General Purpose Ball Valves conforming to IS 9890

Searched String: Cast iron foot valve 80 mm 3 inch

General Purpose Ball Valves (V2)

Searched String: Cast iron foot valve 125 mm 5 inch

General Purpose Ball Valves (V2), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312

Searched String: Cast iron foot valve 150 mm 6 inch

General Purpose Ball Valves (V2), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312

Searched String: Cast iron foot valve 200 mm 8 inch

General Purpose Ball Valves (V2), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312

Searched String: PVC sheet for chair dinng map FD

LCR Meter

बिड विवरण/Bid Details	Searched String: Chapra Flakes/ Powder
	<p>Corn flakes, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Mica Flakes (ONGC), Albumin Egg Flakes, Garden Bench, FPO - Sorghum Flakes, Cilantro from Seoni - ODOP, Corn Flakes (मकई के टुकड़े), Classroom Stools, Cellulose Powder</p> <p>Searched String: Channel aluminium 12mm</p> <p>CHANNEL KNOB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aluminium nitrate, Wrought Aluminium and Aluminium alloy Bars, Rods and Sections conforming to IS 733, Aluminium Oxide, Multipara Monitor - Low End, ALUMINIUM LUMPS, PVC Wiring Channel With Cover - BHEL, 4-channel Noise and Vibration Analyzer, Orthopedic Instruments - Bone Lever</p> <p>Searched String: Curtain rod stainless steel 15 to 20mm 6mtr long</p> <p>Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Water Curtain Nozzle, Detachable Surgical Blades (Bard Parker Type) [V2], tray mess compartmented ss army pattern, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Pipe Clamps (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Adjustable Shower Curtain Rods</p> <p>Searched String: Teak wood beading 19mm x 4mm x 2m</p> <p>Scantling Teak Wood (V2), Dry Erase Writing Boards (V3), modular electrical enclosure switch board boxes for modular type accessories, Pin Up Notice Board (V2), Dak Pad (V2), Laminar air flow cabinets or stations, Parallel Bar - Outdoor Gym Equipment, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2)</p> <p>Searched String: Continious piano hinge</p> <p>Continuous (Piano) Hinges as per IS 3818, Modular Piano Type Domestic Electrical Switches as per IS 3854, file storage boxes or organizers, Piano Type Modular Domestic Electrical sockets - IS 1293, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Modular Domestic Fan Regulator as per IS 11037, Total Knee Replacement Implant (V2), Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Steam Sterlizer (V2), Piano Type Non Modular Domestic Electrical sockets - IS 1293</p> <p>Searched String: Hasp and stapple aluminium 100mm</p> <p>Wrought Aluminium and Aluminium Alloys Bars, Rods and Sections (General Engineering Purposes) as per IS 733, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrought Aluminium and Aluminium Alloys Sheet and Strip (General Engineering Purposes) as per IS 737, Wrought Aluminium and Aluminium alloy Bars, Rods and Sections conforming to IS 733, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, PVC Copper Cable</p>

बिड विवरण/Bid Details

Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Hasps and Staples as per IS 363, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Wrought Aluminium and Aluminium Alloys - Extruded Tube and Hollow Sections For General Engineering Purposes

Searched String: Painting brush 25mm

Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Madhubhani Painting - ODOP, Kangra Painting - ODOP, Pithora Painting from Chhota Udepur - ODOP, Antistatic Brush, Dry Erase Writing Boards (V3), Boot brush, cobweb brush, platform brush

Searched String: MS screw wood 15mm

Wood screws, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Steel Tubes for Structural Purposes as per IS 1161, Parallel Bar - Outdoor Gym Equipment, Steel Bookcases conforming To Is 7761 (V2), Bone Screw (V2), Pick Axe as per IS 273, Cast Iron Bench, Pedicle Screw (V2), M.S Stopper for Traffic Control (Portable Barrier)

Searched String: Butt hinges 25mm

Non - Ferrous Metal Butt Hinges as per IS 205, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, Butt-Weld Pipe Fittings, Dry Erase Writing Boards (V3), Steel Back Flap Hinges- IS:3843, Parliament Hinges-IS:362, Double - Acting Spring Hinges as per IS 453, Pin Up Notice Board (V2)

Searched String: CP Knob 25 mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Wild - Life Cages, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sterile Hypodermic Needles for Single use (V2), Endotracheal Tube - Sterile (Single Use), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: Hasp and staple SS 75mm

spoon ss and chamcha ss, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Hasps and Staples as per IS 363, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Platform Trolley (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

बिड विवरण/Bid Details	Searched String: Haps and stapple SS 125mm
	<p>spoon ss and chamcha ss, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Platform Trolley (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: Check nut 32mm</p> <p>Cartridge Check Valve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rivet Nut (BHEL), Check Valve (V2) as per IS 778, Lock Nut (BHEL), Swing Type Check Valve, Dry Erase Writing Boards (V3), Span Bolt and Nut, Nut Cone End-BHEL, BRASS NUT (BHEL-SCR)</p> <p>Searched String: Lock for drawer steel</p> <p>Stainless Steel Spring Lock Washer - Bhel-IS:3063, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Instrument Trolley for Hospitals (V2), Theft Proof Rifle Racks, Steel Cloth Lockers (V3), Drill Collar Thread Lock compound for ONGC (Cambay), foot step for hospitals, Steel Almirah / Cabinets (V4), Endodontic Files, Ferrosilicon for Steel PSUs</p> <p>Searched String: Abbrasive cloth Emery Paper No 50</p> <p>Handloom Cotton Sponge Cloth as per IS 860, Emery Cloth Plain Weave Roll</p> <p>Searched String: Abbrasive cloth Emery Paper No 60</p> <p>Emery Cloth Plain Weave Roll</p> <p>Searched String: Abbrasive cloth/Emery Paper No 80</p> <p>Cloth, Disruptive Pattern, Uniform for VIP Security, Emery Cloth Plain Weave Roll</p> <p>Searched String: Abbrasive cloth/Emery Paper No 100</p> <p>Emery Cloth Plain Weave Roll</p> <p>Searched String: Abbrasive cloth/Emery Paper No 120</p> <p>Emery Cloth Plain Weave Roll</p> <p>Searched String: Cloth Malmal white 1.5 mtr wide</p> <p>Electrical Extension Box (V4), Cloth Gaberdine Disruptive Pattern / Dyed - Uniforms, Extendable Road Barricade (V2), P.F. Huts with PUF Panel (MHA), 1.5 T MRI Machine, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: Mild Steel Star Head Screw Wood 15 mm 100 Pcs Pkt</p>

बिड विवरण / Bid Details

Wood screws, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Mild Steel Star Head Screw Wood 20 mm 100 Pcs Pkt

Wood screws

Searched String: Mild Steel Star Head Screw Wood 25 mm 100 Pcs Pkt

Wood screws

Searched String: Mild Steel Star Head Screw Wood 35 mm 100 Pcs Pkt

Wood screws

Searched String: Mild Steel Star Head Screw Wood 40 mm 100 Pcs Pkt

Wood screws

Searched String: Mild Steel Panel Pin 15 mm 100 Pcs Pkt

Mild Steel Sheet, Foot Step for Hospitals (V2), Grain Storage Bin (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Pipe Clamps (V2), Split or Cotter Pin, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: Mild Steel Panel Pin 20 mm 100 Pcs Pkt

Pipe Clamps (V2), Wax Candle as per IS 11359, Split or Cotter Pin, Grain Storage Bin (V2)

Searched String: Mild Steel Panel Pin 25 mm 100 Pcs Pkt

Foot Step for Hospitals (V2), Floor Drain Traps (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Pipe Clamps (V2), Grain Storage Bin (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Split or Cotter Pin

Searched String: Mild Steel Panel Pin 35 mm 100 Pcs Pkt

Foot Step for Hospitals (V2), Grain Storage Bin (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Split or Cotter Pin

Searched String: Mild Steel Panel Pin 40 mm 100 Pcs Pkt

Foot Step for Hospitals (V2), Floor Drain Traps (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Grain Storage Bin (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Split or Cotter Pin

Searched String: Nails wire steel 20mm

Steel Countersunk Head Wire Nails Conforming To IS 723, Pipe Clamps (V2), Panels Pins and Lost Head Nails Conforming To IS 6738, Steel Wire Rope (CMPDI), Steel Wire

विड विवरण / Bid Details

Ropes for General Engineering Purpose (V2) Conforming to IS 2266, XLPE Cable for Working Voltages up to and

Including 1.1 KV as per IS 7098 (Part 1), Galvanized Steel Barbed Wire for Fencing (V3) ISI marked to IS 278, Tapered Bearings as per IS 12102, Steel Drum for Conductor, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: Nails wire steel 50mm

Steel Countersunk Head Wire Nails Conforming To IS 723, Pipe Clamps (V2), Panels Pins and Lost Head Nails Conforming To IS 6738, Steel Wire Rope (CMPDI), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Galvanized Steel Barbed Wire for Fencing (V3) ISI marked to IS 278, Tapered Bearings as per IS 12102, Steel Drum for Conductor, Pole Mounted Stainless Steel Dustbin (V2)

Searched String: Nails wire steel 25mm

Steel Countersunk Head Wire Nails Conforming To IS 723, Pipe Clamps (V2), Panels Pins and Lost Head Nails Conforming To IS 6738, Steel Wire Rope (CMPDI), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Tapered Bearings as per IS 12102, Galvanized Steel Barbed Wire for Fencing (V3) ISI marked to IS 278, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Drum for Conductor, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: PVC Edge Band Edge Tape Size 18mm W x 10 mtr L

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC Edge Band Edge Tape Size 12mm W x 10 mtr L

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC Edge Band Edge Tape Size 6mm W x 10 mtr L

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS screw wood 25mm

Wood screws, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Parallel Bar - Outdoor Gym Equipment, Steel Tubes for Structural Purposes as per IS 1161, Bone Screw (V2), Steel Bookcases conforming To Is 7761 (V2), Cast Iron Bench, Pick Axe as per IS 273, Pedicle Screw (V2), M.S Stopper for Traffic Control (Portable Barrier)

Searched String: MS screw wood 35mm

Wood screws, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Steel Bookcases conforming To Is 7761 (V2), Parallel Bar - Outdoor Gym Equipment, Pick Axe as per IS 273, Bone Screw (V2), Cast Iron Bench, Pedicle Screw (V2), M.S

विड विवरण / Bid Details Stopper for Traffic Control (Portable Barrier), Grain Storage Bin (V2)

Searched String: Tower bolt aluminium 75 mm

Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Mild Steel Sheet, modular electrical enclosure switch board boxes for modular type accessories, Tower Ladder (V2), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Wooden Lab Stools, Portable Toilet, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: Tower bolt aluminium 100mm

Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Tower Ladder (V2), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Allen Bolt, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Combination Board, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694

Searched String: Call bell buzzer

BUZZER SWITCH., Wireless Attendant Calling System, Electric Bells and Accessories as per IS 2268, Bell Metal Craft from Bajali - ODOP, Competition kettle bells, Bell Metal Products from Barpeta - ODOP, acoustic stethoscope, Bell Metal Products from Bastar - ODOP, Modular Piano Type Domestic Electrical Switches as per IS 3854, Flameproof Manual Call Point-IS:2148

Searched String: PVC aluminium 6 Sqmm one twin core

PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: PVC wall laminates

Wall Shelves, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Wall Bars, Insulated Panel, Soft Play Wall, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Kitchen Wall Shelves, PVC (Polyvinyl Chloride) Sheet, Wall Shelves - Handcrafted, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible

विड विवरण/Bid Details Conductor (V2) as per IS 694

Searched String: Curtain road fancy type 25mm dia 6m

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Customised Ambulance with Equipment, Correspondence Envelopes (V3) Conforming to IS 13892, High Pressure Fire Fighting Hose - IS 14933, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Solar Street Lighting System (NTPC), Electronic Weighing Scales, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

Searched String: Anti termite chemical

Descaling Chemical, Chemical Splash Proof Goggle, Chemical Dust Suppressor, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, Chemical Storage Cabinet, Bottle for Chemical Laboratory, MEMBRANE CLEANING CHEMICAL, Automated tissue processor, Anti Theft and Anti Sabotage Solution, Multipurpose or General Test Tubes as per IS 2618

Searched String: Plain aluminium sheet 0.56mm thick

Mild Steel Sheet, galvanized steel sheets as per IS 277, Ultrasonic Thickness Gauge, Microscopes Slide Coverslips as per IS 3099, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Vertical Blinds (V2), Polymethyl Methacrylate (PMMA) (Acrylic) Sheets (V2) as per IS 14753 (Latest), Black Polyethylene Cover, Decorative Laminate Sheet, Aluminium Composite Panel Sheet

Searched String: Steel curtain rod 20mm dia and 3.6 m long

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Desk Only for Classroom/Training Area, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area

Searched String: DB 8 way double door

Fire Hose Cabinet, Whistle (V2), Polyester Webbing Slings, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Sliding door, Laboratory Refrigerator, Standard Storage Container or Cargo or Container Ships (V2), boot ankle for marching purpose double density pu sole, Bi Double Distillation Water Unit (V2), Air Walker / Stroller - Outdoor Gym Equipment

Searched String: MCB DP 40 Amp

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Caution / Crime Scene Tape (V2), Circuit Breakers for DC Operation

बिड विवरण/Bid Details **Searched String:** MCB TPN 40 Amp

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Caution / Crime Scene Tape (V2), Circuit Breakers for DC Operation

Searched String: MCB SPN 32 Amp

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Caution / Crime Scene Tape (V2), Circuit Breakers for DC Operation

Searched String: MCB TPN 63 Amp

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Caution / Crime Scene Tape (V2)

Searched String: MCB Trping range B 2 Pole with 1PP 240V 20A or 40A

Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Line Interactive UPS with AVR (V2)

Searched String: MCB SP 10 Amp

Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Speaker (V3), Foam making Branch- FB 10X (Jet & Spray) with inline inductor as per IS 2097-2012 (PNG), Electrical Extension Box (V4), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Circuit Breakers for DC Operation, Transfluthrin 1.0% + Cypermethrin 0.25% Spray, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Trackside Indicator Boards and Signages as per IRICEN Manual

Searched String: MCB DP 20 Amp

RELAY FRAME ASSY., MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Audio Amplifier (V3) (under BIS Scheme - II), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Circuit Breakers for DC Operation, Single switch IGBT Module, Caution / Crime Scene Tape (V2)

Searched String: MCB SPN 40 Amps

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Caution / Crime Scene Tape (V2), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Circuit Breakers for DC Operation

Searched String: MCB SP 20 Amp

Acetamiprid 20% SP, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Audio Amplifier

<p style="text-align: center;">बिड विवरण / Bid Details</p>	<p>(V3) (under BIS Scheme - II), Cloth All Worsted, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Speaker (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Foam making Branch- FB 10X (Jet & Spray) with inline inductor as per IS 2097-2012 (PNG), Circuit Breakers for DC Operation, Shirt Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform</p> <p>Searched String: MCB DP 32 Amp</p> <p>MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Caution / Crime Scene Tape (V2), Circuit Breakers for DC Operation</p> <p>Searched String: MCB DB SPN 4 way</p> <p>MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Solenoid Valve (V2), Metal Pallet as per IS 4923:1997, IS 4300:1967, IS 7276:1979, Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) • Piano Type Modular Domestic Electrical sockets - IS 1293 • Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444
<p>बीओक्यू शीर्षक /BOQ Title</p>	<p>Proc of PRC items QE Dec 2025 of GE 869 EWS 1</p>
<p>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</p>	<p>10 Lakh (s)</p>
<p>मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)</p>	<p>50 Lakh (s)</p>
<p>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</p>	<p>3 Year (s)</p>
<p>वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover</p>	<p>Yes Complete</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover</p>	<p>Yes Complete</p>
<p>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</p>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	90000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

SBSO
MES, Department of Military Affairs, Indian Army, Ministry of Defence
(Sbso)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
---	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are

validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating (in Watts)/ System Wattage/ Rated Power	30

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)	100, 120, 140 Or higher
ELECTRICAL CHARACTERISTIC	Input operating voltage range and frequency	140 to 270 Volts AC at 50 Hz +/-2
CONTROL GEAR	Number of electronic control gear in the luminaire (power supplies)	2 Or higher
LUMINAIRE	Provision of luminaire connecting wire along with the supply of material	50 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	Warranty for free replacement (in years)	2, 3, 4, 5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) (24 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating (in Watts)/ System Wattage/ Rated Power	60

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)	120, 140 Or higher
ELECTRICAL CHARACTERISTIC	Input operating voltage range and frequency	140 to 270 Volts AC at 50 Hz +/-2
CONTROL GEAR	Number of electronic control gear in the luminaire (power supplies)	2 Or higher
LUMINAIRE	Provision of luminaire connecting wire along with the supply of material	50 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	Warranty for free replacement (in years)	2, 3, 4, 5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	24	45

LED Batten (312 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	18.0
	Length of LED Batten (Nominal) (in mm)	1150.0

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Lamp Efficacy (Lumen / Watt), Minimum	110 Or higher
	Warranty for free replacement (in Years)	1, 2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Aluminium

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	312	45

LED Luminaire (Recessed Luminaire) (V3) Conforming To IS 10322 (Part 5/Section 2) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Rating of Recess type LED Luminaire/System Wattage/Rated Power (in Watt)	18
	Colour temperature (in K) (+/- 500 K)	6500
	Light Intensity (System Lumens) (in lm/watt) (hint: Total Lumen Calculation: Example: 3 W LED Rating x 80 Lumen/Watt = 240 Lumens, 3 W LED Rating x 90 Lumen / Watt = 270 Lumens, 3 W LED Rating x 100 Lumen/Watt = 300 Lumens)	100

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	LED Chip Efficacy (in lm/watt)	>/=130
	Shape of the Fixture	Linear/Rectangular
	Size of the Fixture	300 mm x 600 mm
CONSTRUCTION	Number of electronic control gear (power supplies)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

LED Luminaire For Floodlight (V2) Conforming To IS 10322 (Part 5/Section 5) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating/System Wattage/Rated Power (in Watts)	50

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

LED Batten (24 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	20.0
	Length of LED Batten (Nominal) (in mm)	1150.0
	Lamp Efficacy (Lumen / Watt), Minimum	110 Or higher
	Warranty for free replacement (in Years)	1, 2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Aluminium

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	24	45

LED Luminaire For Floodlight (V2) Conforming To IS 10322 (Part 5/Section 5) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating/System Wattage/Rated Power (in Watts)	30

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

LED Luminaire For Floodlight (V2) Conforming To IS 10322 (Part 5/Section 5) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating/System Wattage/Rated Power (in Watts)	150

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

LED Batten (14 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	10.0
	Length of LED Batten (Nominal) (in mm)	560.0
	Lamp Efficacy (Lumen / Watt), Minimum	110 Or higher
	Warranty for free replacement (in Years)	1, 2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Aluminium

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

LED Bulb White 12 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	216	45

09 Or 10 Watt LED Bulb White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	120	45

Fan Regulator Modular

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	31	45

PVC Copper Cable Twin Core 1.5 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	113	45

PVC Aluminium 6 Sqmm Two Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	83	45

Flexible Wire Copper Twin Core 40 Or 0.076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	192	45

Bldg Security Light Fitting LED 15w 240 Volts IP 65

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

LED Focus Light 15 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Ceiling Light 2x2 Feet 10 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Batten Holder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	252	45

PVC Cashing Caping 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	51	45

PVC Cashing Caping 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	51	45

Flexible Wire Copper Twin Core Sheathed 23 Or 0.076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	113	45

Modular Plate 12M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

Modular Box 12M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	39	45

PVC Switch Board Rectangle 8 X 12 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

Modular Plate 8M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

Modular Box 8M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

Switch Socket Combination 6 Or 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	64	45

Switch Socket Combination 3 Pin 15 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	39	45

Switch Board Boxes 230 X 80 X 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Modular Plate 6M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Modular Plate 4M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Modular Plate 3M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Modular Box 6M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Modular Box 4M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Modular Socket 6A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	200	45

Modular Socket 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	200	45

Exhaust Fan Steel Body 300 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	45	45

2 X 2 Feet Ceiling Light

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	60	45

1 X 1 Feet Ceiling Light

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	40	45

Modular Switch 6 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	320	45

Modular Switch 16 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	200	45

Call Bell Ding Dong

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Modular Switch Socket Combination Box 5A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Modular Switch Socket Combination Box 15A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Socket Modular 15A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Socket Modular 5A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Socket 5 Amps 5 Pin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	70	45

Bell Push Modular 6A Or 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Plug Top 3 Pin 15 Amps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Holder Angular

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	44	45

Plug Top 3 Pin 6 Amps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Tape Insulation Tape PVC Size 25mm X 25 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	70	45

Switch Piano 5 Amps One Way Single Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	83	45

Ceiling Rose 5 Amps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Pendent Holder Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Modular Box 3M B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Modular Blank Space

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Tape Insulation PVC Size 50mm X 25Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

LED Lamp Retrofit 5 Watt 240 Volts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

MCB SP 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

PVC Armoured Cable 3.5 X 50 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

PVC Copper 2.5 Sqmm Single Core Multistand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	57	45

PVC Cable Alu Sheathered Weather Proof Twin Core Plat 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

PVC Aluminium Cable Single Core 10 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	109	45

PVC Copper Wire 6 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

PVC Switch Board 6 X 8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

PVC Switch Board 4 X 7 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

PVC Switch Board 4 X 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

05 Watt LED B22 Bulb White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	81	45

LED Lamp 3W B22CDL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	44	45

Coloured Lamp 15 W 240V Red And Green

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Prospot COB Swivel LED Light 15 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Decorative Type LED Spot Light 5W Focus Light 230V 50Hz

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

Thermostat For Geyser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

Fuse Copper Wire 100 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	6	45

Fan Capacitor 2.5 MFD 240V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

PVC Cable Insulated Copper Conductor 3 Core X 70 Or 0.0076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lugs Copper Alloy 400 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	3	45

Copper Lugs 70 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lugs Copper Alloy 16mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lugs Copper Alloy 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lugs Copper Alloy 35mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	8	45

Lugs Copper Alloy 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lugs Copper Alloy 95mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lugs Copper Alloy 120mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	9	45

Lugs Copper Alloy 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	9	45

Lugs Copper Alloy 185mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	9	45

Lugs Copper Alloy 240mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	9	45

Lt UG Cable 3.5 Core 25 Sqm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

ACSR Conductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

LT Line Separator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Heating Element 2000 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

HT Fuse Element Suitable For 11000 Volts 5 Amp Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

HT Fuse Element Suitable For 11000 Volts 20 Amps Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

HT Fuse Element Suitable For 11000 Volts 10 Amps Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	26	45

Cable Jointing Kit 3.5 Corex95sqmm Outdoor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

Cable Straight Through Joint Kit 3.5 Core 95x52 Mm Outdoor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	7	45

Plastic Laminated Sheet Teak Face 8 Feet X 4 Feet X 1mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Lock For Almirah Steel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Tower Bolt Aluminium 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	30	45

Helical Door Closer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Mortise Lock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

Gyser Hot And Cold Stool Connecting Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Hydraulic Door Closer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	8	45

Sliding Door Bolt Aluminium 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Aluminium Sliding Door Bolt 300mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Sluice Valve 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	1	45

Bleaching Powder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	360	45

HT Cable End Joint Kit 95 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	3	45

Fuse Wire Copper 15 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Brass NRV 40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	3	45

Brass NRV 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	3	45

Brass NRV 80 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

Brass NRV 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	1	45

Sluice Valve 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	1	45

Sluice Valve 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	1	45

Brass NRV 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	7	45

Brass NRV 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	7	45

Sluice Valve 80 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	1	45

Non Return Valve 150 Mm 6 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	3	45

Non Return Valve 200 Mm 8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

Cast Iron Foot Valve 80 Mm 3 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

Cast Iron Foot Valve 125 Mm 5 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

Cast Iron Foot Valve 150 Mm 6 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

Cast Iron Foot Valve 200 Mm 8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	2	45

PVC Sheet For Chair Dinng Map FD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	72	45

Chapra Flakes Powder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	60	45

Channel Aluminium 12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	9	45

Curtain Rod Stainless Steel 15 To 20mm 6mtr Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	9	45

Teak Wood Beading 19mm X 4mm X 2m

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Continious Piano Hinge

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	8	45

Hasp And Stapple Aluminium 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Painting Brush 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

MS Screw Wood 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	6	45

Butt Hinges 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

CP Knob 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Hasp And Stapple SS 75mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

Haps And Stapple SS 125mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	7	45

Check Nut 32mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Lock For Drawer Steel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	8	45

Abbrasive Cloth Emery Paper No 50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	20	45

Abbrasive Cloth Emery Paper No 60

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	20	45

Abbrasive Cloth Emery Paper No 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	40	45

Abbrasive Cloth Emery Paper No 100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	25	45

Abbrasive Cloth Emery Paper No 120

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	25	45

Cloth Malmal White 1.5 Mtr Wide

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

Mild Steel Star Head Screw Wood 15 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Mild Steel Star Head Screw Wood 20 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Mild Steel Star Head Screw Wood 25 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Mild Steel Star Head Screw Wood 35 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Mild Steel Star Head Screw Wood 40 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Mild Steel Panel Pin 15 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

Mild Steel Panel Pin 20 Mm100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

Mild Steel Panel Pin 25 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

Mild Steel Panel Pin 35 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

Mild Steel Panel Pin 40 Mm 100 Pcs Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	5	45

Nails Wire Steel 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

Nails Wire Steel 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

Nails Wire Steel 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

PVC Edge Band Edge Tape Size 18mm W X 10 Mtr L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	15	45

PVC Edge Band Edge Tape Size 12mm W X 10 Mtr L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

PVC Edge Band Edge Tape Size 6mm W X 10 Mtr L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

MS Screw Wood 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	10	45

MS Screw Wood 35mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	7	45

Tower Bolt Aluminium 75 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Tower Bolt Aluminium 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

Call Bell Buzzer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	17	45

PVC Aluminium 6 Sqmm One Twin Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	57	45

PVC Wall Laminates

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	12	45

Curtain Road Fancy Type 25mm Dia 6m

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

Anti Termite Chemical

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

Plain Aluminium Sheet 0.56mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

Steel Curtain Rod 20mm Dia And 3.6 M Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

DB 8 Way Double Door

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB DP 40 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	24	45

MCB TPN 40 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB SPN 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB TPN 63 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	7	45

MCB Trping Range B 2 Pole With 1PP 240V 20A Or 40A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB SP 10 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	39	45

MCB DP 20 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB SPN 40 Amps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB SP 20 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	39	45

MCB DP 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	14	45

MCB DB SPN 4 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SENAPATI	24	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the

date of constitution shall be taken into account for this criteria.

7. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

8. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

9. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

10. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

11. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

BUYER ADDED BID SPECIFIC ADDITIONAL TERMS & CONDITIONS (ATC)

Bidders shall communicate with the Buyer only through the GeM portal for any queries related to this bid, as no other mode of communication is permitted under GeM Terms and Conditions.

1. **Discrepancy in Conditions.** In the event of any discrepancy between the GeM Terms and Conditions, the Standard Terms and Conditions (STC), and the Buyer Added Bid Specific Additional Terms and Conditions (ATC), the Buyer's Bid Specific ATC shall prevail and be final.

2. **Pre-qualification / Eligibility.** All bidders intending to participate in this bid shall upload the following documents on the GeM portal for technical scrutiny and eligibility verification, in addition to the documents required under GeM :-

2.1 List of works successfully executed during the last three financial years.

2.2 Annual Turnover Certificates of both the OEM and the bidder for the last three financial years.

2.3 Copy of Form 26AS.

2.4 Valid MSME / Udyam Registration, if applicable.

2.5 Affidavit of no dues / no recovery pending.

2.6 Affidavit declaring that the bidder is not involved in any arbitration or litigation.

2.7 Copy of Partnership Deed, where applicable.

2.8 Memorandum and Articles of Association, where applicable

2.9 Copy of the bidder's Registration Certificate.

2.10 Affidavit confirming that no near relative of the bidder is employed in MES /Corps of Engineers / Ministry of Defence in a capacity that attracts restrictions under applicable Government of India and departmental instructions.

3. The following Annexures shall be submitted on non-judicial stamp paper of appropriate value as per prevailing state laws and then scanned and uploaded on the GeM portal:-

3.1 Bid Submission Form on bidder's letterhead, duly filled, signed and uploaded along with the bid on GeM. **(Annexure-I)**

3.2 Notarized affidavit confirming acceptance of all terms and conditions of the bid document. **(Annexure-II)**

3.3 Notarized affidavit confirming that none of the bidder's or OEM's employees or their relatives are employees of the Client, and that the bidder has not been convicted under the Prevention of Corruption Act, 1988 or under any other law in force for offences involving loss of life or property or threat to public health in execution of a public procurement contract. **(Annexure-III)**

3.4 Self-declaration on non-judicial stamp paper stating that the bidder has not been blacklisted or debarred by any Government department, organization, or public sector undertaking; non-submission in the prescribed f

format may result in rejection of the bid. **(Annexure-IV)**

4. **Additional Documents** :-

4.1 GST portal screenshot showing the name of the firm and aggregate annual turnover for the last three financial years.

4.2 Statement of all items quoted, strictly of branded make; unbranded items shall not be accepted, and details shall be given in Table-1 (Product Name, Make, Product ID).

4.3 Valid ISO 9001 certificate of the OEM or bidder, as applicable.

Note :- **The Buyer reserves the right to verify all submitted certificates and information from issuing authorities and official websites; any deviation, misrepresentation, or unverifiable credential may lead to outright rejection of the bid without further notice.**

5. **Right of Rejection** :-

5.1 The Buyer reserves the right to cancel the bidding process and reject all bids at any time before award of contract, without liability towards any bidder.

5.2 The Buyer also reserves the right, at its sole discretion, not to place any order under this bid, and will not be liable for any compensation or cost incurred in preparation or submission of the bid.

5.3 If any part of the bid or prescribed information is missing, vague, or incomplete, or if conditions are not met, the bid shall be treated as non-responsive and is liable to be rejected.

5.4 The Buyer may terminate the contract if the bidder is found to h

have been blacklisted / debarred by any Government Department / Institution / Local Body / Municipality / Public Sector Undertaking, without any further notice.

5.5 If any information given by the bidder is found to be incorrect, the Buyer may reject the bid at any stage, cancel the contract if awarded, and forfeit the entire Earnest Money Deposit.

5.6 Information furnished in the bid shall be clear, specific, and limited to what is sought; bids containing extraneous or confusing information with intent to mislead are liable to be rejected.

5.7 The Buyer shall be the sole judge for short-listing, and the Buyer's decision shall be final and binding.

5.8 Bids shall conform to the provisions of the Manual for Procurement of Goods, 2024, and to the GeM General Terms and Conditions, as amended from time to time.

Annexure I - Bid Submission Form

(To be printed on bidder's letterhead, signed, stamped, scanned and uploaded on GeM)

Date: _____

To

The Buyer

[Department / Office Name]

[Address]

Subject: Bid Submission for GeM Bid No.

Sir/Madam,

1. Having examined the Bid Document, including all terms, conditions and specifications, the undersigned hereby submits the bid for “[Name of Work / Item]” against GeM Bid No. _____.
2. The undersigned hereby accepts all terms and conditions of GeM, the Bid Document, Buyer Added ATC and any corrigenda issued, and undertakes to comply with the same without any reservations.
3. The quoted prices are firm and inclusive of all applicable taxes, duties, freight, packing, insurance and other charges, as per GeM Terms and Conditions.
4. The bid shall remain valid for _____ days from the date of bid opening, as required in the Bid Document. The undersigned certifies that all information and documents submitted on the GeM portal are true, correct and complete to the best of bidder’s knowledge and belief.

Yours faithfully,

Name: _____

Designation: _____

Name of Bidder/Firm: _____

Address: _____

Mobile / Phone: _____

E-mail: _____

Signature with seal

Annexure II - Affidavit for Acceptance of Bid Conditions

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

AFFIDAVIT

I, _____, son/daughter of _____, aged _____ year
s, resident of _____, being the authorised signatory of M/s _____
_____ (hereinafter called “the Bidder”), do hereby solemnly affirm and
state as under:

1. That I am duly authorised to submit this affidavit on behalf of the Bidder in re

sponse to GeM Bid No. _____ for “[Name of Work / Item]”.

2. That the Bidder has carefully read and understood all the terms and conditions of the Bid Document, including GeM General Terms and Conditions, STC and Buyer Added Bid Specific ATC.

3. That the Bidder unconditionally accepts all the aforesaid terms and conditions and agrees that any deviation or conditional bid is liable to be rejected.

4. That all information, certificates and documents uploaded on the GeM portal for this bid are true, correct and complete, and nothing material has been concealed.

Verified at _____ on this ____ day of _____ 20__ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: _____

Designation: _____

Firm's Name with seal: _____

(Notary Seal & Signature)

Annexure III - Affidavit regarding Non-conviction and Non-employment of Relatives

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

AFFIDAVIT

I, _____, son/daughter of _____, aged ____ years, resident of _____, authorised signatory of M/s _____ (Bidder), do hereby solemnly affirm and state as under.

1. That none of my near relative(s), as defined in the Bid Document, is employed in MES / Corps of Engineers / Ministry of Defence / Client Department in a capacity which would attract provisions regarding conflict of interest.

2. That none of the employees/partners/directors of the Bidder, nor their relatives, are employees of the Client in a manner that may affect the fairness of this procurement.

3. That the Bidder and its directors/partners/proprietor have not been convicted under the Prevention of Corruption Act, 1988 or under the Indian Penal Code or any other law in force for offences resulting in loss of life or property or causing threat to public health in execution of any public procurement contract.

4. That there is no criminal case involving fraud, corruption or moral turpitude pending against the Bidder or its key management personnel in any court of law.

Verified at _____ on this ____ day of _____ 20__ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: _____

Designation: _____

Firm's Name with seal: _____

(Notary Seal & Signature)

Annexure IV - Self-Declaration on Non-blacklisting / Non-debarment

(To be executed on non-judicial stamp paper of Rs. 10/- with Re. 1/- revenue stamp affixed, as mentioned in the Bid Document, and uploaded on GeM)

SELF-DECLARATION

Date: _____ To

The Buyer

[Department / Office Name]

[Address]

Subject: Declaration regarding Non-blacklisting / Non-debarment - GeM Bid No.

Sir/Madam,

1. I/We, M/s _____, having registered office at _____, hereby declare that our firm/company, its partners/directors and promoters have not been blacklisted, debarred, suspended or removed from any approved list of vendors by any Central Government / State Government / Union Territory / Government Department / Autonomous Body / PSU / Public Sector Bank or any other public authority as on the date of this declaration.

2. I/We further declare that there are no orders or proceedings pending for blacklisting or debarment against our firm/company by any of the above authorities. I/We understand that if this declaration is found to be false or incorrect at any stage, the Buyer shall be entitled to reject our bid, terminate the contract if awarded, and take any other action as per GeM Terms and Conditions and applicable law.

Yours faithfully,

Signature of authorised signatory: _____

Name: _____

Designation: _____

Name of Bidder/Firm: _____

Address: _____

GSTIN: _____ PAN: _____

Contact No.: _____ E-mail: _____

(Seal of the Bidder/Firm)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working

Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---