

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण / Bid Details</b>	
<b>बिड बंद होने की तारीख/समय / Bid End Date/Time</b>	02-03-2026 18:00:00
<b>बिड खुलने की तारीख/समय / Bid Opening Date/Time</b>	02-03-2026 18:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)</b>	30 (Days)
<b>मंत्रालय/राज्य का नाम / Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम / Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम / Organisation Name</b>	Indian Army
<b>कार्यालय का नाम / Office Name</b>	*****
<b>कुल मात्रा / Total Quantity</b>	1503
<b>वस्तु श्रेणी / Item Category</b>	Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701 (Q3) , Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 (Q2) , Bathroom Water Shower (V2) (Q3) , Switch socket combination 6 Amp with box , Cabinet Mirror with shelves , Switch socket combination 15 Amp with box , LED 36 W Recessed light 2ftx2 ft , LED concealed Light 6 W Warm White , Tubing GI 15 mm medium grade , Glass shelf assembly , sofa cushion with cover 560mmx530mmx100mm 40 D , corner shelf for bath room , MS door spring rat rail , Tubing GI 20 mm medium grade , Glass plain 4inchx4inch and 4 mm thick , PVC seat for chair dinning , CP wall mixer lugs
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	Non Modular switch socket combination, LED Recessed Light, GI Tube pipe, Sofa cushion with cover, PVC Seat for chair dinning, wall mixer lugs, Glass plain, corner or glass shelf
	<p><b>Searched String:</b> Non Modular switch socket combination</p> <p>Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Multipara Monitor - Low End, Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Telephone Socket (Telephone Jack), Director-Class Storage Area Network (SAN) Switch</p> <p><b>Searched String:</b> LED Recessed Light</p>

<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>बिड विवरण / Bid Details</b></p> <p>LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Flash Light, LED Bulkhead Light, Laboratory Incubators, LED Garden Light (V2), Muffle Furnace, Track Light, Flameproof LED Emergency Light, LED Luminaire for High Bay Lighting, LED Tube Light (Retrofit Type)</p> <p><b>Searched String:</b> GI Tube pipe</p> <p>Rigid GI Pipe (BHEL), Blood Collection Tube, Pipe Cutter, GI Grating ( in Number), Pipe Clamps (V2), GI Grating (in MT), Fusion Tube, Endotracheal Tube - Sterile (Single Use), Fitness Tube, Steel Pipes for Water and Sewage as per IS 3589</p> <p><b>Searched String:</b> Sofa cushion with cover</p> <p>Cushion Covers-Handicraft, Sofa (V3), Jute Products from Katihar - ODOP, Upcycled Cushion Covers, Chair for General Purpose, Upcycled Cushion Covers (V1), Pin Up Notice Board (V2), Aluminium Dish With Cover, PVC Wiring Channel With Cover - BHEL, Bottle Water Plastic with Cover (DEFENCE)</p> <p><b>Searched String:</b> PVC Seat for chair dinning</p> <p>Counter Seat (Chair or Stool) (V2), Chair for General Purpose, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), LCR Meter, Desk and Chair Set for Classroom/Training Area, Body Seat Ring For Non Return Valve-IS:5312, Passenger Seat for State Road Buses, PVC Fills for Colling Tower, Consumables for PVC Card Printer, Chair (Preschool Kit)</p> <p><b>Searched String:</b> wall mixer lugs</p> <p>Compression cable lugs, vortex mixers, Ribbon Blender Mixer, Electrical connection Lugs or thimbles, Audio Mixer (V2), Wall Mounting Cabinet, Wall Bars, Metal Storage Cabinet, Lab Multi Sample Mixer, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p> <p><b>Searched String:</b> Glass plain</p> <p>Laboratory Glass Adapters, URF Plain- Defence, Basketball Board, Plain Gauze Swab, Glass Fuse, Glass Coasters, Connector Glass, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Glass Beads, Glass Cloth</p> <p><b>Searched String:</b> cornor or glass shelf</p> <p>Shelf stable prepared soups or stews, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Glassy Sodium Metaphosphate or Sodium HexaMetaphosphate, TLC plate, Silica gel 60, Serological Pipettes and Graduated Pipettes as per IS 4364, Multipurpose or General Test Tubes (V2) as per IS 2618, Petri plates or dishes(V2), Cancellous/Cortical Mix for Dental or Orthopaedic Surgeries, Basketball backstop</p>
<p><b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>• Bathroom or Toilet Mirror (V3)</li> <li>• LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II)</li> <li>• Sofa Set or Couch (Handicraft) (V2)</li> </ul>

बिड विवरण/Bid Details	
बीओक्यू शीर्षक /BOQ Title	Maint store Item
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes   Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are

excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

### **Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 2 pieces )**

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Single Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	2000 Liter

#### **Additional Specification Parameters - Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
3 layer Tank is required as per user requirement	3 layer Tank is required as per user requirement

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	2	15

### Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 38 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Double Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	500 Liter

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	19	15
2	*****	*****Kupwara	19	15

### Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 13 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Double Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	1000 Liter

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	10	15
2	*****	*****Kupwara	3	15

**Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 ( 55 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Governing Specification</b>	As per IS 204
	<b>BIS Marked</b>	Yes
	<b>Type of tower bolts as per CI 3.1 of IS 204</b>	Barrel Tower Bolts, Skeleton Tower Bolts
	<b>Sub-type of tower bolts as per CI 3.1 of IS 204</b>	Brass Barrel Tower Bolts (Type - 1A), Brass Barrel Tower Bolts (Type - 2A), Brass Barrel Tower Bolts (Type - 3A), Aluminium Alloy Barrel Tower Bolts (Type - 4A), Zinc Barrel Tower Bolts (Type - 5A)
MATERIAL	<b>Material of Aluminium alloy tubes as per Table 3 of IS 204( Part 2)</b>	designation 63400 WP or 63400 P of IS 1285
	<b>Material of Aluminium alloy extruded rods as per Table 3 of IS 204( Part 2)</b>	Designation 65032 WP of IS 733
	<b>Brass sheets as per Table 3 of IS 204( Part 2)</b>	Alloy designation CuZn 40 Condition HD of IS 410
	<b>Cast brass as per Table 3 of IS 204( Part 2)</b>	Grade CB.2 of IS 292
	<b>Extruded brass as per Table 3 of IS 204( Part 2)</b>	Type II Half hard condition of IS 319
	<b>Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)</b>	Alloy Zn A14 Die casting of IS 742
Constructional	<b>Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)</b>	Screwed, Riveted, Integrated with Bolt, Pin

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)</b>	Yes
	<b>Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)</b>	Yes, NA
DIMENSIONS	<b>Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)</b>	100
	<b>Diameter of Barrel and Skeleton Tower bolts (mm)</b>	12.0
	<b>Width of Barrel Tower bolts (mm)</b>	38, NA
	<b>Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts</b>	6, 8, 10
	<b>Length of socket as per Table 1 of IS 204 (Part 2)</b>	25, NA
	<b>Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1.5, 2, NA
	<b>Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	2.4, NA
	<b>Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1-1.25, NA
	<b>Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)</b>	NA
	<b>Width of Bolt plate or staple of Skeleton tower bolts (mm)</b>	38, NA
	<b>Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts</b>	NA
	<b>Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)</b>	25, NA
	<b>Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)</b>	1.6, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)</b>	2.4, NA
	<b>No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)</b>	3, 4, 5, 6, NA
Marking and Packing	<b>Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)</b>	Yes, NA
	<b>Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)</b>	Yes, NA
TEST REPORT	<b>Avaiability of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest</b>	Yes, No
	<b>Test reports to be furnished to buyer on demand</b>	Yes, No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	55	15

**Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 ( 56 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Governing Specification</b>	As per IS 204
	<b>BIS Marked</b>	Yes
	<b>Type of tower bolts as per CI 3.1 of IS 204</b>	Barrel Tower Bolts, Skeleton Tower Bolts

विवरण/Specification	विशिष्ट का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Sub-type of tower bolts as per CI 3.1 of IS 204</b>	Brass Barrel Tower Bolts (Type - 1A), Brass Barrel Tower Bolts (Type - 2A), Brass Barrel Tower Bolts (Type - 3A), Aluminium Alloy Barrel Tower Bolts (Type - 4A), Zinc Barrel Tower Bolts (Type - 5A)
MATERIAL	<b>Material of Aluminium alloy tubes as per Table 3 of IS 204( Part 2)</b>	designation 63400 WP or 63400 P of IS 1285
	<b>Material of Aluminium alloy extruded rods as per Table 3 of IS 204( Part 2)</b>	Designation 65032 WP of IS 733
	<b>Brass sheets as per Table 3 of IS 204( Part 2)</b>	Alloy designation CuZn 40 Condition HD of IS 410
	<b>Cast brass as per Table 3 of IS 204( Part 2)</b>	Grade CB.2 of IS 292
	<b>Extruded brass as per Table 3 of IS 204( Part 2)</b>	Type II Half hard condition of IS 319
	<b>Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)</b>	Alloy Zn A14 Die casting of IS 742
Constructional	<b>Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)</b>	Screwed
	<b>Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)</b>	Yes
	<b>Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)</b>	Yes, NA
DIMENSIONS	<b>Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)</b>	150
	<b>Diameter of Barrel and Skeleton Tower bolts (mm)</b>	12.0
	<b>Width of Barrel Tower bolts (mm)</b>	38, NA
	<b>Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts</b>	6, 8, 10
	<b>Length of socket as per Table 1 of IS 204 (Part 2)</b>	25, NA
	<b>Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1.5, 2, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	2.4, NA
	<b>Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1-1.25, NA
	<b>Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)</b>	NA
	<b>Width of Bolt plate or staple of Skeleton tower bolts (mm)</b>	38, NA
	<b>Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts</b>	NA
	<b>Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)</b>	25, NA
	<b>Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)</b>	1.6, NA
	<b>Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)</b>	2.4, NA
	<b>No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)</b>	3, 4, 5, 6, NA
Marking and Packing	<b>Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)</b>	Yes, NA
	<b>Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)</b>	Yes, NA
TEST REPORT	<b>Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest</b>	Yes, No
	<b>Test reports to be furnished to buyer on demand</b>	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	56	15

**Bathroom Water Shower (V2) ( 45 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	<b>Type of shower</b>	Overhead shower (Wall mount with shower arm), Overhead shower (Ceiling mount with shower arm), Body Shower, Shower Panel
	<b>Material of body/face plate</b>	ABS
	<b>Finish of face plate</b>	Chrome plated
	<b>Type of Water Flow</b>	Rainfall and Multiple flow
	<b>Type of Multiple flow</b>	Rainflow
	<b>Shape of Shower</b>	Round
Dimensions	<b>Size of Shower</b>	100 mm
	<b>Overall length of Hand Shower (in mm)</b>	NA
	<b>Length of Hand Shower Tube (in mt)</b>	NA
	<b>Diameter of Hand Shower Tube (in mm)</b>	NA
	<b>Material of Hand Shower Tube</b>	NA
	<b>Overall length of Shower Arm (in mm)</b>	120, 150, 190, 200, 280, 300, 390, 450, 480, 600, NA
Warranty	<b>Warranty (in Years)</b>	1, 2, 3, 4, 5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	33	15
2	*****	*****Kupwara	12	15

### Switch Socket Combination 6 Amp With Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	245	15

### Cabinet Mirror With Shelves

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	2	15

### Switch Socket Combination 15 Amp With Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	144	15

### Switch Socket Combination 15 Amp With Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	250	15

## LED 36 W Recessed Light 2ftx2 Ft

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	20	15

## LED Conceled Light 6 W Warm White

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	18	15

## Tubing GI 15 Mm Medium Grade

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	175	15

**Glass Shelf Assembly****तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	37	15

**Sofa Cushion With Cover 560mmx530mmx100mm 40 D****तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	64	15

**Sofa Cushion With Cover 560mmx530mmx100mm 40 D**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	20	15

**Cornor Shelf For Bath Room**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	28	15

### Cornor Shelf For Bath Room

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	9	15

### MS Door Spring Rat Rail

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	18	15

## Tubing GI 20 Mm Medium Grade

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	125	15

## Glass Plain 4inchx4inch And 4 Mm Thick

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kupwara	25	15

## PVC Seat For Chair Dinning

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	37	15

**CP Wall Mixer Lugs****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Srinagar	77	15

**Special terms and conditions-Version:1 effective from 17-10-2025 for category Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701**

1. These tanks are not meant for underground applications. It does not cover mobile water tanks and horizontal cylindrical water tanks. Nominal service temperature from +1 degree Celsius to +50 degree Celsius.

The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such, Buyers may also opt for ISI marked products while creating BID by mentioning their requirement in Bid ATC. Availability of License to vendors in this category needs to be checked by Buyer at their end, in case they add any such conditions in Bid ATC. Further, in such cases, buyer shall verify a valid BIS License for the same at the time of evaluation of the BID and check the ISI marking at the time of receipt of the material before issuing CRAC.

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. **Generic**

**Experience Criteria:** The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 3. **Inspection**

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Nil

Post Receipt Inspection at consignee site before acceptance of stores:  
By Board of officers

### 4. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

OEM Authorization  
.

### 5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Demurrage charges as per policy in vogue will be applicable.
2. To fulfill experience criteria the seller must upload the CRAC certificate as proof of delivery merely upload a copy of contract copy will not be accepted.
3. For experience criteria- seller must have experience of dealing in or delivery of similar nature of items only to qualify in technical qualification.
4. Brands and Makes approved by HQ Chief engineer Northern Command will be accepted. If needed the bidder may have to upload command approval letter.

5. The seller must mention the Brand/OEM and cat part number of item offered by him.

6. To ascertain the genuineness / quality of the product offered by seller- the product/item catalogue must be verified by OEM on GeM portal.

#### 6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**