

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-03-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-03-2026 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	160 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2182
वस्तु श्रेणी /Item Category	LT Power Cable , LED Tube light fitting 4 feet , MCCB 4P 415V 400 A , MCCB 4P 415V 320A , Slim recess mounted light fitting , MCCB 4 P 200A 35KA 415V , MCCB 4 P 415 V 250 A , Storage type electric water Geyser , LED Tube light fitting 2 ft 10W , XLPE LT Power Al , LED Street Light Fitting 45W , XLPE LT Power Cable , LED Flood Light Fitting 150W , LED Flood Light Fitting 120W , LED Flood Light Fitting 200 W , PVC unarmoured Alum Cable , LED Flood Light Fitting 300W , MCCB 4 P 100A 25KA 415V , LED Flood Light Fitting 100 W , XLPE LT Cable , PVC unarmoured , LED Lamp 7 W , Onload Changeover switch 63A 415V 4P , Onload Changeover switch 100A 415V 4P , MCCB 4 P 415 V 400 A , MCCB 200A 36KA , MCCB 4 P 415V 320A , MCCB 4P 415V 250A , PVC conduit 20mm rigid type , LED street light fitting 60W , Power contactor 40A MNX 40 , Power contactor 80A MNX 80 , Power contactor 250A , LED round flame proof light 60W , Flame proof switch LM6 , Flame proof socket LM6

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

LT Power Cable 300 Sqmm 3.5 Core , LED Tube light fitting 4 feet complete 20 or 18 Watt indoor type, LT Power Cable 240 Sqmm 3.5 Core, MCCB 4 P 415 V 400 A, MCCB 4 P 415 V 320 A, Slim recess mounted light fitting , MCCB 4 Pole 200A 35KA 415 Volts, MCCB 4 POLE 415 VOLTS 250 AMPS , Storage type electric water heater Geyser 25 Ltrs , LED Tube light fitting 2 feet complete 10 W, XLPE LT Power AI Cable 95 Sqmm 3.5 Core , LED Street Light Fitting 45 Watt , XLPE LT Power Cable 120 Sqmm 3.5 Core , LED Flood Light Fitting 150 Watt , LED Flood Light Fitting 120 Watt, LED Flood Light Fitting 200 Watt , PVC unarmoured Alum Cable 2.0 Core 6 Sqmm , LED Flood Light Fitting 300 Watt , MCCB 4 Pole 100A 25KA 415 Volts , LED Flood Light Fitting 100 Watt, XLPE LT Cable 16 Sqmm 4 Core, PVC unarmoured Cable 2.0 Core 4 Sqmm , LED Lamp 7 Watt , PVC unarmoured Cable 2.0 Core 10 Sqmm , Onload Changeover switch Cap 63A 415V 4P , Onload Changeover switch capacity 100A 415V 4P , MCCB 4 P 415 V 400 A , MCCB 200A Rupturing Capacity 36KA , MCCB 4 P 415 V 320 A, MCCB 4 P 415 V 250 A, PVC conduit 20mm rigid type , LED street light fitting 60 watt inverter battery, Power contactor 40 Amp MNX 40 , Power contactor 80 Amp MNX 80 , Power contactor 250 Amp, LED round flame proof light 60W , Flame proof switch LM6 , Flame proof socket LM6

Searched String: LT Power Cable 300 Sqmm 3.5 Core
 XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)

Searched String: LED Tube light fitting 4 feet complete 20 or 18 Watt indoor type
 LED Tube Light (Retrofit Type)

Searched String: LT Power Cable 240 Sqmm 3.5 Core
 XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)

Searched String: MCCB 4 P 415 V 400 A
 Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Mode Power Supply (SMPS) as per IS 14886:, Answer Book/Booklets For Examinations (V3), Disconnectors

बिड विवरण / Bid Details

(Isolators) for working voltage up to and including 1 KV, Small Sized Valve Regulated Lead Acid Batteries as per IS

Jisc 8702 - 1, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: MCCB 4 P 415 V 320 A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Mode Power Supply (SMPS) as per IS 14886:, Answer Book/Booklets For Examinations (V3), Disconnectors (Isolators) for working voltage up to and including 1 KV, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1

Searched String: Slim recess mounted light fitting

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Helmet Mounted LED Light or Helmet Parts or Accessories, Vehicle mounted focus light, Cricket Trouser, Vehicle Mounted Focus Light (V2), Truck Mounted Suction Machine, SOVP Device for Street light Pole Mounted, Overbed Tables, Truck Chassis Mounted Jetting machine, Trolley Mounted AC Supply lighting tower with LED Flood Light

Searched String: MCCB 4 Pole 200A 35KA 415 Volts

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Fuse Unit, Bamboo, Tent Pole as per IS 7344, Earth Leakage Circuit Breaker (ELCB), Disconnectors (Isolators) for working voltage up to and including 1 KV, Tarpaulins Made from HDPE Woven Fabrics as per IS 7903, Miniature Circuit Breakers Distribution Boards as per IS 13032

Searched String: MCCB 4 POLE 415 VOLTS 250 AMPS

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Fuse Unit

Searched String: Storage type electric water heater Geyser 25 Ltrs

Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Electric Water Heater - Geyser (V2) as per IS 2082:2018 (Latest)

Searched String: LED Tube light fitting 2 feet complete 10 W

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102

Searched String: XLPE LT Power Al Cable 95 Sqmm 3.5 Core

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: LED Street Light Fitting 45 Watt

12 Watt White-LED Based Solar Street Lighting System As

बिड विवरण / Bid Details	Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 7
	<p>Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Inverter Based LED Street Light (V2), Hand Held Search Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Tube Light (Retrofit Type), High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, High Mast Lighting Octagonal Tower with Solar Based LED Street Light</p> <p>Searched String: XLPE LT Power Cable 120 Sqmm 3.5 Core</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Power cable for direct burial xlpe ugac cable for DMRC, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2)</p> <p>Searched String: LED Flood Light Fitting 150 Watt</p> <p>LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Tube Light (Retrofit Type), High Mast Lighting Tower for large area with LED Flood Lighting System</p> <p>Searched String: LED Flood Light Fitting 120 Watt</p> <p>LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Tube Light (Retrofit Type), High Mast Lighting Tower for large area with LED Flood Lighting System</p> <p>Searched String: LED Flood Light Fitting 200 Watt</p>

बिड विवरण / Bid Details

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Tube Light (Retrofit Type), High Mast Lighting Tower for large area with LED Flood Lighting System

Searched String: PVC unarmoured Alum Cable 2.0 Core 6 Sqmm

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985

Searched String: LED Flood Light Fitting 300 Watt

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Tungsten Halogen Lamps (Non - Vehicle) as per IS 12948, LED Luminaire for Flood Light, Flame Proof (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, Trolley Mounted AC Supply lighting tower with LED Flood Light, High Mast Lighting Tower for large area with LED Flood Lighting System

Searched String: MCCB 4 Pole 100A 25KA 415 Volts

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Fuse Unit, Miniature Circuit Breakers Distribution Boards as per IS 13032, Earth Leakage Circuit Breaker (ELCB), Bamboo, Tent Pole as per IS 7344, Disconnectors (Isolators) for working voltage up to and including 1 KV

Searched String: LED Flood Light Fitting 100 Watt

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Flood Light, Flame Proof (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt

White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Tube Light (Retrofit Type), High Mast Lighting Tower for large area with LED Flood Lighting System

Searched String: XLPE LT Cable 16 Sqmm 4 Core

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)

Searched String: PVC unarmoured Cable 2.0 Core 4 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: LED Lamp 7 Watt

7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED PL-L (Plug-in Long) Lamp (V2), Hand Lamp, LED Portable Miner's Cordless Cap Lamp (V2), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Machine Light, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Hand Held Search Light

Searched String: PVC unarmoured Cable 2.0 Core 10 Sqmm

बिड विवरण

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To

IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694

Searched String: Onload Changeover switch Cap 63A 415V 4P

Switch Mode Power Supply (SMPS) as per IS 14886:, Disconnectors (Isolators) for working voltage up to and including 1 KV, Digital Earth Resistance Meter, Switch Fuse Unit, Answer Book/Booklets For Examinations (V3)

Searched String: Onload Changeover switch capacity 100A 415V 4P

Switch Mode Power Supply (SMPS) as per IS 14886:, Disconnectors (Isolators) for working voltage up to and including 1 KV, Digital Earth Resistance Meter, Switch Fuse Unit, Modular Toilet, Miniature Circuit Breakers Distribution Boards as per IS 13032, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Answer Book/Booklets For Examinations (V3), Play Ground Merry Go Round (V2), Micro/Semi-Micro/Analytical weighing balance

Searched String: MCCB 4 P 415 V 400 A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Mode Power Supply (SMPS) as per IS 14886:, Answer Book/Booklets For Examinations (V3), Disconnectors (Isolators) for working voltage up to and including 1 KV, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: MCCB 200A Rupturing Capacity 36KA

HRC Fuse as per IS 13703, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Waste Container (V3), Motor Protection Circuit Breaker (MPCB), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Electronic Weighing Scales, Vacuum Oven, Micro/Semi-Micro/Analytical weighing balance, Portable Toilet, Laboratory Glassware - Burettes (V2) as per IS 1997

Searched String: MCCB 4 P 415 V 320 A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Mode Power Supply (SMPS) as per IS 14886:, Answer Book/Booklets For Examinations (V3), Disconnectors (Isolators) for working voltage up to and including 1 KV,

बिड विवरण / Bid Details Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1

Searched String: MCCB 4 P 415 V 250 A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Mode Power Supply (SMPS) as per IS 14886:, Answer Book/Booklets For Examinations (V3), Disconnectors (Isolators) for working voltage up to and including 1 KV, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1

Searched String: PVC conduit 20mm rigid type

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Pin Up Notice Board (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Fittings for Rigid Non Metallic Conduits as per IS - 3419, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Battery Chargers (for Transreceivers) (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: LED street light fitting 60 watt inverter battery

Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Rechargeable LED Bulb (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

Searched String: Power contactor 40 Amp MNX 40

Digital UHF Repeater Sets as per MHA QR (V2), Power Generator - DG Set (up to 900 KVA), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Led post top lantern, Online UPS (V2), Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Tractors (V1), Online UPS (>10 KVA) With Battery, Cable tray Systems and Cable ladder systems (Overhead power Cable tray), Automatic Door sensor

Searched String: Power contactor 80 Amp MNX 80

Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Online Ups Modular Type, Online UPS (V2), Ferromanganese (V3) Conforming to IS 1171, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Online UPS (>10 KVA) With Battery, Audio Amplifier (V3), Induction Canopy light, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369

Searched String: Power contactor 250 Amp

Audio Amplifier (V3) (under BIS Scheme - II), Audio Amplifier

बिड विवरण / Bid Details	(V3), Automatic Fully Mechanised Organic Waste Machine for Compost, Power Generator - DG Set (up to 900 KVA),
	<p>Electrical Extension Box (V4), Electric Two Wheeler - Motorcycle, Scooter and Moped, Ultrasonic Probe Sonicator, Switching Power Supply for Wireless Application</p> <p>Searched String: LED round flame proof light 60W</p> <p>LED Luminaire for Flood Light, Flame Proof (V2), Flameproof LED Emergency Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Garden Light (V2), LED Based Indicating Lamp for Panel Cut Outs, LED Light Bar (Strobe or warning lights), LED Examination Light for medical use</p> <p>Searched String: Flame proof switch LM6</p> <p>LED Luminaire for Flood Light, Flame Proof (V2), Electrical Extension Box (V4), Flameproof Switch Socket, Flameproof Manual Call Point-IS:2148, Flameproof Control Station-IS:5, IS:1248, Flameproof and Weather Proof Exhaust Fan as per IS 2148, Isolator switch</p> <p>Searched String: Flame proof socket LM6</p> <p>LED Luminaire for Flood Light, Flame Proof (V2), Electrical Extension Box (V4), Flameproof Switch Socket, Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Flameproof Manual Call Point-IS:2148, Flameproof and Weather Proof Exhaust Fan as per IS 2148, Flameproof Control Station-IS:5, IS:1248, Deep Socket</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • LED Tube Light (Retrofit Type)
बीओक्यू शीर्षक /BOQ Title	BOQ BOQ
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	10 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	LT Power Cable
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	92000
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	69000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	2

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

GARRISON ENGR AF PF
Commander Works Engineers Air Force Bhuj, Department of Military Affairs, Indian Army, Ministry of Defence
(Garrison Engr Af Pf)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of

purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/Repo rting Officer	Consignee Address	Qua nty
	Lt Power Cable	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	75
	Led Tube Light Fitting 4 Feet	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	490
	Lt Power Cable	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	75
	Mccb 4p 415v 400 A	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	5
	Mccb 4p 415v 320a	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	5
	Slim Recess Mounted Light Fitting	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	20
	Mccb 4 P 200a 35ka 415v	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	5
	Mccb 4 P 415 V 250 A	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	3
	Storage Type Electric Water Geyser	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10

Schedule 1

Led Tube Light Fitting 2 Ft 10w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	250
Xlpe Lt Power Al	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	50
Led Street Light Fitting 45w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10
Xlpe Lt Power Cable	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	55
Led Flood Light Fitting 150w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	5
Led Flood Light Fitting 120w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	9
Led Flood Light Fitting 200 W	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10
Pvc Unarmoured Alum Cable	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	200
Led Flood Light Fitting 300w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	5
Mccb 4 P 100a 25ka 415v	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10
Led Flood Light Fitting 100 W	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	8
Xlpe Lt Cable	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	200
Pvc Unarmoured	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	150
Led Lamp 7 W	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	95
Pvc Unarmoured	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	300
Onload Changeover Switch 63a 415v 4p	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	2
Onload Changeover Switch 100a 415v 4p	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	2
Mccb 4 P 415 V 400 A	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	3
Mccb 200a 36ka	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	5
Mccb 4 P 415v 320a	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	3
Mccb 4p 415v 250a	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	3
Pvc Conduit 20mm Rigid Type	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	19
Led Street Light Fitting 60w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10

Schedule 2

Power Contactor 40a Mnx 40	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10
Power Contactor 80a Mnx 80	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10
Power Contactor 250a	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	10
Led Round Flame Proof Light 60w	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	20
Flame Proof Switch Lm6	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	20
Flame Proof Socket Lm6	Rakesh Kumar Yadav	Garrison Engineer AIR FORCE Bhuj Khavada Road PIN 370001 370001	20

LT Power Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	75	30

LED Tube Light Fitting 4 Feet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	490	30

LT Power Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	75	30

MCCB 4P 415V 400 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	5	30

MCCB 4P 415V 320A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	5	30

Slim Recess Mounted Light Fitting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	20	30

MCCB 4 P 200A 35KA 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	5	30

MCCB 4 P 415 V 250 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	3	30

Storage Type Electric Water Geyser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

LED Tube Light Fitting 2 Ft 10W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	250	30

XLPE LT Power AI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	50	30

LED Street Light Fitting 45W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

XLPE LT Power Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	55	30

LED Flood Light Fitting 150W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	5	30

LED Flood Light Fitting 120W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	9	30

LED Flood Light Fitting 200 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

PVC Unarmoured Alum Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	200	30

LED Flood Light Fitting 300W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	5	30

MCCB 4 P 100A 25KA 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

LED Flood Light Fitting 100 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	8	30

XLPE LT Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	200	30

PVC Unarmoured

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	150	30

LED Lamp 7 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	95	30

PVC Unarmoured

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	300	30

Onload Changeover Switch 63A 415V 4P

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	2	30

Onload Changeover Switch 100A 415V 4P

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	2	30

MCCB 4 P 415 V 400 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	3	30

MCCB 200A 36KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	5	30

MCCB 4 P 415V 320A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	3	30

MCCB 4P 415V 250A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	3	30

PVC Conduit 20mm Rigid Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	19	30

LED Street Light Fitting 60W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

Power Contactor 40A MNX 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

Power Contactor 80A MNX 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

Power Contactor 250A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	10	30

LED Round Flame Proof Light 60W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	20	30

Flame Proof Switch LM6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	20	30

Flame Proof Socket LM6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUTCHH/BHUJ	20	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.

14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---