

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-04-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-04-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	376
वस्तु श्रेणी /Item Category	SITC OF FLOOR MOUNTED TOWER AIR CONDITIONER 3 TON 1 STAR AS SPECIFIED IN SRL NO 1 APPENDIX A , M AND L FOR MAKING HOLE FOR COMMUNICATION COPPER CABLE AS SPECIFIED IN SRL NO 2 APPENDIX A , SITC OF VERTICAL DISTRIBUTION BOARD 4 WAY AS SPECIFIED IN SRL NO 3 APPENDIX A , S AND F MCCB 63AMP 4 POLE 415 VOLT 16KA , S AND F MCB 40AMP 3 POLE 415 VOLT C CURVE 10 KA , S AND F 3 POLE NEUTRAL SHEET METAL ENCLOSURE AS SPECIFIED IN SRL NO 4 APPENDIX A , M AND L FOR AC SUBMAIN WIRING 6SQMM 1 CORE AS SPECIFIED IN SRL NO 5 APPENDIX A , S AND F COPPER PIPE 15MM AS SPECIFIED IN SRL NO 6 APPENDIX A , S AND F COPPER PIPE 10MM AS SPECIFIED IN SRL NO 7 APPENDIX A , S AND F HOT AND COLD SPLIT AC 2 TON AS SPECIFIED IN SRL NO 8 APPENDIX A , S AND F L TYPE STAND FOR MOUNTING AC OUTDOOR UNIT , S AND F PVC DRAIN PIPE 25MM , PEDESTAL FAN 500MM SWEEP 14 RPM AIR DELIVRY 105 CMM , LED DOWN LIGHT 18W , LED LIGHT SURFACE MOUNTED 1ft in to 4ft 36w , RO CAPACITY 100 LPH , BLOWER MOTOR 800W 1 PHASE 4POLE FOR INDOOR UNIT OF VOLTAS 5 POINT 5 TR AC , GEYSER 15LTR 5 STAR , GEYSER 25LTR 5 STAR , PVC FRLS MULTI STRANDED COPPER CABLE 3 CORE 1 POINT 5 SQMM 100 MTR ROLL , PVC FRESHER FAN 250MM SWEEP , PVC FRESHER FAN 200MM SWEEP , HIGHBAY LED DOWN LIGHT 100W , FANCY METELIC LED GATE LIGHT GLASS COVER WITH 9W WARM WHITE LED BULB , TUBE LIGHT 20W 4FEET , TUBE LIGHT 10W 2FEET , 2 By 2 LED 36 WATT RECESS MOUNTED FITTING , EXHAUST FAN 300MM , EXHAUST FAN 450MM , LED FLOOD LIGHT 100WATT , S AND F HOT AND COLD SPLIT AC 1 POINT 5 TON AS SPECIFIED IN SRL NO 9 APPENDIX A , Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448 (Q2)

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

SITC OF FLOOR MOUNTED TOWER AIR CONDITIONER 3 TON 1 STAR , M AND L FOR MAKING HOLE FOR COMMUNICATION COPPER CABLE , SITC OF VERTICAL DISTRIBUTION BOARD 4 WAY , S AND F MCCB 63AMP 4 POLE 415 VOLT 16KA, S AND F MCB 40AMP 3 POLE 415 VOLT C CURVE 10 KA, S AND F 3 POLE NEUTRAL SHEET METAL ENCLOSURE , M AND L FOR AC SUBMAIN WIRING 6SQMM 1 CORE , S AND F COPPER PIPE 15MM , S AND F COPPER PIPE 10MM , S AND F HOT AND COLD SPLIT AC 2 TON , S AND F L TYPE STAND FOR MOUNTING AC OUTDOOR UNIT, S AND F PVC DRAIN PIPE 25MM, PEDESTAL FAN 500MM SWEEP 14 RPM AIR DELIVRY 105 CMM, LED DOWN LIGHT 18W, LED LIGHT SURFACE MOUNTED 1ft in to 4ft 36w, RO CAPACITY 100 LPH , BLOWER MOTOR 800W 1 PHASE 4POLE FOR INDOOR UNIT OF VOLTAS 5 POINT 5 TR AC, GEYSER 15LTR 5 STAR, GEYSER 25LTR 5 STAR, PVC FRLS MULTI STRANDED COPPER CABLE 3 CORE 1 POINT 5 SQMM 10MTR ROLL, PVC FRESHER FAN 250MM SWEEP, PVC FRESHER FAN 200MM SWEEP, HIGHBAY LED DOWN LIGHT 100W, FANCY METELIC LED GATE LIGHT GLASS COVER WITH 9W WARM WHITE LED BULB, TUBE LIGHT 20W 4FEET, TUBE LIGHT 10W 2FEET, 2 By 2 LED 36 WATT RECESS MOUNTED FITTING, EXHAUST FAN 300MM, EXHAUST FAN 450MM, LED FLOOD LIGHT 100WATT, S AND F HOT AND COLD SPLIT AC 1 POINT 5 TON AS SPECIFIED IN SRL NO 9 APPENDIX A

Searched String: SITC OF FLOOR MOUNTED TOWER AIR CONDITIONER 3 TON 1 STAR

Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2)

Searched String: M AND L FOR MAKING HOLE FOR COMMUNICATION COPPER CABLE

Pigtails for Fiber Cable Connection

Searched String: SITC OF VERTICAL DISTRIBUTION BOARD 4 WAY

Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Information Boards or Illustration Board (V2), Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658

Searched String: S AND F MCCB 63AMP 4 POLE 415 VOLT 16KA

Category not available on GeM for the text string uploaded by the buyer

Searched String: S AND F MCB 40AMP 3 POLE 415 VOLT C CURVE 10 KA

Category not available on GeM for the text string uploaded by the buyer

Searched String: S AND F 3 POLE NEUTRAL SHEET METAL ENCLOSURE

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: M AND L FOR AC SUBMAIN WIRING 6SQMM 1 CORE

Category not available on GeM for the text string uploaded by the buyer

Searched String: S AND F COPPER PIPE 15MM

Laboratory Vials (V2), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Crepe Bandage Conforming to IS 4605

Searched String: S AND F COPPER PIPE 10MM

Laboratory Vials (V2), Non Woven Bandage Roll Conforming to IS 16660, Crepe Bandage Conforming to IS 4605, Open Weave Bandage

Searched String: S AND F HOT AND COLD SPLIT AC 2 TON

Category not available on GeM for the text string uploaded by the buyer

Searched String: S AND F L TYPE STAND FOR MOUNTING AC OUTDOOR UNIT

Category not available on GeM for the text string uploaded by the buyer

Searched String: S AND F PVC DRAIN PIPE 25MM

Category not available on GeM for the text string uploaded by the buyer

Searched String: PEDESTAL FAN 500MM SWEEP 14 RPM AIR DELIVRY 105 CMM

Category not available on GeM for the text string uploaded by the buyer

Searched String: LED DOWN LIGHT 18W

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten Light (LED Tube Light) (V2), LED Flash Light, LED Bulkhead Light, LED Garden Light (V2), Hand Held Search Light, Track Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2)

Searched String: LED LIGHT SURFACE MOUNTED 1ft in to 4ft 36w

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Well Glass Fixture (V2) (Under BIS Scheme - II), LED Machine Work Lamp, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Diving Torch Light (Diving Instruments or

बिड विवरण / Bid Details	Accessories), Intrinsically Safe (Explosion Proof) LED Torch With Replaceable Battery, Stainless Steel Benches (RDSO Specification), Split Air Conditioner Including Green AC, Wall Mount Type (V2)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: RO CAPACITY 100 LPH</p> <p>RO Water Treatment System Above 50 LPH Filtration Capacity, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Electronic Weighing Scales, Reverse Osmosis based Water Treatment System above 50 LPH Capacity, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Mining Dumpers, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Motor Protection Circuit Breaker (MPCB), RO Water Plant for Hemodialysis, Urine Collection Bag - Sterile (Single Use)</p> <p>Searched String: BLOWER MOTOR 800W 1 PHASE 4POLE FOR INDOOR UNIT OF VOLTAS 5 POINT 5 TR AC</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: GEYSER 15LTR 5 STAR</p> <p>Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, rubber bands, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Wet Grinder, Television (V3), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)</p> <p>Searched String: GEYSER 25LTR 5 STAR</p> <p>XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Elastic Surgical Adhesive Tapes (V2), Wet Grinder, Endotracheal Tube - Sterile (Single Use)</p> <p>Searched String: PVC FRLS MULTI STRANDED COPPER CABLE 3 CORE 1 POINT 5 SQMM 10MTR ROLL</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694</p>

बिड विवरण/Bid Details Searched String: PVC FRESHER FAN 250MM SWEEP

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: PVC FRESHER FAN 200MM SWEEP

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, intracompartamental pressure monitoring set accessories (Pressure Monitoring Line), Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: HIGHBAY LED DOWN LIGHT 100W

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten Light (LED Tube Light) (V2), LED Luminaire for High Bay Lighting, LED Flash Light, LED Bulkhead Light, LED Garden Light (V2), Hand Held Search Light, Track Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

Searched String: FANCY METELIC LED GATE LIGHT GLASS COVER WITH 9W WARM WHITE LED BULB

Track Light, White LED (W - LED) Based Solar Home Lighting Systems (V2)

Searched String: TUBE LIGHT 20W 4FEET

LED Batten Light (LED Tube Light) (V2), LED Tube Light (Retrofit Type), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Endotracheal Tube - Sterile (Single Use), LED Batten, Blood Collection Tube, Portable Emergency LED Lighting Tower System with Battery Bank, Portable Emergency LED Lighting Tower System with AC Generator Set, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Hand Held Search Light

Searched String: TUBE LIGHT 10W 2FEET

LED Batten Light (LED Tube Light) (V2), LED Tube Light

<p style="text-align: center;">बिड विवरण / Bid Details</p>	<p>(Retrofit Type), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Batten, Blood Collection Tube, Endotracheal Tube - Sterile (Single Use), Portable Emergency LED Lighting Tower System with Battery Bank, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Line Interactive UPS with AVR (V2), Hand Held Search Light</p> <p>Searched String: 2 By 2 LED 36 WATT RECESS MOUNTED FITTING</p> <p>LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Flying Insect Control Traps - Fly Catcher, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Overbed Tables</p> <p>Searched String: EXHAUST FAN 300MM</p> <p>PULLEY FOR EXHAUST FAN, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Positive Pressure Ventilation Fan Blower, Flameproof Propeller Type AC Ventilating Fans (Exhaust Fan) (V2), Dry Erase Writing Boards (V3), Flameproof and Weather Proof Exhaust Fan as per IS 2148, Pin Up Notice Board (V2), Diesel Exhaust Fluid</p> <p>Searched String: EXHAUST FAN 450MM</p> <p>PULLEY FOR EXHAUST FAN, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Positive Pressure Ventilation Fan Blower, Flameproof Propeller Type AC Ventilating Fans (Exhaust Fan) (V2), Dry Erase Writing Boards (V3), Flameproof and Weather Proof Exhaust Fan as per IS 2148, Pin Up Notice Board (V2), Diesel Exhaust Fluid</p> <p>Searched String: LED FLOOD LIGHT 100WATT</p> <p>LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Trolley Mounted AC Supply lighting tower with LED Flood Light, LED Luminaire for Flood Light, Flame Proof (V2), LED Batten Light (LED Tube Light) (V2), LED Flash Light, Hand Held Search Light, LED Bulkhead Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)</p> <p>Searched String: S AND F HOT AND COLD SPLIT AC 1 POINT 5 TON AS SPECIFIED IN SRL NO 9 APPENDIX A</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<p>Category not available on GeM for the text string uploaded by Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)</p>

बिड विवरण/Bid Details	
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	14 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	1 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	RO CAPACITY 100 LPH
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details

मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the

date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

SITC OF FLOOR MOUNTED TOWER AIR CONDITIONER 3 TON 1 STAR AS SPECIFIED IN SRL NO 1 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

**M AND L FOR MAKING HOLE FOR COMMUNICATION COPPER CABLE AS SPECIFIED IN
SRL NO 2 APPENDIX A**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

**SITC OF VERTICAL DISTRIBUTION BOARD 4 WAY AS SPECIFIED IN SRL NO 3 APPENDIX
A**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

S AND F MCCB 63AMP 4 POLE 415 VOLT 16KA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

S AND F MCB 40AMP 3 POLE 415 VOLT C CURVE 10 KA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

S AND F 3 POLE NEUTRAL SHEET METAL ENCLOSURE AS SPECIFIED IN SRL NO 4 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

M AND L FOR AC SUBMAIN WIRING 6SQMM 1 CORE AS SPECIFIED IN SRL NO 5 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	87	30

S AND F COPPER PIPE 15MM AS SPECIFIED IN SRL NO 6 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	24	30

S AND F COPPER PIPE 10MM AS SPECIFIED IN SRL NO 7 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	24	30

S AND F HOT AND COLD SPLIT AC 2 TON AS SPECIFIED IN SRL NO 8 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

S AND F L TYPE STAND FOR MOUNTING AC OUTDOOR UNIT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

S AND F PVC DRAIN PIPE 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	30

PEDESTAL FAN 500MM SWEEP 14 RPM AIR DELIVRY 105 CMM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

LED DOWN LIGHT 18W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

LED LIGHT SURFACE MOUNTED 1ft In To 4ft 36w

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

RO CAPACITY 100 LPH

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

BLOWER MOTOR 800W 1 PHASE 4POLE FOR INDOOR UNIT OF VOLTAS 5 POINT 5 TR AC

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

GEYSER 15LTR 5 STAR

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

GEYSER 25LTR 5 STAR

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

PVC FRLS MULTI STRANDED COPPER CABLE 3 CORE 1 POINT 5 SQMM 100 MTR ROLL

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

PVC FRESHER FAN 250MM SWEEP

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

PVC FRESHER FAN 200MM SWEEP

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

HIGHBAY LED DOWN LIGHT 100W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

FANCY METELIC LED GATE LIGHT GLASS COVER WITH 9W WARM WHITE LED BULB

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

TUBE LIGHT 20W 4FEET

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	40	30

TUBE LIGHT 10W 2FEET

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

2 By 2 LED 36 WATT RECESS MOUNTED FITTING

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	40	30

EXHAUST FAN 300MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

EXHAUST FAN 450MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

LED FLOOD LIGHT 100WATT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

S AND F HOT AND COLD SPLIT AC 1 POINT 5 TON AS SPECIFIED IN SRL NO 9 APPENDIX A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	30

**Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer)
Conforming To IS 8448 (2 pieces)**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Rating (in KVA)	5.0

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

**Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer)
Conforming To IS 8448 (12 pieces)**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Rating (in KVA)	4.0

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	30

Special terms and conditions-Version:1 effective from 10-10-2025 for category Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448

1. The marking, construction, safety requirements, terminal marking of Automatic Line Voltage Correctors shall conform to the IS 8448.
2. Presently, the products under this category are not covered under mandatory BIS licensing scheme. Hence, both ISI Marked and non-ISI Marked products may be available in this category. However, if a buyer intends to procure ISI Marked products, buyer may, at his discretion, opt for the same by indicating the requirement in the bid, after taking into account the number of valid licenses issued under the standard. In such cases, buyer shall verify valid BIS License as per the applicable governing standard at the time of evaluation of bid and check the ISI marking on the products at the time of receipt of material before issuing of CRAC.

The valid BIS license status of sellers may be viewed by buyer from the below link.

<https://www.manakonline.in/MANAK/ApplicationLicenceRelatedrpt>

or

https://www.services.bis.gov.in/php/BIS_2.0/bisconnect/knowyourstandards/indian_standards/isdetails

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1.The bidder has to submit declaration on Stamp paper of Rs 100/- duly notarised date of declaration not before a bid published date for not having debarred / blacklisted either by any bid inviting authority or by any organisation functioning under central / State Govt / Semi-Govt and also not suspended watch on GeM portal. GeM seller ID to be specially mentioned in Affidavit. The bid will be rejected without these documents.

2. The bidder has to produce solvency certificate along with the bid for Rs 50 lakh for each schedule The certificate should be issued from Nationalised /Scheduled bank and should not be more than three months old from the date of opening of BID and should have valid bank employee ID on the certificate

3 .E-PERFORMANCE BANK GUARANTEE : The Bidder will be required to furnish a Electronic Performance Bank Guarantee (ePBG) through a Nationalised / Schedule Bank for a sum equal to 3% of the Contract value on receipt of confirmed order.

4.EMD : The Bidders are required to furnish a Earnest Money Deposit (EMD) through a Nationalised/ Schedule Bank in the form of Fixed Deposit Receipt (FDR) for Rs.90000/- in favour of GE UTILITY P&M Delhi Cantt 10. Bidders to upload scanned copy of/proof of the FDR along with bid and has to ensure delivery of hard copy to the buyer before bid end date/Bid opening date

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---