

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-01-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-01-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Odisha
विभाग का नाम/Department Name	Home Department Odisha
संगठन का नाम/Organisation Name	Odisha Police
कार्यालय का नाम/Office Name	State Police Headquarters
कुल मात्रा/Total Quantity	33
वस्तु श्रेणी /Item Category	Breathing Apparatus with compressed Air Cylinder (Diving Instruments or Accessories) (Q3)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	73 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	72600

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

AIG of Police (Provisioning)

State Police Headquarters, Home Department Odisha, Odisha Police, Cuttack.

(Bimalendu Satapathy)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Breathing Apparatus With Compressed Air Cylinder (Diving Instruments Or Accessories) (33 pieces)

तकनीकी विशिष्टियाँ / Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Cylinder Construction	Cylinder Material	Aluminum alloy, Stainless steel, Carbon Composite fiber
CERTIFICATION	Warranty Period	2, 3, 5 (year)
	Service warranty at consignee end	5, 10 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAYADHAR BEHERA	753003,OMP Square Cuttack	33	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional [Specifications:-](#)

General	The breathing apparatus shall be approved to EN 137 (2006) type 2. All components of the SCBA shall be arranged to minimize interference when in confined spaces and when passing through small openings. Components of the SCBA shall be easily removed for routine service and maintenance.
	It should be possible to connect two cylinders to one SCBA if needed by the department (to increase the use duration of an SCBA).
Face Mask	Compliance to EN 136 and should be manufactured out of EPDM with double reflex sealing for extra protection.
	Low exhalation resistance
	Adjustable five points head strap for rapid donning
	Close fitting oral/nasal mask to ensure no CO2 build-up
	Self-demisting polycarbonate visor for clear vision with Anti-Scratch Properties.
	Replaceable visor with a wide field of vision.
	A speech transmission diaphragm is required to provide backup in the event of battery or communication unit failure
	Perspiration drain to avoid skin irritation
	Spring-loaded exhalation valve
	Easy & quick fitting plug-in connection to Lung Demand Valve.
	Body - EPDM
	Harness - 5-point connection
	Approval - EN 136, CLASS 3

	<p>Head Up Display Unit shall be installed in the face mask without the help of any tools/screws.</p>
	<p>HUD shall have an ambient light sensor for automatic adjustment of LED brightness. ATEX Zone '0' approval</p>
Lung Demand Valve	<p>The lung demand valve should be detachable and is connected to the facemask, by PUSH-IN mechanism from the front side of the facemask and should be capable of delivering 400 lpm of air</p>
	<p>4-10 mbar first breath activation pressure, low breathing resistance</p>
	<p>Should maintain positive pressure even at 10 bar and 300 lpm.</p>
	<p>It should be a balanced piston type LDV.</p>
Back Plate Assembly	<p>The back plate should be orthopedically and ergonomically designed and should be molded from high strength carbon composite and should be nonmetallic.</p>
	<p>It should be attached securely to the waist belt</p>
	<p>Should be chemical, heat, and flame resistant, lightweight, and water-resistant, incorporating molded carrying handles.</p>
	<p>The back plate shall allow air circulation between the cylinder and the wearer's back.</p>
	<p>Should have rubber boot at the bottom end to absorb impact and prevent damage</p>
	<p>Hoses integrated into the back plate.</p>
	<p>If needed, the back plate should be able to accommodate twin cylinder configuration (connecting two cylinders onto one back plate).</p>
Cylinder Strap	<p>The cylinder strap should be made out of fire-retardant material, capable of accommodating 300 bar as well as 200 bar and all common BA set cylinders</p>
	<p>It should have a fail-safe camlock-type locking mechanism</p>
Webbing/Harness	<p>Harness should be made from strong, heat and Chemical resistant material and should not be riveted or welded</p>
	<p>The harness should pass through the back plate through tailor-made slots</p>

	<p>The shoulder and waist padding of the harness must be constructed from a high abrasion-resistant, high puncture-resistant, slip-resistant chloroprene rubber outer layer (professional firefighting harness). The shoulder and waist padding shall be chemical & water-resistant and fire retardant</p>
	<p>It shall not be a woven fabric without padding</p>
	<p>The harness webbing shall be constructed of strong, hard-wearing type material. The webbing must be inherently flame retardant so that cleaning processes will not remove the inherent flame retardant properties</p>
	<p>The Harness should be detachable from the back plate without any tools for easy maintenance and Servicing</p>
Pressure Reducer	<p>The pressure reducer should be small, sturdy, and tamper-proof encapsulated type with high air delivery and should be capable of delivering air as per EN 137</p>
Pressure Gauge & PASS Device / DSU-ADSU Unit	<p>The set should be provided with an Analog Gauge and Electronic Warning Device / PASS Device. The device should activate automatically when the cylinder is opened</p>
	<p>Warning whistle should be of 90dBA level and should be integrated into the pressure gauge hose close to the gauge</p>
	<p>Pressure warning shall be both Visual & Audible</p>
	<p>Visual: With LEDs (including Gauge Dial turning Red) & Audible</p>
	<p>Audible: WWU & Warning signals from the DSU</p>
	<p>Gauge shall be positioned on the left shoulder (close to the ear).</p>
	<p>Electronic warning & distress signal unit shall have the following features</p>
	<p>Pressure warning shall be both Visual (LEDs + Gauge turning Red) & Audible</p>
	<p>Motion Sensor and Alarm if a Firefighter is motionless (ADSU)</p>
	<p>Personal alarm</p>
	<p>Manual Panic alarm for activating an Alarm by the Firefighter in Emergency</p>
	<p>LP warning - medium pressure driven whistle</p>
	<p>Bright Flashing LEDs</p>
	<p>Pressure Data recording and to be able to be downloaded after the Operation in a Computer/Laptop (for Post Incident Analysis).</p>
	<p>It should be medium pressure driven and must activate automatically at by residual cylinder pressure of 55 ± 5 bar to alert the wearer</p>
	<p>ADSU main alarm - 102 to 112 dBA measured at 250 mm</p>
	<p>DSU Approved by PESO for Zone 0</p>
<p>Rest all other electronics approved to ATEX Zone 0</p>	
<p>Should have Talley key provision for use with B.A. set and Tally control board, if required</p>	

Heads-Up Display (HUD)	The HUD system must be a wireless system with the mask receiver positioned inside the mask.
	The HUD system must automatically activate when the cylinder is opened, pressurizing the SCBA pneumatics.
	The HUD shall consist of six (6) LEDs: one red, one amber, two green and two (2) LEDs for separate low battery and warning indicators.
	HUD shall have an ambient light sensor for automatic adjustment of LED brightness.
	The HUD shall be fixed inside the mask by way of a self-clamping method that is molded as part of the receiver.
	The HUD shall be installed in the face piece without the use of tools.
	The HUD shall not require any fixing or holding screw to fix the in-mask receiver to the face piece.
Operational Features	The equipment shall have following operational features
	Breathing apparatus must seamlessly integrate and interface with the face mask, HUD, Warning equipment and cylinder to create a high performance personal safety system
	It shall be equipped with compression molded comfort padding to ensure high temperature performance
	High grip anti-slip surface to ensure the harness remains in position and the set remains secure on the body. It should be possible to detach the harness without use of any tools (for easy cleaning and maintenance).
	Ergonomic design to ensure that the firefighter can carry out the task at hand safely and effectively and with minimum effort
	Option to twin the SCBA (with two cylinders) to increase the effective usable duration, if needed by the department
	Durability and safety: Equipment to work in hostile environments where they are exposed to extreme temperatures and/or chemicals
	Care and maintenance: Simple and easy maintenance / quick turnaround times in the workshop and easy cleaning and decontamination and quick assembly and disassembly of all major components
Cylinders & Valves	The material for the cylinder should be lightweight carbon composite material and should be manufactured and certified in accordance with EN 12245:2009
	The cylinder shall be approved by PESO, Nagpur

	<p>The air cylinder should have a minimum water capacity of 6.8 liters and a free air capacity of min.1800 liters when filled at a pressure of 300 bars. The test pressure should be 450 bar</p>
	<p>Capacity should be sufficient to allow a minimum of 35 minutes of working duration and 10 minutes of reserve air at a breathing rate of 40 liters per minute</p>
	<p>Life of the cylinder shall be a minimum of 20 years</p>
	<p>The cylinder valve should be so designed that the spindle cannot be completely unscrewed during normal operation, and it shall be so positioned that it cannot be inadvertently closed during use</p>
	<p>The cylinder valve should be provided with a spring-loaded type to avoid accidental closing and fitted with Excess Flow Valve (EFV)</p>
	<p>Cylinder valve shall be manufactured and certified in accordance with EN 144 & shall also be approved by PESO, Nagpur</p>
Approvals	<p>EN137: 2006 (Type 2) as per the latest EU Regulation. The EN 137 Type 2 approval should include all SCBA components including Cylinder, Valve, Back plate, LDV, DSU Unit, HUD, etc.).</p>
	<p>Quality Assurance Certificate as per Annex VIII Module D in the latest EU regulation</p>
	<p>EN 136 C13 for the Full-Face Mask</p>
	<p>EN 12245 certification & PESO approval for cylinders.</p>
	<p>EN 144 certification & PESO approval for cylinder valves</p>
	<p>ATEX Zone 0 approval for all electronics</p>
	<p>PESO Approval for DSU/ADSU</p>
Weight	<p>Weight of the entire BA set shall be less than 12 kg. (With a filled cylinder).</p>
After Sales Service	<p>The Supplier should have PESO Approved Hydrostatic testing and re-filling Facility to be able to support the after sales supply</p>
Additional Requirements	
<p>Single Supplier: Back Plate, Facemask, LDV, Cylinder, DSU & HUD shall be from a single OEM (Brand to be marked and clearly visible on all the four components) to ensure the following:</p>	<p>Seamless connectivity of all different components</p>
	<p>Authentic EN 137 approvals for the SCBA (including Cylinder, Valve, Back plate, LDV, DSU, HUD etc.)</p>

Additional Terms & Conditions:-

1. The bidder's average annual turnover for the last three financial years should not be less than 36.30 lak

hs.

2. The bidders are requested to submit EMD / e-BG as per bid requirement in term of electronics Bank Guarantee quoting Unique Identification Number (UIN) " NCOGD2383P " with NeSL while applying eBG from their respective Banks.

3. This bid is governed by OGFR-2023 and GFR regulations. Bidders will liable for punitive measures, including potential debarment, outlined in OGFR and GFR for any violations or failure to comply with GFR / OGFR as well as bid terms and conditions.

4. "Provisions of 'Public Procurement (Preference to Make in India), Order 2017', as amended from time to time, shall be followed in case eligible foreign bidders participate in the bidding process".

5. The condition of prior turnover and prior experience may be relaxed/ waived for local MSEs / Start-ups subject to meeting of quality & technical specifications and making suitable provisions in the bidding document.

6. In exceptional circumstances, the procuring authority may award the contract in excess up to ten percent of quantity mentioned in the bid document at his level. The procuring authority shall obtain approval of next higher authority and record reasons of such variations in writing, in case where the quantity to be procured exceeds ten percent, but does not exceed fifty percent, of the quantity as mentioned in the bid document.

7. DEFINITION OF MSEs AND STARTUPS FOR THIS BID: For the Procurement of the item; Micro & Small Enterprise (MSE) means an Industrial Unit or Enterprise as defined in Odisha MSME Development Policy, 2022 and as amended from time to time. Similarly, A Start-up means an Enterprise as defined under the Odisha Start up Policy, 2016, and as amended from time to time.

8. The bidder to furnish a certificate as per the format specified below along with the bid: "I certify that I have not committed any offence (a) Under the Prevention of Corruption Act, 1988; or (b) the Indian Penal Code or any other law for the time being in force, for causing any loss of life or property or causing a threat to public health as part of execution of a public procurement contract. (c) I have not been debarred by any Central / State Government Organization/Bodies for the last 3 years." Signature with designation

9. Prior turnover and prior experience may be relaxed/ waived for local MSEs / Start-ups subject to meeting of quality & technical specifications and making suitable provisions in the bidding document.

10. Micro and Small Enterprises (MSEs) and start-ups are allowed concessional payment of performance security @ 25% of performance security prescribed for normal bidders.

11. Bid security (also known as earnest money) is to be obtained from the bidders except Micro and Small Enterprises (MSEs) and start-ups.

12. Purchase preference, Price Preference and other relaxations to local MSEs/Start-ups at the time of public procurement shall be guided by notifications/guidelines as issued by MSME Department from time to time.

13. During the warranty period, the supplier shall repair or rectify any defective goods, or replace them with defect-free goods, at no additional cost. All repaired or replaced items shall be delivered to the buyer's premises free of charge. 14. The bidder shall submit the Income Tax Return (ITR) for any one of the last three assessment years.

15. The bidder must submit the Manufacturer's Authorization Form (MAF) in the following format; failing this, the bidder will be liable for disqualification.

Manufacturer's Authorization Form (MAF)

(To be submitted on OEM Letterhead)

Ref. No. _____ Dated _____

To

The A.I.G. of Police (Provisioning),
Odisha, Cuttack.

Dear Sir,

Tender Reference No./ NIT /GeM Bid No. : _____

Name of the item:

We M/s. _____ who are established and reputable manufacturers of _____ do here
by authorize M/s. _____ (Name and address of Agent / Dealer) to participate in the above tender.

We hereby extend our technical assistance to the bidder during installation and inspection of the product.

We hereby certify that, the equipments being sold would not be declared End of Support (EoS) or become obsolete in the next 5 years. Also, we certify that the products being sold would be covered under Warranty / Support and OEM support will be available for ___ years(as specified in the GeM Bid / Tender / NIT No.) from the date of installation, even in the case, the bidder becomes "Out of service".

We have studied the requirements of the product and confirm that we will adhere to the specifications of the tender and quality plan and extend all support during the inspection and provide documentary evidence at the time of inspection for the verification by Client/Client's representative.

Yours faithfully

(Name)

For and on behalf of M/s. _____

(Name of manufacturers)

3. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

No

Post Receipt Inspection at consignee site before acceptance of stores:

Yes

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

AIG of Police (Provisioning), Odisha, Cuttack.

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

5. **Rate Contract**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

6. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

8. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

9. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

AIG of Police (Provisioning), Odisha, Cuttack.

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

10. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---