

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	04-03-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-03-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	12789
	Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (Q3) , Electric Bells and Accessories as per IS 2268 (Q3) , Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (Q3) , Ceiling rose - IS 371 (Q3) , PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 (Q2) , MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) , LED Batten (Q2) , Taking down carefully copper by aluminium point wiring complete of any type batten by surface conduit or concealed for light point fan point complete. All details specified in BoQ and Addl Work file , Taking down unserviceable existing sub main wiring with copper by aluminium conductor stranded cable.All details specified in BoQ and Addl Work file , Supply of Angle holder PVC polycarbonate suitable size fixed on wall. All details specified in BoQ and Addl Work file , Fixing of Angle holder PVC polycarbonate suitable size fixed on wall. All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet steel VTPN 6 way.All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet steel VTPN 6 way.All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet steel VTPN 6 way.Complete All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet, dust and vermin proof, TPN 4 way.Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet, dust and vermin proof, TPN 4 way.Complete All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal

बिड विवरण / Bid Details	enclosure CRCA sheet, dust and vermin proof, TPN 8 way. Complete All details specified in BoQ and Addl Work file
वस्तु श्रेणी /Item Category	<p>, Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet, dust and vermin proof, TPN 8 way. Complete All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 4 way with 200 Amps. Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 4 way with 200 Amps. Complete All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 8 way with 200 Amps. Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 8 way with 200 Amps. Complete All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 12 way with 200 Amps. Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 12 way with 200 Amps. Complete All details specified in BoQ and Addl Work file , Supply of single pole and neutral enclouser with a two pin and earth plug and socket. Complete All details specified in BoQ and Addl Work file , Fixing of single pole and neutral enclouser with a two pin and earth plug and socket. Complete All details specified in BoQ and Addl Work file , Material for Earthing complete with galvanised steel earth plate electrode 60x60cmx 6mm thick. Complete All details specified in BoQ and Addl Work file , Fixing of Earthing complete with galvanised steel earth plate electrode 60x60cmx 6mm thick. Complete All details specified in BoQ and Addl Work file , Material for concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one swtch 5 Amps. , Fixing of concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one swtch 5 Amps. , Material for concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin ,5 Amps socket outlet in the same board. , Fixing for concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin ,5 Amps socket outlet in the same board. , Material for concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin, 5 Amps socket outlet in the independent board. , Fixing of concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin, 5 Amps socket outlet in the independent board. , Material for concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one bell push. , Fixing concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one bell push. , Material for concealed point wiring complete using 2.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for power point on independent board. , Fixing of concealed point wiring complete using 2.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for power point on independent board. , Material for concealed point wiring complete using 4.0 Sqmm PVC copper conducto cable FRLSH 1100 V, for for AC</p>

विड विवरण / Bid Details	socket on independent board. , Fixing of concealed point wiring complete using 4.0 Sqmm PVC copper conducto
	cable FRLSH 1100 V, for for AC socket on independent board. , Material for switch Socket Combination 5 pin, 5 Amps flush type.Complete All details specified in BoQ and Addl Work file , Fixing of switch Socket Combination 5 pin, 5 Amps flush type.Complete All details specified in BoQ and Addl Work file , Material for switch Socket Combination 2 in 1, 5 by 16 Amps flush type.Complete All details specified in BoQ and Addl Work file , Fixing switch Socket Combination 2 in 1, 5 by 16 Amps flush type.Complete All details specified in BoQ and Addl Work file , Supply of LED street light fting 35 Watt 230 V AC outdoor type.Complete All details specified in BoQ and Addl Work file , Fixing of LED street light fting 35 Watt 230 V AC outdoor type.Complete All details specified in BoQ and Addl Work file , Molded Case
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Calcining Breaker (MCCB) apparatus (MCB) wiring, Taking down unserviceable existing sub main wiring, Supply of Angle holder PVC polycarbonate suitable size, Fixing of Angle holder PVC polycarbonate suitable size, Supply of (DB) made out of sheet metal enclosure V TPN 6 Way for 160/200 A Mccbs, Fixing of (DB) made out of sheet metal enclosure V TPN 6 Way for 160/200 A Mccbs, Supply of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs, Fixing of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs, Supply of (DB) made out of sheet metal enclosure TPN 4 Way, Fixing of (DB) made out of sheet metal enclosure TPN 4 Way, Supply of (DB) made out of sheet metal enclosure TPN 8 Way, Fixing of (DB) made out of sheet metal enclosure TPN 8 Way, Supply of (DB) made out of sheet metal enclosure SPN 4 Way, Fixing of (DB) made out of sheet metal enclosure SPN 4 Way, Supply of (DB) made out of sheet metal enclosure SPN 8 Way, Fixing of (DB) made out of sheet metal enclosure SPN 8 Way, Supply of (DB) made out of sheet metal enclosure SPN 12 Way, Fixing of (DB) made out of sheet metal enclosure SPN 12 Way, Supply of SPN enclouser with a two pin and earth plug and socket , Fixing of SPN enclouser with a two pin and earth plug and socket , Material for Earthing with GI steel earth plate electrode 60x60cm.x 6mm thick, Fixing of Earthing with GI steel earth plate electrode 60x60cm.x 6mm, Material for switch Socket Combination 5 pin, 5 Amps flush type, Fixing of switch Socket Combination 5 pin, 5 Amps flush type, Material for switch Socket Combination 2 in 1, 5 Amps /16 Amps flush type, Fixing of switch Socket Combination 2 in 1, 5 Amps /16 Amps flush type, Supply of LED street light fting 35 Watt 230 V AC outdoor type, Fixing of LED street light fting 35 Watt 230 V AC outdoor type, Material conce point wiring 1.5 wire ,1 fan point controle by switch 5 A , fixing of conce point wiring 1.5 wire ,1 fan point controle by switch 5 A , Material conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, Material conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, Material conce point wiring 1.5 wire ,1 fan point control by 1 b/p switch 5A , Fixing conce point wiring 1.5 wire ,1 fan point controle by 1 b/p switch 5 A , Material conc point wiring comp 2.5 Wire for power point on indep board, Fixing of conc point wiring comp 2.5 Wire for power point on indep board, Material concpoint wiring comp 4.0 wire for AC socket on indep board, Fixing of concpoint wiring comp 4.0 wire for AC socket on indep board

बिड विवरण / Bid Details
Searched String: Taking down carefully
(copper/aluminium) point wiring

Category not available on GeM for the text string uploaded by the buyer

Searched String: Taking down unserviceable existing sub main wiring

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of Angle holder PVC polycarbonate suitable size

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of Angle holder PVC polycarbonate suitable size

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure V TPN 6 Way for 160/200 A Mccbs

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure V TPN 6 Way for 160/200 A Mccbs

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure TPN 4 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure TPN 4 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure TPN 8 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure TPN 8 Way

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure SPN 4 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure SPN 4 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure SPN 8 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure SPN 8 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of (DB) made out of sheet metal enclosure SPN 12 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of (DB) made out of sheet metal enclosure SPN 12 Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Supply of SPN enclouser with a two pin and earth plug and socket

Plug Cocks for Water Supply Purposes conforming to IS 3004

Searched String: Fixing of SPN enclouser with a two pin and earth plug and socket

Category not available on GeM for the text string uploaded by the buyer

Searched String: Material for Earthing with GI steel earth plate electrode 60x60cm.x 6mm thick

Parallel Bar - Outdoor Gym Equipment, Corrugated Boxes

Searched String: Fixing of Earthing with GI steel earth plate electrode 60x60cm.x 6mm

Parallel Bar - Outdoor Gym Equipment, Corrugated Boxes

Searched String: Material for switch Socket Combination 5 pin, 5 Amps flush type

Electrical Extension Box (V4), Fume Hood (FSSAI)

Searched String: Fixing of switch Socket Combination 5 pin, 5 Amps flush type

Electrical Extension Box (V4), Fume Hood (FSSAI)

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

विड विवरण / Bid Details **Searched String:** Material for switch Socket Combination 2 in 1, 5 Amps /16 Amps flush type

Electrical Extension Box (V4), Fume Hood (FSSAI)

Searched String: Fixing of switch Socket Combination 2 in 1, 5 Amps /16 Amps flush type

Electrical Extension Box (V4)

Searched String: Supply of LED street light fting 35 Watt 230 V AC outdoor type

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing of LED street light fting 35 Watt 230 V AC outdoor type

Category not available on GeM for the text string uploaded by the buyer

Searched String: Material conce point wiring 1.5 wire ,1 fan point controle by switch 5 A

Tapered Bearings as per IS 12102, Control Cable

Searched String: fixing of conce point wiring 1.5 wire ,1 fan point controle by switch 5 A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Material conce point wiring 1.5 wire ,1 fan point controle by 5 A socket

Tapered Bearings as per IS 12102, Control Cable

Searched String: fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket

Category not available on GeM for the text string uploaded by the buyer

Searched String: Material conce point wiring 1.5 wire ,1 fan point controle by 5 A socket

Tapered Bearings as per IS 12102, Control Cable

Searched String: fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket

Category not available on GeM for the text string uploaded by the buyer

Searched String: Material conce point wiring 1.5 wire ,1 fan point control by 1 b/p switch 5A

Control Cable, Tapered Bearings as per IS 12102

Searched String: Fixing conce point wiring 1.5 wire ,1 fan point controle by 1 b/p switch 5 A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Material conc point wiring comp 2.5 Wire for power point on indep board

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: Fixing of conc point wiring comp 2.5 Wire for power point on indep board</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Material concpoint wiring comp 4.0 wire for AC socket on indep board</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Fixing of concpoint wiring comp 4.0 wire for AC socket on indep board</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Ceiling rose - IS 371
बीओक्यू शीर्षक /BOQ Title	Electric items supply and services
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	217008

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this

Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SBSO

Commander Works Engineer, Department of Military Affairs, Indian Army, Ministry of Defence
(Gautam Deb)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time

to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (1125 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Nature of Switch	1 way switch
Switch Classification	Type of Terminal Connection	Screw type terminal
Construction	Current Carrying Contact Material	Brass

Additional Specification Parameters - Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (1125 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material for Switch piano Flush, single pole, one way 5 amp complete all as specified and directed.	Fixing for Switch piano Flush, single pole, one way 5 amp complete all as specified and directed.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1125	180

Electric Bells And Accessories As Per IS 2268 (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Product ISI marked	Yes
	Type of bell	Ding Dong type

Additional Specification Parameters - Electric Bells And Accessories As Per IS 2268 (45 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material for bell electric ding dong 230 V complete all as directed	Fixing of bell electric ding dong 230 V complete all as directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Nature of Switch	bell push switch
Switch Classification	Type of Terminal Connection	Screw type terminal
Construction	Current Carrying Contact Material	Copper

Additional Specification Parameters - Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (45 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material for bell push 5 Amps one way complete all as directed	Fixing of bell push 5 Amps one way complete all as directed
Material for bell push 5 Amps one way complete all as directed	Fixing of bell push 5 Amps one way complete all as directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (100 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	BIS Marking	Yes
	Rated voltage	250.0 (Volt)
	Type of Regulator	socket size
	No of steps	5
Construction	Color of regulator body	White
Certification & standards	Test report to be submitted to the Buyer on Demand	NA

Additional Specification Parameters - Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply in replace electronic fan regulator 230 volts, step type,socket type, hum free 120 wat ISI Marked	Fixing in replace electronic fan regulator 230 volts, step type,socket type, hum free 120 wat ISI Marked

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	100	180

Ceiling Rose - IS 371 (1125 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification & standards	Warranty	1.0 (year)
	Product BIS Marked	Yes
Construction	Current carrying material	Brass
	No of Plate	3 plate

Additional Specification Parameters - Ceiling Rose - IS 371 (1125 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material for Ceiling rose in poly carbonate 3 plates flush type 6 Amps, 250 volts AC ISI marked,complete all as specified and directed.	Fixing for Ceiling rose in poly carbonate 3 plates flush type 6 Amps, 250 volts AC ISI marked,complete all as specified and directed.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1125	180

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (250 meter)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of cable	Class 1(for indoor installation)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)
	Cable Construction Type	Single Core Cable
	No of core	1.0
	Nominal Cross Sectional Area of Conductor (in Sq mm)	10.0
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (250 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material in replacement of concealed three phase Sub main wiring using single core 04 run of 10 sq mm PVC copper wire. Complete all as specified and directed	Fixing in replacement of concealed three phase Sub main wiring using single core 04 run of 10 sq mm PVC copper wire. Complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	250	180

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (190 meter)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Construction Type	Single Core Cable

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	No of core	1.0
	Nominal Cross Sectional Area of Conductor (in Sq mm)	4.0
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (190 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material in replacement of concealed three phase Sub main wiring using single core 03 run of 4.0 sq mm PVC copper wire. Complete all as specified and directed	Fixing in replacement of concealed three phase Sub main wiring using single core 03 run of 4.0 sq mm PVC copper wire. Complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	190	180

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (740 meter)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)
	Cable Construction Type	Single Core Cable
	No of core	1.0
	Nominal Cross Sectional Area of Conductor (in Sq mm)	6.0
	Sheath type	Type ST3
	Colour of sheath	Any other colour as agreed between the purchaser and the supplier
	Conductor material (Complying with IS:8130:1984 latest)	Annealed bare copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (740 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material in replacement of concealed three phase Sub main wiring using single core 03 run of 6.0 sq mm PVC copper wire. Complete all as specified and directed	Fixing in replacement of concealed three phase Sub main wiring using single core 03 run of 6.0 sq mm PVC copper wire. Complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	740	180

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	2 P with 1 PP
	Rated voltage (in Volts)	415 V, AC
	Rated Current (in Ampere)	40
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (45 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply 240V, 10 KA 'B' curve miniature circuit breaker (MCB) of single poles and neutral and current carrying capacity 40 to 63 AMP, in the MCB DB Complete with connection testing and commissioning complete all as specified and directed	Fixing 240V, 10 KA 'B' curve miniature circuit breaker (MCB) of single poles and neutral and current carrying capacity 40 to 63 AMP, in the MCB DB Complete with connection testing and commissioning complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	2 P with 1 PP
	Rated voltage (in Volts)	240 V, AC
	Rated Current (in Ampere)	32
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (45 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply 240V, 10 KA 'B' curve miniature circuit breaker (MCB) of single poles and neutral and current carrying capacity 32 AMP, in the MCB DB Complete with connection testing and commissioning complete all as specified and directed	Fixing 240V, 10 KA 'B' curve miniature circuit breaker (MCB) of single poles and neutral and current carrying capacity 32 AMP, in the MCB DB Complete with connection testing and commissioning complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (10 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	4 P with 3 PP
	Rated voltage (in Volts)	415 V, AC
	Rated Current (in Ampere)	40
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply 240V, 10 KA 'C' curve miniature circuit breaker (MCB) of triple pole & neutral 415 volt C curve 10 KA 40 to 100 Amps capacity, in the MCB DB Complete with connection testing and commissioning complete all as specified and directed	Fixing 240V, 10 KA 'C' curve miniature circuit breaker (MCB) of triple pole & neutral 415 volt C curve 10 KA 40 to 100 Amps capacity, in the MCB DB Complete with connection testing and commissioning complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (627 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 / 415 V, AC
	Rated Current (in Ampere)	6
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (627 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply of 240V, 10 KA 'C' curve miniature circuit breaker MCB single pole 5 to 32 Amps 10KA 230 V, in the MCB DB Complete with connection testing and commissioning complete all as spd and dire	Fixing of 240V, 10 KA 'C' curve miniature circuit breaker MCB single pole 5 to 32 Amps 10KA 230 V, in the MCB DB Complete with connection testing and commissioning complete all as spd and dire

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	627	180

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (12 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	3 P with 3 PP
	Rated voltage (in Volts)	240 / 415 V, AC
	Rated Current (in Ampere)	32
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply of 240V, 10 KA 'C' curve miniature circuit breaker MCB triple pole, 25 to 63 Amp 240 volt C Curve 10 KA, in the MCB DB Complete with connection testing and commissioning complete all as spd and dire	Fixing of 240V, 10 KA 'C' curve miniature circuit breaker MCB triple pole, 25 to 63 Amp 240 volt C Curve 10 KA, in the MCB DB Complete with connection testing and commissioning complete all as spd and dire

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	12	180

LED Batten (860 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	20.0
	Length of LED Batten (Nominal) (in mm)	1150.0
	Lamp Efficacy (Lumen / Watt), Minimum	100, 110 Or higher
	Warranty for free replacement (in Years)	2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Polycarbonate

Additional Specification Parameters - LED Batten (860 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LED ights fitting 1x 20 W. 220V, AC decorative box type with driver	, holder including LED tube light connecting up with three core flexible copper conductor cable of suitable size from ceiling rose Complete all as specified and directed by Engr in Charge

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	860	180

LED Batten (45 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	10.0
	Length of LED Batten (Nominal) (in mm)	560.0
	Lamp Efficacy (Lumen / Watt), Minimum	110 Or higher
	Warranty for free replacement (in Years)	2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Polycarbonate

Additional Specification Parameters - LED Batten (45 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply of LED light fitting mirror type with high out put diffuser 2 feet, 10 watt 220 V AC decorative type, LED lamp including connecting up with 3core flexible copper conductor cable of suitable size complete	Fixing of LED light fitting mirror type with high out put diffuser 2 feet, 10 watt 220 V AC decorative type, LED lamp including connecting up with 3core flexible copper conductor cable of suitable size complete

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Taking Down Carefully Copper By Aluminium Point Wiring Complete Of Any Type Batten By Surface Conduit Or Concealed For Light Point Fan Point Complete. All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1610	180

Taking Down Unserviceable Existing Sub Main Wiring With Copper By Aluminium Conductor Stranded Cable.All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	930	180

Supply Of Angle Holder PVC Polycarbonate Suitable Size Fixed On Wall. All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

Fixing Of Angle Holder PVC Polycarbonate Suitable Size Fixed On Wall. All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet Steel VTPN 6 Way.All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet Steel VTPN 6 Way.All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet Steel VTPN 6 Way.All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	23	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet Steel VTPN 6 Way.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	23	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet, Dust And Vermin Proof, TPN 4 Way.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	6	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet, Dust And Vermin Proof, TPN 4 Way.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	6	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet, Dust And Vermin Proof, TPN 8 Way.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet, Dust And Vermin Proof, TPN 8 Way.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 4 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 4 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 8 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 8 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 12 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 12 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply Of Single Pole And Neutral Enclouser With A Two Pin And Earth Plug And Socket.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Fixing Of Single Pole And Neutral Enclosure With A Two Pin And Earth Plug And Socket.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Material For Earthing Complete With Galvanised Steel Earth Plate Electrode 60x60cmx 6mm Thick.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	35	180

**Fixing Of Earthing Complete With Galvanised Steel Earth Plate Electrode 60x60cmx
6mm Thick.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	35	180

**Material For Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto
Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Swtch 5 Amps.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1125	180

Fixing Of Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Swtch 5 Amps.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1125	180

Material For Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin ,5 Amps Socket Outlet In The Same Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	140	180

Fixing For Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin ,5 Amps Socket Outlet In The Same Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	140	180

Material For Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin, 5 Amps Socket Outlet In The Independent Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	140	180

Fixing Of Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin, 5 Amps Socket Outlet In The Independent Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	140	180

Material For Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Bell Push.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Fixing Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Bell Push.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Material For Concealed Point Wiring Complete Using 2.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For Power Point On Independent Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	160	180

**Fixing Of Concealed Point Wiring Complete Using 2.5 Sqmm PVC Copper Conducto
Cable FRLSH 1100 V, For Power Point On Independent Board.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	160	180

**Material For Concealed Point Wiring Complete Using 4.0 Sqmm PVC Copper Conducto
Cable FRLSH 1100 V, For For AC Socket On Independent Board.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

**Fixing Of Concealed Point Wiring Complete Using 4.0 Sqmm PVC Copper Conducto
Cable FRLSH 1100 V, For For AC Socket On Independent Board.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

**Material For Switch Socket Combination 5 Pin, 5 Amps Flush Type.Complete All
Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	280	180

Fixing Of Switch Socket Combination 5 Pin, 5 Amps Flush Type.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	280	180

Material For Switch Socket Combination 2 In 1, 5 By 16 Amps Flush Type.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	160	180

Fixing Switch Socket Combination 2 In 1, 5 By 16 Amps Flush Type.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	160	180

Supply Of LED Street Light Fting 35 Watt 230 V AC Outdoor Type.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Fixing Of LED Street Light Fting 35 Watt 230 V AC Outdoor Type.Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	45	180

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (23 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	YES
	Rated Current (in Ampere)	100A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35/50/65 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	220VDC

Additional Specification Parameters - Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (23 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply of 4 Pole MCCB 63/100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA. Complete all as spd and directed	Fixing of 4 Pole MCCB 63/100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA. Complete all as spd and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****NORTH 24 PARAGANAS	23	180

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (4 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	YES
	Rated Current (in Ampere)	160A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity 10/16 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	240/415 Volt 50 Hz AC

Additional Specification Parameters - Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply of 4 Pole MCCB 160/200 Amp, 50 Hz, 415 V with ruptuing capacity 25 KA. complete all as spd and directed	Fixing of 4 Pole MCCB 160/200 Amp, 50 Hz, 415 V with ruptuing capacity 25 KA. complete all as spd and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

4. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

5. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

6. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

7. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bidder affidavit to be upload regarding their firm not under liquidation or blacklisted in the past by any organisation for any procedural or sale failure. Affidavit issued date not older than one year from bid published date.
2. Bidder must upload Gem contract copy of similar/ related work done to any Govt organisation as per performance.
3. Bidder must upload bank solvency certificate (solvency not older than one year from bid published date). Bank solvency should mention the name, employee code & mobile number of the issuing authority.
4. Bidder should upload a valid OEM authorisation certificate, and the bid number should be mentioned in the OEM authorisation certificate.
5. EMD/BG should be uploaded by the bidder. If EMD/BG not uploaded by the bidder, the bid should be rejected.
6. Bidder must upload working capital certificate not older than 6 months.
7. Bidder must upload EPFO and ESIC Certificates as a Performance.
8. Mandatory Documents to be Submitted:-

- (a) Valid ISO certificates of the bidder must be uploaded.
- (b) Valid license, Test report and Technical data sheet of each product.
- (c) Valid GST return of the last Financial Year.

9. Bidder must upload BOQ and cat specification file (buyer added bid specific ATC) mentioning all product make, company name and all specifications of the product of this bid, duly mentioned bid number, date and stamp and signature of the firm.

10. Bidder must attend and quote in all items covered in the Bid/ Self declaration for the same must be uploaded.

11. Certificate by the bidder to be uploaded, regarding items will be executed as per direction of engineer-in-charge, complete all as specified and directed.

12. In the Absence of any Certificate/Document/Undertaking as above, the Bidder shall be technically disqualified.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---