

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-02-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-02-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	757
वस्तु श्रेणी /Item Category	Bathroom or Toilet Mirror (V3) (Q4) , Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701 (Q3) , XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) (Q2) , Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) (Q3) , LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) (Q3)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes   Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या   / Minimum number of bids required to disable automatic bid extension	5

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	105000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	3

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this

Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Offg SBSO

CWE SUBS MUMBAI, Department of Military Affairs, Indian Army, Ministry of Defence  
(Kanchan Harishchandra Salvi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
7. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

### Bathroom Or Toilet Mirror (V3) ( 100 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Square
	Type of Mirror Coating	Silver Coated
	Frame	With
	Frame Material	Aluminium
	Frame Color	Silver
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>20 to ?25
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	100	60

### Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 34 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Double Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	1000 Liter

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	29	60
2	*****	*****MUMBAI	5	60

**Bathroom Or Toilet Mirror (V3) ( 54 )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Decorative Mirror
	<b>Mirror Shape</b>	Round
	<b>Type of Mirror Coating</b>	Silver Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Plastic
	<b>Frame Color</b>	Yellow
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>40 to ?45
	<b>Height/Diameter of Mirror (inch)</b>	>40 to ?45
	<b>Thickness of Mirror (mm)</b>	>7.5 to ?10

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	54	60

**Bathroom Or Toilet Mirror (V3) ( 60 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>40 to ?45
	Height/Diameter of Mirror (inch)	>45 to ?50
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	60	60

## Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 51 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Double Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	500 Liter

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	45	60
2	*****	*****MUMBAI	6	60

## Bathroom Or Toilet Mirror (V3) ( 4 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Aluminium Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Plastic
	<b>Frame Color</b>	White

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>15 to ?20
	<b>Height/Diameter of Mirror (inch)</b>	>20 to ?25
	<b>Thickness of Mirror (mm)</b>	>5 to ?7.5

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	4	60

**Bathroom Or Toilet Mirror (V3) ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Silver Coated
	<b>Frame</b>	Without
	<b>Frame Material</b>	NA (Frameless)
	<b>Frame Color</b>	NA
	<b>Mirror Mounting / Fixing System</b>	Holes with Screws
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>10 to ?12.5
	<b>Height/Diameter of Mirror (inch)</b>	>15 to ?20
	<b>Thickness of Mirror (mm)</b>	>3.5 to ?4

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	2	60

**Bathroom Or Toilet Mirror (V3) ( 162 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Aluminium Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Stainless Steel
	<b>Frame Color</b>	Silver
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>15 to ?20
	<b>Height/Diameter of Mirror (inch)</b>	>40 to ?45
	<b>Thickness of Mirror (mm)</b>	>3.5 to ?4

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	162	60

**XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) ( 31 meter )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification for XLPE cable</b>	as per IS:7098 (Part 1): 1988 latest
	<b>Cables suitable for use in mines</b>	Yes
	<b>Cables suitable for use in low temperature applications</b>	Yes
GENERIC	<b>Classification of cables for improved fire performance category</b>	01
	<b>Nominal Area of Conductor (in Sq mm)</b>	35
	<b>Number of core (in Nos)</b>	3.5
CONSTRUCTION	<b>Material of conductor</b>	Aluminium
	<b>Type of inner sheath</b>	Un-vulcanized rubber
ARMOURING	<b>Type of cable</b>	Armoured cable
	<b>Material of armouring</b>	Galvanized steel formed wire
	<b>Type of armouring</b>	Single wire
CERTIFICATION	<b>Availability of Optional Test Reports</b>	Cold bend test for outer sheath

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	31	60

**XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) ( 60 meter )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification for XLPE cable</b>	as per IS:7098 (Part 1): 1988 latest
	<b>Cables suitable for use in mines</b>	No
	<b>Cables suitable for use in low temperature applications</b>	No
GENERIC	<b>Classification of cables for improved fire performance category</b>	01
	<b>Nominal Area of Conductor (in Sq mm)</b>	10
	<b>Number of core (in Nos)</b>	2
CONSTRUCTION	<b>Material of conductor</b>	Aluminium
	<b>Type of inner sheath</b>	Thermoplastic
ARMOURING	<b>Type of cable</b>	Armoured cable
	<b>Material of armouring</b>	Galvanized round steel wire
	<b>Type of armouring</b>	Double wire
CERTIFICATION	<b>Availability of Optional Test Reports</b>	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	60	60

### XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) ( 100 meter )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification for XLPE cable</b>	as per IS:7098 (Part 1): 1988 latest
	<b>Cables suitable for use in mines</b>	No
	<b>Cables suitable for use in low temperature applications</b>	No
GENERIC	<b>Classification of cables for improved fire performance category</b>	01
	<b>Nominal Area of Conductor (in Sq mm)</b>	10
	<b>Number of core (in Nos)</b>	4
CONSTRUCTION	<b>Material of conductor</b>	Aluminium
	Construction of the conductor	Stranded and shaped
	<b>Type of inner sheath</b>	Thermoplastic
ARMOURING	<b>Type of cable</b>	Armoured cable
	<b>Material of armouring</b>	Aluminium flat strip
	<b>Type of armouring</b>	Single strip
PACKING AND MARKING	Standard length of cable on drum (in m)	500
CERTIFICATION	<b>Availability of Optional Test Reports</b>	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	100	60

**XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) ( 40 meter )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification for XLPE cable</b>	as per IS:7098 (Part 1): 1988 latest
	<b>Cables suitable for use in mines</b>	No
	<b>Cables suitable for use in low temperature applications</b>	No
GENERIC	<b>Classification of cables for improved fire performance category</b>	01
	<b>Nominal Area of Conductor (in Sq mm)</b>	16
	<b>Number of core (in Nos)</b>	4
CONSTRUCTION	<b>Material of conductor</b>	Aluminium
	<b>Type of inner sheath</b>	Thermoplastic
ARMOURING	<b>Type of cable</b>	Armoured cable
	<b>Material of armouring</b>	Galvanized round steel wire
	<b>Type of armouring</b>	Double wire
CERTIFICATION	<b>Availability of Optional Test Reports</b>	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	40	60

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 3 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV
	<b>Type of joint kit</b>	Non Rigid - Transition Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	240
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	3	60

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 1 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	50
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	1	60

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 1 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	16
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	1	60

### Bathroom Or Toilet Mirror (V3) ( 10 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Decorative Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Plastic
	Frame Color	White
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>10 to ?12.5
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****MUMBAI	10	60

### Bathroom Or Toilet Mirror (V3) ( 40 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Plastic
	Frame Color	Cream
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>20 to ?25
	Height/Diameter of Mirror (inch)	>25 to ?30
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****MUMBAI	40	60

**LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating (in Watts)/ System Wattage/ Rated Power	110

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)</b>	100, 120, 140 Or higher
ELECTRICAL CHARACTERISTIC	Rated voltage / Luminaire works on	230 V, 50 Hz, AC / Single phase three wires system (Phase, Neutral and Earth)
	<b>Input operating voltage range and frequency</b>	140 to 270 Volts AC at 50 Hz +/-2
CONTROL GEAR	<b>Number of electronic control gear in the luminaire (power supplies)</b>	2 Or higher
	Efficiency	? 90% (above 70 W)
PROTECTION	The luminaire protected against surges and transients, Internal, (in KV, Minimum)	4, 5 Or higher
	The luminaire is protected against surges and transients, External, (in KV, Minimum) (hint: In case of no protection select "0")	0, 10 Or higher
LUMINAIRE	<b>Provision of luminaire connecting wire along with the supply of material</b>	50 cm (ISI marked to IS 9968)
MARKING	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND/APT
REPORTS AND CERTIFICATIONS	<b>Warranty for free replacement (in years)</b>	3, 4, 5 Or higher

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Porbandar	4	60

**Special terms and conditions-Version:1 effective from 17-10-2025 for category Rotational Moulded**

## **Polyethylene Water Storage Tanks (V3) Conforming to IS 12701**

1. These tanks are not meant for underground applications. It does not cover mobile water tanks and horizontal cylindrical water tanks. Nominal service temperature from +1 degree Celsius to +50 degree Celsius.

The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such, Buyers may also opt for ISI marked products while creating BID by mentioning their requirement in Bid ATC. Availability of License to vendors in this category needs to be checked by Buyer at their end, in case they add any such conditions in Bid ATC. Further, in such cases, buyer shall verify a valid BIS License for the same at the time of evaluation of the BID and check the ISI marking at the time of receipt of the material before issuing CRAC.

## **क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

### **1. Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### **2. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### **3. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### **4. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### **5. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

### **6. Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

## 7. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

## 8. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 9. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

### **ATC**

1. Bidder to provide technical data sheet for the items quoted in the bid makes specified in the bid will only be accepted as its for a predefined work past performance of prior supply work is a must.
2. Bidder must provide OEM authorization document with specific bid number.
3. Bidder must have prior experience of fixing contracts in MES.
4. Only category 1 makes under HQ Chief Engineer Southern command approved make documents to be upload in Bid.
5. Bidder must have local presence in the same city/ state for supply work.
6. The OEM must give guarantee letter of behalf of reseller.
7. Warranty certificate is mandatory.
8. Test certificate of items is must upload in bid.
9. Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
10. Bidders are advised to check applicable GST on their own before quoting . Buyer will not take any responsibility in this regards.
11. Bidder shall submit the following documents along with their bid for Vendor Code Creation: a. Copy of PAN Card. b. Copy of GSTIN. c. Copy of Cancelled Cheque. Copy of NEFT Mandate duly certified by Bank.
12. NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:
13. I M/s. NAME OF BIDDER hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract. 2. If denying the norms as per the Contract a legal action may be taken against me as per the existing Rules.
14. While generating invoice in GeM portal, the seller must upload scanned copy

y of GST invoice and the screenshot of GST portal confirming payment of GST.

15. Bidder's offer is liable to be rejected if they don't upload any of the Certificates/documents sought in the Bid document. ATC and Corrigendum if any.

16. EMD amount to be given in favor of CWE (Subs) Mumbai.

17. Upload annual turn over of OEM and also of bidder for 03 latest consecutive financial years for all mentioned makes to be quoted in this bid so as to get checked the genuineness of items supplied.

18. Required OEM Turnover and OEM Authorizations for All the branded items which will be quoted and One OEM Authorization bid No should be mentioned and Technical specification on OEM letter head.

19. Samples to be provided within bid duration before one day prior of opening of Technical bid is mandatory.

20. Only branded items to be provided.

21. Required technical specification on OEM letter head.

22. Required NABL certificate, BIS License and warranty certificate is mandatory.

23. Upload MII certificate only from OEM's of makes quoted out of the makes mentioned.

24. In case the documents are found to be fraudulent the bidder shall be blacklisted permanently.

25. The Bidder/Vendor must have to upload price list along with picture/image of all the items of this bid.

## अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake

compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**